

PRODUCT-DETAILS

# RA18-10

## INSNYL RING TERM 22-16 BLT No10 RED



### General Information

|                       |                                                                                                                                                           |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|
| Extended Product Type | RA18-10                                                                                                                                                   |
| Product ID            | 7TAI029810R0003                                                                                                                                           |
| EAN                   | 5414363131908                                                                                                                                             |
| Catalog Description   | INSNYL RING TERM 22-16 BLT No10 RED                                                                                                                       |
| Long Description      | Nylon Insulated Ring Terminal, Length .89 Inches, Width .31 Inches, Maximum Insulation .136, Bolt Hole #10, Wire Range #22-#16 AWG, Color Red, Tin Plated |

### Ordering

|     |               |
|-----|---------------|
| EAN | 5414363131908 |
|-----|---------------|

### Dimensions

|                    |                    |
|--------------------|--------------------|
| Product Net Weight | .015 lb<br>6.803 g |
|--------------------|--------------------|

### Container Information

|                        |                 |
|------------------------|-----------------|
| Package Level 1 Units  | 100 piece       |
| Package Level 1 Width  | 1.1 in<br>28 mm |
| Package Level 1 Height | 3 in<br>76 mm   |

|                                |                   |
|--------------------------------|-------------------|
| Package Level 1 Depth / Length | 2.09 in<br>53 mm  |
| Package Level 2 Units          | 500 piece         |
| Package Level 2 Width          | 9.5 in<br>241 mm  |
| Package Level 2 Height         | 8.8 in<br>224 mm  |
| Package Level 2 Depth / Length | 15 in<br>381 mm   |
| Package Level 3 Units          | 5000 piece        |
| Package Level 3 Width          | 7.2 in<br>183 mm  |
| Package Level 3 Height         | 8.89 in<br>226 mm |
| Package Level 3 Depth / Length | 10.4 in<br>264 mm |

## Additional Information

|                     |                                                                                                                                                                                  |
|---------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Brand / Label       | Sta-Kon                                                                                                                                                                          |
| Color               | Red                                                                                                                                                                              |
| Material            | Copper                                                                                                                                                                           |
| Number of Batteries | 0                                                                                                                                                                                |
| Product Name        | ELECTRICAL TERMINAL                                                                                                                                                              |
| Product Type        | Nylon Insulated Ring Terminal                                                                                                                                                    |
| Special Functions   | Self-insulated with high dielectric-strength nylon sleeves. An inner bronze insulation grip sleeve lengthens the flexing radius of the conductor and eliminates conductor creep. |
| Standards           | UL E9809                                                                                                                                                                         |
| UPC                 | 786210803913                                                                                                                                                                     |
| Voltage Rating      | 600 V                                                                                                                                                                            |
| Wire Size           | 22-16 AWG                                                                                                                                                                        |

## Certificates and Declarations (Document Number)

|                                   |         |
|-----------------------------------|---------|
| Data Sheet, Technical Information | RA18-10 |
| Instructions and Manuals          | RA18-10 |

## Classifications

|                                    |                                                              |
|------------------------------------|--------------------------------------------------------------|
| ETIM 6                             | EC001052 - Solderless copper terminals for copper conductors |
| ETIM 7                             | EC001052 - Solderless copper terminals for copper conductors |
| UNSPSC                             | 39121432                                                     |
| WEEE Category                      | Product Not in WEEE Scope                                    |
| IDEA Granular Category Code (IGCC) | 4603 >> Electrical terminals                                 |

## Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

