


PRODUCT-DETAILS

RA18-250A

INS NYL FEM-250 DISC 22-18 LEN .8



General Information

Extended Product Type	RA18-250A
Product ID	7TAI029700R0021
EAN	5414363157533
Catalog Description	INS NYL FEM-250 DISC 22-18 LEN .8
Long Description	Nylon Insulated Open Top 90 Degree Flag Female Disconnect Terminal, Length .80 Inch, Width .71 Inch, Maximum Insulation .170, Tab Size .250x.032, Wire Range #22-#18 AWG, Color Red, Brass, Tin Plated

Ordering

EAN	5414363157533
-----	---------------

Dimensions

Product Net Weight	.005 lb
	2.268 g

Container Information

Package Level 1 Units	50 piece
Package Level 1 Width	1.3 in
	33 mm
Package Level 1 Height	3.5 in

	89 mm
Package Level 1 Depth / Length	2.5 in 64 mm
Package Level 2 Units	250 piece
Package Level 2 Width	10.3 in 262 mm
Package Level 2 Height	8.3 in 211 mm
Package Level 2 Depth / Length	12.3 in 312 mm
Package Level 3 Units	2500 piece
Package Level 3 Width	10.1 in 257 mm
Package Level 3 Height	8 in 203 mm
Package Level 3 Depth / Length	12.2 in 310 mm

Additional Information

Brand / Label	Sta-Kon
Color	Red
Insulation Material	Nylon/Polyamide
Material	Brass
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Nylon Insulated Open Top 90 Degree Flag Female Disconnect
Special Functions	Unique construction of the female disconnect offers long-term dependability. Brazed seam serrated barrel provides maximum tensile strength.
Standards	UL E66716
Surface Finishing	Tin Plated
UPC	786210894423

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RA18-250A
Instructions and Manuals	RA18-250A

Classifications

ETIM 6	EC000516 - Round or flat plug/receptacle
ETIM 7	EC000516 - Round or flat plug/receptacle
UNSPSC	39121447
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4667 >> Wire terminal disconnect

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

