

PRODUCT-DETAILS

# RA18-8

## INS NYL RING TERM 22-16 BLT No8 RED



### General Information

Extended Product Type	RA18-8
Product ID	7TAI029810R0007
EAN	5414363157588
Catalog Description	INS NYL RING TERM 22-16 BLT No8 RED
Long Description	Nylon Insulated Ring Terminal, Length .89 Inches, Width .26 Inches, Maximum Insulation .136, Bolt Hole #8, Wire Range #22-#16 AWG, Color Red, Tin Plated

### Ordering

EAN	5414363157588
-----	---------------

### Dimensions

Product Net Weight	.003 lb 1.361 g
--------------------	--------------------

### Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	1.1 in 28 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	2.09 in 53 mm
Package Level 2 Units	500 piece
Package Level 2 Width	9.4 in 239 mm
Package Level 2 Height	8.9 in 226 mm
Package Level 2 Depth / Length	15.1 in 384 mm
Package Level 3 Units	5000 piece
Package Level 3 Width	7.2 in 183 mm
Package Level 3 Height	9 in 229 mm
Package Level 3 Depth / Length	10.5 in 267 mm

---

### Additional Information

Brand / Label	Sta-Kon
Color	Red
Material	Copper
Number of Batteries	0
Product Name	ELECTRICAL TERMINAL
Product Type	Nylon Insulated Ring Terminal
Special Functions	Self-insulated with high dielectric-strength nylon sleeves. An inner bronze insulation grip sleeve lengthens the flexing radius of the conductor and eliminates conductor creep.
Standards	UL E9809
UPC	786210803883
Voltage Rating	600 V
Wire Size	22-16 AWG

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	RA18-8
Instructions and Manuals	RA18-8

---

### Classifications

ETIM 6	EC001052 - Solderless copper terminals for copper conductors
ETIM 7	EC001052 - Solderless copper terminals for copper conductors
UNSPSC	39121432
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4603 >> Electrical terminals

---

### Categories

---

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Compression & Mechanical Connectors

