


PRODUCT-DETAILS

664-SC

2-G RCSD FLR-BX 90CU HUB.75/1 STL



General Information

Extended Product Type	664-SC
Product ID	7TAA003100R0007
EAN	5415022253061
Catalog Description	2-G RCSD FLR-BX 90CU HUB.75/1 STL
Long Description	Two Gang Recessed Service Floor Box, 90 Cubic Inches, Length 10-1/4 Inches, Width 4-11/16 Inches, Depth 3-3/4 Inches, Four 3/4 Inch and Four 1 Inch and 1-1/4 Inch Concentric Knockouts, Electro-Galvanized Steel, Delivers Power, Communications and Data from Standard Conduit with No Exposed Service Fittings

Ordering

EAN	5415022253061
UPC	785991618822
Country of Origin	United States (US)
Customs Tariff Number	7326908688
Selling Unit of Measure	each

Container Information

Package Level 1 Units	1 piece
Package Level 2 Units	4 piece
Package Level 2 Width	10.8 in 274 mm
Package Level 2 Height	6.2 in

	157 mm
Package Level 2 Depth / Length	15.4 in 391 mm

Additional Information

Application	Multiple service floor box that deliver power, communications and data from standard conduit with no exposed service fittings.
Brand / Label	Steel City
Cable Entry Position	Knockouts
Effective Date	19991027
Material	Stamped Steel
Number of Batteries	0
Number of Knockouts	8
Product Name	STEEL FLOOR BOX
Product Type	Recessed Service
Special Functions	Hinged floor plate is steel reinforced for superior load bearing and provides easy access to devices
Standards	UL E2969
Volume	90 in ³

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	664-SC
Instructions and Manuals	664-SC

Classifications

ETIM 6	EC000024 - Installation box for underfloor-installation
ETIM 7	EC000024 - Installation box for underfloor-installation
ETIM 8	EC000024 - Installation box for underfloor-installation
UNSPSC	39121307
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4432 >> Floor boxes

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Electrical Boxes

