

## PRODUCT-DETAILS

# LT9125-SC

## 1 1/4 90 DEG SC LT CONN



### General Information

Extended Product Type	LT9125-SC
Product ID	7TAA115120R0054
EAN	0785991085723
Catalog Description	1 1/4 90 DEG SC LT CONN
Long Description	Liquidtight Conduit Fitting, 90 Degree Bend, Trade Size 1-1/4 Inch, Malleable Iron

### Ordering

EAN	0785991085723
-----	---------------

### Dimensions

Product Net Weight	.99 lb
	448.98 g

### Container Information

Package Level 1 Units	5 piece
Package Level 1 Width	4.4 in
	112 mm
Package Level 1 Height	7 in
	178 mm
Package Level 1 Depth /	8.7 in

Length	221 mm
Package Level 2 Units	25 piece
Package Level 2 Width	8.9 in 226 mm
Package Level 2 Height	7.9 in 201 mm
Package Level 2 Depth / Length	21.8 in 554 mm

## Additional Information

Application	Typical Applications Include Motor and Control, Heating and Air Conditioning, Outdoor Lighting and Transformer Connection
Brand / Label	Steel City
Color	Metallic
Material	Malleable Iron
Number of Batteries	0
Product Name	MALLEABLE IRON FITTING FOR CONDUIT
Product Type	Connectors-90 Degree
Size	1-1/4 Inch
Special Functions	Screw in Ferrule and Split Sealing Ring Makes for a Quick Install While Still Providing a Liquidtight Seal that Meets UL Standards
Standards	UL E23018
UPC	785991085723

## Certificates and Declarations (Document Number)

Data Sheet, Technical Information	LT9125-SC
Instructions and Manuals	LT9125-SC

## Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121420
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4585 >> Liquid tight connectors

## Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

