

PRODUCT-DETAILS

LT950-SC

1/2 90 DEG SC LT CONN



General Information

Extended Product Type	LT950-SC
Product ID	7TAA115120R0059
EAN	0785991085693
Catalog Description	1/2 90 DEG SC LT CONN
Long Description	Liquidtight Conduit Fitting, 90 Degree Bend, Trade Size 1/2 Inch, Malleable Iron

Ordering

EAN	0785991085693
-----	---------------

Dimensions

Product Net Weight	.27 lb
	122.449 g

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	5.3 in
	135 mm
Package Level 1 Height	4.4 in
	112 mm
Package Level 1 Depth /	8.1 in

Length	206 mm
Package Level 2 Units	100 piece
Package Level 2 Width	8.6 in 218 mm
Package Level 2 Height	5.1 in 130 mm
Package Level 2 Depth / Length	21.5 in 546 mm

Additional Information

Application	Typical Applications Include Motor and Control, Heating and Air Conditioning, Outdoor Lighting and Transformer Connection
Brand / Label	Steel City
Color	Metallic
Material	Malleable Iron
Number of Batteries	0
Product Name	MALLEABLE IRON FITTING FOR CONDUIT
Product Type	Connectors-90 Degree
Size	1/2 Inch
Special Functions	Screw in Ferrule and Split Sealing Ring Makes for a Quick Install While Still Providing a Liquidtight Seal that Meets UL Standards
Standards	UL E23018
UPC	785991085693

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	LT950-SC
Instructions and Manuals	LT950-SC

Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121420
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4585 >> Liquid tight connectors

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

