


PRODUCT-DETAILS

5232GR

1/2 IN GROUNDED REVOLVER LT FITTING



General Information

Extended Product Type	5232GR
Product ID	7TAD012300R0000
EAN	5415022258226
Catalog Description	1/2 IN GROUNDED REVOLVER LT FITTING
Long Description	1/2 Inch External Bonding Liquidtight, Flexible Metal Conduit Connector, With Revolver Lug, With Tin Plated Cu Alloy Lug for AWG #14 to #2 Ground Wire, for Use In Wet Locations, 25 Pieces

Ordering

EAN	5415022258226
-----	---------------

Dimensions

Product Net Weight	.205 lb 92.971 g
--------------------	---------------------

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	4 in

	102 mm
Package Level 1 Depth / Length	6 in 152 mm
Package Level 2 Units	100 piece
Package Level 2 Width	5 in 127 mm
Package Level 2 Height	10.9 in 277 mm
Package Level 2 Depth / Length	12.9 in 328 mm

Additional Information

Application	To positively bond conduit to box or enclosure
Brand / Label	T&B Liquidtight Fittings
Material	Steel
Number of Batteries	0
Product Name	T&B LIQUIDTIGHT FITTINGS
Product Type	Grounding Connectors-Straight
Size	1/2 Inch
Standards	UL E3060, CSA
Surface Finishing	Electro Zinc Plated/Chromate Coating
UPC	786210899831

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000120
Instructions and Manuals	5232GR

Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121420
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4585 >> Liquid tight connectors

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

