


PRODUCT-DETAILS

5234GR

1 INCH NONINSUL GROUNDED LT FITTING



General Information

Extended Product Type	5234GR
Product ID	7TAD012310R0005
EAN	0786210899855
Catalog Description	1 INCH NONINSUL GROUNDED LT FITTING
Long Description	1 Inch Steel External Bonding Liquidtight Connector, Steel, Grounded, Non-insulated

Ordering

EAN	0786210899855
-----	---------------

Dimensions

Product Net Weight	.395 lb 179.138 g
--------------------	----------------------

Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	4 in 102 mm
Package Level 1 Depth /	8 in

Length	203 mm
Package Level 2 Units	50 piece
Package Level 2 Width	5.18 in 132 mm
Package Level 2 Height	8.12 in 206 mm
Package Level 2 Depth / Length	20.81 in 529 mm

Additional Information

Application	To positively bond conduit to box or enclosure
Brand / Label	T&B Liquidtight Fittings
Material	Steel
Number of Batteries	0
Product Name	T&B LIQUIDTIGHT FITTINGS
Product Type	Grounding Connectors-Straight
Size	1 Inch
Standards	UL E3060, CSA
Surface Finishing	Electro Zinc Plated/Chromate Coating
UPC	786210899855

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000120
Instructions and Manuals	5234GR

Classifications

ETIM 6	EC001180 - Screw connection for protective metallic hose
ETIM 7	EC001180 - Screw connection for protective metallic hose
UNSPSC	39121420
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4585 >> Liquid tight connectors

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

