

---

PRODUCT-DETAILS

# LT38P

## 3/8 INCH STRAIGHT BULLET CONNECTOR



---

### General Information

Extended Product Type	LT38P
Product ID	7TAD012550R0005
EAN	5414363100584
Catalog Description	3/8 INCH STRAIGHT BULLET CONNECTOR
Long Description	3/8 Inch Non-Metallic Liquidtight Bullet Connector

---

### Ordering

EAN	5414363100584
-----	---------------

---

### Dimensions

Product Net Weight	.07 lb 31.746 g
--------------------	--------------------

---

### Container Information

Package Level 1 Units	20 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	4 in 102 mm
Package Level 1 Depth /	8 in

Length	203 mm
Package Level 2 Units	100 piece
Package Level 2 Width	9.25 in 235 mm
Package Level 2 Height	5.5 in 140 mm
Package Level 2 Depth / Length	26.5 in 673 mm

---

### Additional Information

Application	T&B Bullet meets performance requirements when terminating Type B liquidtight non-metallic conduit or flexible non-metallic tubing to a box or enclosure with knockout opening or threaded hub.
Brand / Label	T&B Liquidtight Fittings
Material	Thermoplastic
Number of Batteries	0
Product Name	T&B LIQUIDTIGHT FITTINGS
Product Type	Bullet-Straight
Size	3/8 Inch
Standards	UL E23018, CSA
UPC	786210450643

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000236
Instructions and Manuals	LT38P

---

### Classifications

ETIM 6	EC001178 - Screw connection for protective plastic hose
ETIM 7	EC001178 - Screw connection for protective plastic hose
UNSPSC	39121420
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4585 >> Liquid tight connectors

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

