

PRODUCT-DETAILS

LT9125P

1 1/4 INCH 90 DEG BULLET CONNECTOR



General Information

Extended Product Type	LT9125P
Product ID	7TAD012550R0019
EAN	5414363100720
Catalog Description	1 1/4 INCH 90 DEG BULLET CONNECTOR
Long Description	1-1/4 Inch 90 Degree Non-Metallic Liquidtight Bullet Connector

Ordering

EAN	5414363100720
-----	---------------

Dimensions

Product Net Weight	.315 lb 142.857 g
--------------------	----------------------

Container Information

Package Level 1 Units	2 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	4 in 102 mm
Package Level 1 Depth /	6 in

Length	152 mm
Package Level 2 Units	10 piece
Package Level 2 Width	6.6 in 168 mm
Package Level 2 Height	5.3 in 135 mm
Package Level 2 Depth / Length	26.58 in 675 mm

Additional Information

Application	T&B Bullet meets performance requirements when terminating Type B liquidtight non-metallic conduit or flexible non-metallic tubing to a box or enclosure with knockout opening or threaded hub.
Brand / Label	T&B Liquidtight Fittings
Material	Thermoplastic
Number of Batteries	0
Product Name	T&B LIQUIDTIGHT FITTINGS
Product Type	Bullet-90 Degree
Size	1-1/4 Inch
Standards	UL E23018, CSA
UPC	786210450759

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000236
Instructions and Manuals	LT9125P

Classifications

ETIM 6	EC001178 - Screw connection for protective plastic hose
ETIM 7	EC001178 - Screw connection for protective plastic hose
UNSPSC	39121420
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4585 >> Liquid tight connectors

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

