

PRODUCT-DETAILS

# LT950P

## 1/2 INCH 90 DEG BULLET CONNECTOR



### General Information

Extended Product Type	LT950P
Product ID	7TAD012550R0022
EAN	5414363100775
Catalog Description	1/2 INCH 90 DEG BULLET CONNECTOR
Long Description	1/2 Inch 90 Degree Non-Metallic Liquidtight Bullet Connector

### Ordering

EAN	5414363100775
-----	---------------

### Dimensions

Product Net Weight	.075 lb 34.014 g
--------------------	---------------------

### Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Height	4 in 102 mm
Package Level 1 Depth /	6 in

Length	152 mm
Package Level 2 Units	50 piece
Package Level 2 Width	6.5 in 165 mm
Package Level 2 Height	5 in 127 mm
Package Level 2 Depth / Length	26.5 in 673 mm

---

### Additional Information

Application	T&B Bullet meets performance requirements when terminating Type B liquidtight non-metallic conduit or flexible non-metallic tubing to a box or enclosure with knockout opening or threaded hub.
Brand / Label	T&B Liquidtight Fittings
Material	Thermoplastic
Number of Batteries	0
Product Name	T&B LIQUIDTIGHT FITTINGS
Product Type	Bullet-90 Degree
Size	1/2 Inch
Standards	UL E23018, CSA
UPC	786210450728

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000236
Instructions and Manuals	LT950P

---

### Classifications

ETIM 6	EC001178 - Screw connection for protective plastic hose
ETIM 7	EC001178 - Screw connection for protective plastic hose
UNSPSC	39121420
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4585 >> Liquid tight connectors

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

