

---

PRODUCT-DETAILS

# LT975P

## 3/4INCH 90 DEG BULLET CONNECTOR



---

### General Information

Extended Product Type	LT975P
Product ID	7TAD012550R0024
EAN	5414363100799
Catalog Description	3/4INCH 90 DEG BULLET CONNECTOR
Long Description	3/4 Inch 90 Degree Bullet Connector Connector

---

### Ordering

EAN	5414363100799
-----	---------------

---

### Dimensions

Product Net Weight	.135 lb
	61.224 g

---

### Container Information

Package Level 1 Units	10 piece
Package Level 1 Width	5 in
	127 mm
Package Level 1 Height	4 in
	102 mm
Package Level 1 Depth /	8 in

Length	203 mm
Package Level 2 Units	50 piece
Package Level 2 Width	8.6 in 218 mm
Package Level 2 Height	5.4 in 137 mm
Package Level 2 Depth / Length	26.5 in 673 mm

---

### Additional Information

Application	T&B Bullet meets performance requirements when terminating Type B liquidtight non-metallic conduit or flexible non-metallic tubing to a box or enclosure with knockout opening or threaded hub.
Brand / Label	T&B Liquidtight Fittings
Material	Thermoplastic
Number of Batteries	0
Product Name	PLASTIC FITTING FOR CONDUIT
Product Type	Bullet-90 Degree
Size	3/4 Inch
Standards	UL E23018, CSA
UPC	786210450735

---

### Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000236
Instructions and Manuals	LT975P

---

### Classifications

ETIM 6	EC001178 - Screw connection for protective plastic hose
ETIM 7	EC001178 - Screw connection for protective plastic hose
UNSPSC	39121420
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4585 >> Liquid tight connectors

---

### Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

