

PRODUCT-DETAILS

LTC075GY

3/4IN LT TYPE B COND PVC GRY



General Information

| | |
|-----------------------|---|
| Extended Product Type | LTC075GY |
| Product ID | 7TAD012610R0009 |
| EAN | 5414363155126 |
| Catalog Description | 3/4IN LT TYPE B COND PVC GRY |
| Long Description | Commercial Grade, Type B Liquidtight Flexible PVC Conduit, 3/4 Inch Conduit Size, Approved for Outdoor and Direct Burial in the US, UL Temperature Ratings - 80 Degrees C Dry, 60 Degree C Wet, 70 Degree C Oil, Oil Resistant, Voltage Rating 600V, Gray |

Ordering

| | |
|-----|---------------|
| EAN | 5414363155126 |
|-----|---------------|

Dimensions

| | |
|----------------------------|---------------------|
| Product Net Depth / Length | 30.5 m |
| Product Net Weight | .194 lb 87.982 g |

Container Information

| | |
|-----------------------|---------|
| Package Level 2 Units | 100 ft |
| Package Level 2 Width | 22.5 in |

| | |
|--------------------------------|---------|
| | 572 mm |
| Package Level 2 Height | 6.5 in |
| | 165 mm |
| Package Level 2 Depth / Length | 22.5 in |
| | 572 mm |

Additional Information

| | |
|---------------------|---|
| Application | Machine Tools, Motor Hookups, Food Processing Equipment, Extensions from Wire Ways, and Sensor and Micro Switch Wiring Found In Control Consoles. |
| Brand / Label | T&B Liquidtight Fittings |
| Color | Gray |
| Inside Diameter | 20.8 mm |
| Material | PVC |
| Nominal Size | 3/4 in |
| Number of Batteries | 0 |
| Outside Diameter | 26.7 mm |
| Product Name | FLEXIBLE PLASTIC CONDUIT |
| Product Type | Liquidtight Flexible Non-Metallic Conduit |
| Special Functions | The Smooth Inner Surface Ensures that Cables and Conductors Can Be Fed Through Very Easily |
| Standards | UL E95745, CSA |
| UPC | 786210880778 |
| Voltage Rating | 600 V |

Certificates and Declarations (Document Number)

| | |
|-----------------------------------|-----------|
| Data Sheet, Technical Information | TDS000138 |
| Instructions and Manuals | LTC075GY |

Classifications

| | |
|------------------------------------|------------------------------------|
| ETIM 6 | EC001177 - Protective plastic hose |
| ETIM 7 | EC001177 - Protective plastic hose |
| UNSPSC | 39131706 |
| WEEE Category | Product Not in WEEE Scope |
| IDEA Granular Category Code (IGCC) | 5535 >> Electrical conduit |

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

