

PRODUCT-DETAILS

LTC100GY

1IN LT TYPE B COND PVC GRY



General Information

Extended Product Type	LTC100GY
Product ID	7TAD012610R0011
EAN	5414363155133
Catalog Description	1IN LT TYPE B COND PVC GRY
Long Description	Commercial Grade, Type B Liquidtight Flexible PVC Conduit, 1 Inch Conduit Size, Approved for Outdoor and Direct Burial in the US, UL Temperature Ratings - 80 Degrees C Dry, 60 Degree C Wet, 70 Degree C Oil, Oil Resistant, Voltage Rating 600V, Gray

Ordering

EAN	5414363155133
-----	---------------

Dimensions

Product Net Depth / Length	30.5 m
Product Net Weight	.299 lb 135.601 g

Container Information

Package Level 2 Units	100 ft
Package Level 2 Width	24.2 in

	615 mm
Package Level 2 Height	8 in
	203 mm
Package Level 2 Depth / Length	24.2 in
	615 mm

Additional Information

Application	Machine Tools, Motor Hookups, Food Processing Equipment, Extensions from Wire Ways, and Sensor and Micro Switch Wiring Found In Control Consoles.
Brand / Label	T&B Liquidtight Fittings
Color	Gray
Inside Diameter	26.4 mm
Material	PVC
Nominal Size	1 in
Number of Batteries	0
Outside Diameter	33.4 mm
Product Name	FLEXIBLE PLASTIC CONDUIT
Product Type	Liquidtight Flexible Non-Metallic Conduit
Special Functions	The Smooth Inner Surface Ensures that Cables and Conductors Can Be Fed Through Very Easily
Standards	UL E95745, CSA
UPC	786210880785
Voltage Rating	600 V

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000138
Instructions and Manuals	LTC100GY

Classifications

ETIM 6	EC001177 - Protective plastic hose
ETIM 7	EC001177 - Protective plastic hose
UNSPSC	39131706
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5535 >> Electrical conduit

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Liquidtight Fittings

