

PRODUCT-DETAILS

2920

1/2 IN RANGER CORD CONN .125-.375



General Information

Extended Product Type	2920
Product ID	7TBD105170R0000
EAN	5414363101703
Catalog Description	1/2 IN RANGER CORD CONN .125-.375
Long Description	Liquidtight Strain Relief Connector, 1/2 Inch, Straight, Cord Range 0.125 to 0.375 Inch, Throat Diameter 9/16 Inch, Steel Body, Glandnut, and Grip, Rubber Bushing

Ordering

EAN	5414363101703
-----	---------------

Dimensions

Product Net Weight	.14 lb 63.492 g
--------------------	--------------------

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	4.5 in 114 mm
Package Level 1 Height	3 in 76 mm

Package Level 1 Depth / Length	5 in 127 mm
Package Level 2 Units	100 piece
Package Level 2 Width	9.9 in 251 mm
Package Level 2 Height	4.1 in 104 mm
Package Level 2 Depth / Length	13.1 in 333 mm

Additional Information

Application	A Liquidtight Fitting to Secure Flexible Cord or Power Cable to a Box or Enclosure and Provide Strain Relief
Brand / Label	T&B Cord & Cable Fittings
Color	Metallic
Material	Steel
Number of Batteries	0
Product Name	ZINC ELECT. CONDUIT FITTING
Product Type	Cord Connectors-Straight
Size	1/2 Inch
Special Functions	Extended Range with Superior Strain Relief
Standards	UL E13938, CSA 52391
UPC	786210029207

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	2920
Instructions and Manuals	2920

Classifications

ETIM 6	EC000441 - Cable screw gland
ETIM 7	EC000441 - Cable gland
UNSPSC	39121431
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4601 >> Cable gland connector

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

