

PRODUCT-DETAILS

2920SST

1/2IN STR LT RELIEFCONN .12-.37 SST



General Information

Extended Product Type	2920SST
Product ID	7TAD105340R0001
EAN	5415022259681
Catalog Description	1/2IN STR LT RELIEFCONN .12-.37 SST
Long Description	Liquidtight Strain Relief Connector, 1/2 Inch NPT Threads, Straight, Cord Range 0.125 to 0.375 Inch, 304 Stainless Steel Body with Rubber Bushing

Ordering

EAN	5415022259681
-----	---------------

Dimensions

Product Net Weight	.235 lb 106.576 g
--------------------	----------------------

Container Information

Package Level 1 Units	25 piece
Package Level 1 Width	4.5 in 114 mm
Package Level 1 Height	4 in 102 mm

Package Level 1 Depth / Length	6 in 152 mm
Package Level 2 Units	125 piece
Package Level 2 Width	5 in 127 mm
Package Level 2 Height	7 in 178 mm
Package Level 2 Depth / Length	21 in 533 mm

Additional Information

Application	Ideal for MRO and OEM Applications In Corrosive Environments Such As Food & Beverage and Pharmaceutical Processing Wash Down Area
Brand / Label	T&B Cord & Cable Fittings
Color	Metallic
Material	Stainless Steel
Number of Batteries	0
Product Name	SS CORD FITTING
Product Type	Cord Connectors-Straight
Size	1/2 Inch
Special Functions	Type 304 Stainless Steel Construction for Your Harshesht Environments
Standards	UL E13938, CSA
UPC	786209877895

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TDS000054
Instructions and Manuals	2920SST

Classifications

ETIM 6	EC000441 - Cable screw gland
ETIM 7	EC000441 - Cable gland
UNSPSC	39121431
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	4601 >> Cable gland connector

Categories

Low Voltage Products and Systems → Installation Products → Cable Protection, Explosion Proof and Lighting → Flexible Cable Protection Systems

