


AIR HANDLER

75010505

REV
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
75010505_ TAM4AUP3_180036~P	*		AIR HANDLER PARTS LIST
75010504#TAM4AUP3~S	*		BLOWER
75010506#TAM4AUP3~S	*		CABINET
75010507#TAM4AUP3~S	*		COIL
75010525#TAM4AUP3~S	*		CONTROLS
75010531#TAM4AUP3~S	*		MODEL DESCRIPTION
OPTIONS#TAM4AUP3~S	*		OPTIONAL ACCESSORIES

AIR HANDLER

75010505

REV
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
BUS00324	*	1	BUSHING; SNAP, .562 OD, .50 MOUNTING HOLE DIAMETER, BLACK NYLON .135 THICK
GRM01009	*	1	GROMMET; 3/8 INCH LINE SET
GRM01010	*	1	GROMMET; 7/8 INCH LINE SET
PAI00248	*	1	PAINT; 12 OZ SPRAY, ANTHRACITE GRAY (SHIPPING UOM 12 OZ HAZ)
PLU01169	*	1	PLUG; THREADED 3/4
WIR06512	*	1	WIRE; HARNESS, JUNCTION, 16 AWG, 3 PIN, (BK,RD,GR) 12 IN LENGTH
DIV00226	1	1	DIVERTER; AIR DIVERTER 14.8T X 5.9W X 4.9T
PLT04953	2	1	PLATE; SEAL

BLOWER

75010504

REV
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
75010504_TAM4AUP3_180041~P	*		BLOWER PARTS LIST

BLOWER

75010504

REV
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
BLW01169	*	1	BLOWER; ASSEMBLY, COMPLETE. INCLUDES HOUSING, WHEEL, BRACKETS, MOTOR
CMP01415	1	4	CLAMP; BLOWER HOUSING CLEAT
WHL02915	2	1	WHEEL; BLOWER, 11.7 IN DIA X 10.6 IN WIDE, 0.50 IN BORE, CW ROTATION
HUS03894	3	1	HOUSING; MOLDED BLOWER, INCLUDES LEFT & RIGHT MOLDED HALF & CLP01123 QTY OF 5
MOT14008	4	1	MOTOR; CONSTANT TORQUE, 1.0 HP, 230/60/1, 1050-400 RPM, CCW
NUT01063	5	1	NUT; LOCKING NYLON
SCR01584	5	1	BOLT; 1/4-20 MA HX 1.5 S
BND00910	6	1	BAND; MOTOR MOUNT
BRK04223	7	3	BRACKET; MOTOR ARM
SCR02112	8	3	SCREW; ASSEMBLY-MOTOR MOUNT

CABINET

75010506

REL
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
75010506_TAM4AUP3_180044-P	*		CABINET PARTS LIST

CABINET

75010506

REL
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
CBT01789	*	1	SUPPORT; CABINET CROSSBAR
KIT15812	*	1	KIT; LATCH BAIL QTR TURN PANEL MOUNTING HARDWARE (BLOWER DOOR)
KIT15813	*	1	KIT; LATCH QTR TURN PANEL MOUNTING HARDWARE (HEATER DOOR)
KIT15955	*	1	KIT; RECEPTACLE 1/2 TURN FASTENER, INCLUDES 24 PIECES
LAT00885	*	1	LATCH; RECEPTACLE ROTARY
LAT00887	*	1	LATCH; RECEPTACLE ROTARY
CBT01800	1	1	CAB-COIL; C6-6; SUB
PNL31498	2	1	PANEL; TOP
PNL31441	3	1	PANEL; HEATER ACCESS
WAS01176	3	2	WASHER; BLACK RUBBER, 0.75 OUTER DIA X 0.17 INNER DIA X 0.093 THICK
COV04331	4	2	COVER; CONDENSATE HORIZONTAL, 3.8 X 2.7
COV04332	4	1	COVER; CONDENSATE DOWN FLOW, 3.4 X 1.6
PNL31437	4	1	PANEL; FIXED
WAS01176	4	2	WASHER; BLACK RUBBER, 0.75 OUTER DIA X 0.17 INNER DIA X 0.093 THICK
COV04327	5	1	COVER; CLEAR LED COVER 4.9 X 1.1
PNL31427	5	1	PANEL; COIL ACCESS
WAS01176	5	6	WASHER; BLACK RUBBER, 0.75 OUTER DIA X 0.17 INNER DIA X 0.093 THICK
PNL31433	6	1	PANEL; BLOWER ACCESS
WAS01176	6	4	WASHER; BLACK RUBBER, 0.75 OUTER DIA X 0.17 INNER DIA X 0.093 THICK
WIR07383	7	1	WIRE; HARNESS, CONTROL BOX, HIGH VOLT, 50 IN LENGTH, 3 WIRES-16 AWG (BK,GR,RD), 1 WIRE-18 AWG (GR)
WIR07396	8	1	WIRE; HARNESS, STAT HEAT CONTROL, 68 IN LENGTH, 4 WIRES-22 AWG (BR,PK,PR,WH)
CBT01631	9	1	CAB-BLOWER; C; SUB

COIL

75010507

REL
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
75010507_TAM4AUP3_185323-P	*		COIL PARTS LIST

COIL

75010507

REL
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
BAF01364	*	1	BAFFLE; COIL FRONT BAFFLE KIT, INCLUDES RIGHT AND LEFT BAFFLE
BAF01372	*	1	BAFFLE; COIL REAR BAFFLE KIT, INCLUDES RIGHT AND LEFT BAFFLE
VAL10331	*	1	VALVE; CHECK, 1/2 ID INLET X 1/2 OD OUTLET, 4.6 IN LENGTH
SEN02134	1	1	SENSOR; THERMISTOR TEMPERATURE SENSOR, 30 INCH BLACK LEAD WIRES, CLIP FOR 3/4 TUBING
MOT15215	2	1	MOTOR; EEV STEPPER MOTOR
PAN03097	3	1	PAN; DRAIN UP FLOW, 19.5 X 8.3
DIV00329	4	1	DIVERTER; WATER, 16.31 L X 1.30 W X 1.97 H
COL16799	5	1	COIL; COIL & DRAIN PAN ASSEMBLY, BLACK EPOXY.
TUB14506	6	1	TUBE; ASSEMBLY. INCLUDES EEV, STRAINER, LIQUID & TRANSITION TUBES
VAL10341	6	1	VALVE; EEV
SEN02124	7	1	SENSOR; SAT. LINE TEMPERATURE SENSOR, 25 INCH ORANGE LEAD WIRES, FOR 3/8 TUBING
STR00896	8	1	STRAINER; 3/8 ID INLET X 3/8 OD OUTLET, 2.75 IN LENGTH
PAN03095	9	1	PAN; DRAIN DOWN FLOW, 20.4 X 19.6

CONTROLS

75010525

REL
A

TYPICAL ILLUSTRATION




Part No.	Reference No.	Quantity	Description
75010525_TAM4AUP3_180051-P	*		CONTROLS PARTS LIST

CONTROLS

75010525

REV.
A

TYPICAL ILLUSTRATION



Part No.	Reference No.	Quantity	Description
KIT16176	*	1	KIT; WIRE HARNESS HEATER, 24 VAC
WIR07196	*	1	WIRE; HARNESS, EEV/SENSORS, 30 IN LENGTH, 12 WIRES-22 AWG (BK,BL,BR,OR,RD,WH,YL)
FUS01089	1	1	FUSE; 5 AMP, TAN, AUTOMOTIVE STYLE
RLY01196	2	1	RELAY; 240/480V, 24V COIL
BRK04142	3	1	BRACKET; DOOR SWITCH
SWT01714	3	2	SWITCH; DOOR SPST, 21 AMP, 125/250VAC
TRR02266	4	1	TRANSFORMER; 50VA, 208/240V PRI, 24V SEC
WIR07391	5	1	WIRE; HARNESS, CONTROL BOX, HIGH VOLT, 17.5 IN LENGTH, 3 WIRES-16 AWG (BK,GR,RD), 5 WIRES-18 AWG (BK,BL,RD)
CNT06902	6	1	CONTROL; BOARD ASSEMBLY, ELECTRONIC VALVE CONTROL
WIR07389	7	1	WIRE; HARNESS, LOW VOLT/HEAT CONTROL, 34 IN LENGTH, 2 WIRES-22 AWG (PR,WH)

Part No.	Reference No.	Quantity	Description
OPTIONS_ TAM4AUP3_180056-P	*		OPTIONAL ACCESSORIES PARTS LIST

NO GRAPHIC AVAILABLE

75013702

REV
A

**NO
GRAPHIC
AVAILABLE**

Part No.	Reference No.	Quantity	Description
BAYEAC10LG3AA	*	1	HEATER; 10 KW HEATER 208/240/3(BAYEAC10LG3AA)
BAYEABC15LG3AA	*	1	HEATER; 15 KW HEATER 208/240/3(BAYEABC15LG3AA)
FLR07870	*	1	FILTER; HIGH VELOCITY FILTER KIT 22 X 20 X 1 - 10 FILTERS (BAYFLR2220A)
HTR11104	*	1	HEATER; HEATER ASSY, 5KW , (BAYEAC05BK1AAA)
HTR11105	*	1	HEATER; HEATER ASSY, 5KW , (BAYEAC05LG1AAA)
HTR11106	*	1	HEATER; HEATER ASSY, 8KW , (BAYEAC08BK1AAA)
HTR11107	*	1	HEATER; HEATER ASSY, 8KW , (BAYEAC08LG1AAA)
HTR11108	*	1	HEATER; HEATER ASSY, 10KW , (BAYEAC10BK1AAA)
HTR11109	*	1	HEATER; HEATER ASSY, 10KW , (BAYEAC10LG1AAA)
HTR11110	*	1	HEATER; HEATER ASSY, 15KW , (BAYEABC15BK1AAA)
HTR11111	*	1	HEATER; HEATER ASSY, 20KW , (BAYEABC20BK1AAA)
HTR11112	*	1	HEATER; HEATER ASSY, 25KW , (BAYEACC25BK1AAA)
HTR11988	*	1	HEATER; HEATER ASSY, 10KW , (BAYEVAC10LG3AAA)
HTR11989	*	1	HEATER; HEATER ASSY, 15KW , (BAYEVBC15LG3AAA)
KIT15226	*	1	KIT; 23.5" CABINET MOUNTING STAND (TASB235)
KIT15765	*	1	KIT; DUCT FLANGE ASSEMBLY RETURN FOR CANINET C (BAYRETFLGCAA)
KIT15766	*	1	KIT; DUCT FLANGE ASSEMBLY SUPPLY FOR CANINET C (BAYSUPFLGCAA)
KIT15865	*	1	KIT; SIDE RETURN (BAYSRKIT100A)
KIT15866	*	1	KIT; HORIZONTAL HANGING (BAYHHKIT001A)
KIT15867	*	1	KIT; LOW VOLTAGE BOX (BAYLVKIT100A)
KIT15868	*	1	KIT; EEV SERVICE (BAYEVTSTKT1A). INCLUDES ENCLOSURE, PUSHBUTTON SWITCH AND EEV TEST KIT HARNESS
KIT15873	*	1	KIT; SINGLE POINT POWER ENTRY (BAYSPEKT200A)
KIT15973	*	1	KIT; INTERNAL CONDENSATE SWITCH (BAYICSKIT01A)
LIT01103	*	1	LIGHT; UV KIT (BAYUVCLK001AA)

MODEL NUMBER DESCRIPTION	75010531	REL A
AIR HANDLER		
<i>Example Model Number:</i> GAM5B0B36M31SAA 1 - - - 5 - - - 10 - - - 15 Digit 1 – Brand T = Trane G = Good (Trane Branded) Digit 2 – Product Type A = Air Handler Digit 3 – Convertibility M = Multi-positional 4-way F = Upflow Front Return, 3-way T = 3-way Digit 4 – Product Tier 2 = Good. Entry Level Feature Set 4 = Better. Retail Replacement Mid Efficiency 5 = Better. Entry Level High Efficiency, Multi-Speed 7 = Best. Retail Replacement High Efficiency, Variable-Speed 8 = Best. Retail Ultimate High Efficiency, Variable-Speed 9 = Best, Comm/24V Variable-Speed G = Best. Geothermal Digit 5 – Major Design Change Digit 6 – No Descriptor 0 = Air Handler / Coil Digit 7 – Size (Footprint) A = 17.5 x 21.8 B = 21.3 x 21.8 C = 23.5 x 21.8 Digits 8, 9 – Cooling Size: Air Handler or Coil 0-9 = AH Coil - 1000 BTU's (18, 24, 30, 36, 42, 48, 60) Digits 10, 11 – Airflow Type & Capacity S = Low Efficiency PSC, 1-5 Nominal Tonnage (cfm/ton) M = Mid Efficiency Multi-Speed, 1-5 Nominal Tonnage (cfm/ton) H = High Efficiency Variable Speed, 1-5 Nominal Tonnage (cfm/ton) V = High Efficiency Variable Speed, 1-5 Nominal Tonnage (cfm/ton) Digit 12 – Power Supply 1 = 208-230/60/1 Digit 13 – System Control Type S = Standard - 24 VAC C = CLII 13.8 VDC E = Black Epoxy Coil Digit 14 – Minor Design Change Digit 15 – Unit Parts Identifier		

Part No.	Reference No.	Quantity	Description
75010531_TAM4AUP3_140215-P	*		MODEL DESCRIPTION PARTS LIST

MODEL NUMBER DESCRIPTION	75010531	REV A
AIR HANDLER		
<i>Example Model Number:</i> GAM5B0B36M31SAA 1 - - - 5 - - - 10 - - - 15		
Digit 1 – Brand T = Trane G = Good (Trane Branded)		
Digit 2 – Product Type A = Air Handler		
Digit 3 – Convertibility M = Multi-positional 4-way F = Upflow Front Return, 3-way T = 3-way		
Digit 4 – Product Tier 2 = Good. Entry Level Feature Set 4 = Better. Retail Replacement Mid Efficiency 5 = Better. Entry Level High Efficiency, Multi-Speed 7 = Best. Retail Replacement High Efficiency, Variable-Speed 8 = Best. Retail Ultimate High Efficiency, Variable-Speed 9 = Best. Comm/24V Variable-Speed G = Best. Geothermal X = Premium, Link Communicating /24V		
Digit 5 – Major Design Change		
Digit 6 – No Descriptor 0 = Air Handler / Coil		
Digit 7 – Size (Footprint) A = 17.5 x 21.8 B = 21.3 x 21.8 C = 23.5 x 21.8		
Digits 8, 9 – Cooling Size: Air Handler or Coil 0-9 = AH Coil - 1000 BTU's (18, 24, 30, 36, 42, 48, 60)		
Digits 10, 11 – Airflow Type & Capacity S = Low Efficiency PSC, 1-5 Nominal Tonnage (cfm/ton) M = Mid Efficiency Multi-Speed, 1-5 Nominal Tonnage (cfm/ton) H = High Efficiency Variable Speed, 1-5 Nominal Tonnage (cfm/ton) V = High Efficiency Variable Speed, 1-5 Nominal Tonnage (cfm/ton)		
Digit 12 – Power Supply 1 = 208-230/60/1		
Digit 13 – System Control Type S = Standard - 24 VAC C = CLII 13.8 VDC E = Black Epoxy Coil		
Digit 14 – Minor Design Change		
Digit 15 – Unit Parts Identifier		

