

| Part No.                 | Reference No. | Quantity | Description                      |
|--------------------------|---------------|----------|----------------------------------|
| 75008965#FURUP207~S      | *             |          | BLOWER ASSEMBLY                  |
| 75000977#FURUP207~S      | *             |          | BURNER ASSEMBLY                  |
| FUR207_FURUP207_124590~P | *             |          | FURUP207 PARTS LIST              |
| 75008967#FURUP207~S      | *             |          | GENERAL ASSEMBLY                 |
| 75000978#FURUP207~S      | *             |          | INDUCED BLOWER AND FLUE ASSEMBLY |
| 75010797#FURUP207~S      | *             |          | INTEGRATED FURNACE CONTROL       |
| 75008940#FURUP207~S      | *             |          | MODEL NUMBER DESCRIPTION         |

NO GRAPHIC AVAILABLE

75013702


REV  
A

**NO  
GRAPHIC  
AVAILABLE**

# General Assembly

75008967

REV  
A



\*NOT ILLUSTRATED


This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No.                   | Reference No. | Quantity | Description                 |
|----------------------------|---------------|----------|-----------------------------|
| 75008967_FURUP207_148411~P | *             |          | GENERAL ASSEMBLY PARTS LIST |

# General Assembly

75008967

REV  
A



\*NOT ILLUSTRATED

This is a typical illustration. The unit in the field may not appear exactly as shown.


| Part No. | Reference No. | Quantity | Description                                                                                                                                       |
|----------|---------------|----------|---------------------------------------------------------------------------------------------------------------------------------------------------|
| ADP01053 | *             | 1        | ADAPTER; FLUE CONNECTOR WITH PERFORATED AIR DIFFUSER, 3 INCH DIAMETER, PLASTIC                                                                    |
| CNT06883 | *             | 1        | CONTROL; VARIABLE SPEED IFC DRIVE ASSEMBLY (VSIM). INCLUDES: CONTROL, BRACKET AND INSULATION                                                      |
| CPL00938 | *             | 1        | COUPLING; REDUCING COUPLING ASSEMBLY - INCLUDES C341097P01 (CPL00838) AND A341677P01 (POLYPROPYLENE PAD). 2.00 TO 3.0 WHITE PVC COUPLING ADAPTER. |
| HSE01574 | *             | 1        | HOSE; ASSEMBLY INCLUDES BARBED TEE FITTING                                                                                                        |
| HSE01577 | *             | 1        | HOSE; ASSEMBLY INCLUDES 2 BARBED TEE FITTINGS, AND 5 SECTIONS OF HOSE                                                                             |
| IRT00020 | *             | 6        | INSERT; BURNER                                                                                                                                    |
| MOD01574 | *             | 1        | MODULE; TO ORDER-SEE EXT NOTE                                                                                                                     |
| PAI00074 | *             | 1        | PAINT; SPRAY, SLATE GREY, FULL GLOSS(88) (SHIPPING UOM 12 OZ HAZ)                                                                                 |
| PNL24282 | *             | 1        | PANEL; BLOWER DECK 27.86 X 24.41                                                                                                                  |
| SHD00243 | *             | 1        | SHIELD; RADIATION                                                                                                                                 |
| TRR02162 | *             | 1        | TRANSFORMER; CHOKE LINE                                                                                                                           |
| TUB08057 | *             | 1        | TUBE; MALE TRANSFER NOT FIELD REPLACEABLE, PART OF RECOUP CELL                                                                                    |
| TUB08186 | *             | 1        | TUBE; FEMALE TRANSFER NOT FIELD REPLACEABLE, PART OF RECOUP COIL CELL                                                                             |
| WIR04866 | *             | 1        | WIRE; HARNESS - 4 PIN VSIM                                                                                                                        |
| WIR05160 | *             | 1        | WIRE; HARNESS, 2 PIN DF, 5 INCH BLACK WIRE                                                                                                        |
| WIR05224 | *             | 1        | WIRE; HARNESS CONTROL DF, INCLUDES THE 15 PIN CONTROL WIRING                                                                                      |
| WIR05286 | *             | 1        | WIRE; FURNACE MISC. 16 AWG, 9 INCHES                                                                                                              |
| WIR07768 | *             | 1        | WIRE; HARNESS, DF 90-3 ST                                                                                                                         |
| CBT01516 | 1             | 1        | CABINET; REPLACEMENT WRAPPER ASSEMBLY                                                                                                             |
| EXC02615 | 2             | 1        | EXCHANGER; HEAT, WITH RCT00852                                                                                                                    |
| COI00054 | 3             | 1        | COIL; RECOUP ASSEMBLY                                                                                                                             |
| SUP02611 | 4             | 1        | SUPPORT; HEAT EXCHANGER                                                                                                                           |
| COV02150 | 5             | 1        | COVER; TOP ASSEMBLY                                                                                                                               |
| COV02250 | 6             | 1        | COVER; TOP COVER ONLY. COMPLETE ASSEMBLY IS COV02150. PAINTED.                                                                                    |
| SPG00309 | 7             | 1        | SPRING; DOOR RETAINER,INCLUDED IN COVER ASSEMBLY                                                                                                  |
| RIV00071 | 8             | 1        | RIVET; POP, QTY 100 PER BOX COMPLETE COVER ASSEMBLY WILL INCLUDE THIS                                                                             |
| PNL28826 | 9             | 1        | PANEL; BOTTOM                                                                                                                                     |
| PLT04532 | 11            | 1        | PLATE; NAMEPLATE ASSEMBLY TRANE XC95M                                                                                                             |
| DOR04258 | 12            | 1        | DOOR; BLOWER, 23.63 X 20.00                                                                                                                       |
| BAF00853 | 16            | 1        | BAFFLE; HEAT EXCHANGER                                                                                                                            |
| FLR01186 | 18            | 2        | FILTER; AIR, 19 5/8 X 15 5/8 X 1, ALUMINUM FRAME                                                                                                  |
| ANG00625 | 19            | 2        | ANGLE, FILTER RETAINER 15 X .31 GALVANIZED                                                                                                        |
| BRK01574 | 20            | 3        | BRACKET;CONNECTION,COIL ATTACHMENT,FOR AIR HANDLER CONNECT.                                                                                       |
| SUP02162 | 21            | 1        | SUPPORT, FILTER                                                                                                                                   |
| GRM00836 | 22            | 1        | GROMMET; WIRE, 2.55 LENGTH X 1.69 WIDTH X .32 THICK                                                                                               |
| SWT01649 | 26            | 1        | SWITCH; REVERSE AIRFLOW, OPEN 105F, CLOSE 95F, 120/240V, 1/4QC TERM                                                                               |
| SUP04110 | 27            | 2        | SUPPORT; INNER DOOR                                                                                                                               |
| BRK02173 | 28            | 1        | BRACKET; INNER BLOWER DOOR DISCONNECT SWITCH                                                                                                      |
| DOR01240 | 28            | 1        | DOOR; INNER BLOWER                                                                                                                                |
| GRM00217 | 29            | 1        | GROMMET; BURNER BOX ENTRY SEAL                                                                                                                    |
| SWT01657 | 31            | 1        | SWITCH; THERMAL LIMIT, OPEN AT 250F, CLOSE AT 220F, 5.8 FLA @ 120V                                                                                |
| SEP00243 | 33            | 1        | SEPARATOR; CANISTER ASSEMBLY                                                                                                                      |
| TUB11757 | 37            | 1        | TUBE; CONDENSATE TUBE ASSEMBLY, COLD HEADER TO CANISTER TRAP. ASSEMBLY INCLUDES HOSE AND CLAMP.                                                   |
| TUB11756 | 38            | 1        | TUBE; CONDENSATE TUBE ASSEMBLY, INDUCER TO CANISTER TRAP. INCLUDES HOSE AND CLAMP.                                                                |
| BOX01499 | 42            | 1        | BOX; JUNCTION BOX                                                                                                                                 |
| COV03320 | 43            | 1        | COVER; JUNCTION BOX COVER                                                                                                                         |

| Part No. | Reference No. | Quantity | Description                                                                                                                                                                                         |
|----------|---------------|----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| BUS00300 | 44            | 1        | BUSHING; STRAIN RELIEF                                                                                                                                                                              |
| SWT02980 | 45            | 1        | SWITCH; DUAL PRESSURE, 28 VA PILOT DUTY 24 VAC, 125 VA PILOT DUTY 120 VAC. , 1/10 HP, 3 FLA, 18 LRA 24 VAC. HIGH SIDE OPEN AT 1.79 WC, CLOSE AT 2.12 WC. LOW SIDE OPEN AT 0.97 WC, CLOSE AT 1.19 WC |
| PLT02216 | 46            | 1        | PLATE; DEFLECTOR                                                                                                                                                                                    |
| GKT03082 | 47            | 2        | GASKET; INLET, 4.0 X 4.0 NONWOVEN FIBERGLASS                                                                                                                                                        |
| ADP00446 | 48            | 2        | ADAPTER; INLET, 3" DIA                                                                                                                                                                              |
| DOR03841 | 50            | 1        | DOOR; REPLACEMENT BURNER DOOR ASM                                                                                                                                                                   |
| SWT03071 | 51            | 1        | SWITCH; PRESSURE, .65 SET POINT, SPDT NORMALLY OPEN SNAP ACTION CONTACTS                                                                                                                            |

Induced Blower & Flue Assembly

75000978

REV  
A




This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No.                   | Reference No. | Quantity | Description                                 |
|----------------------------|---------------|----------|---------------------------------------------|
| 75000978_FURUP207_148409~P | *             |          | INDUCED BLOWER AND FLUE ASSEMBLY PARTS LIST |

Induced Blower & Flue Assembly

75000978

REV  
A




This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No. | Reference No. | Quantity | Description                                                              |
|----------|---------------|----------|--------------------------------------------------------------------------|
| WIR04869 | *             | 1        | WIRE; HARNESS - COMMUNICATION TO BLOWER, 3 CONNECTORS (2 MALE, 1 FEMALE) |
| MNT02266 | 1             | 1        | MOUNT; INDUCER MOTOR MOUNTING PLATE, GALVANIZED STEEL                    |
| RCT00851 | 2             | 1        | RECEPTACLE; TRANSITION INCLUDING FOUR MOUNTING SCREWS                    |
| CAP00453 | 3             | 1        | CAP; VINYL                                                               |
| INS02381 | 4             | 1        | INSULATION; SWITCH                                                       |
| SWT02686 | 4             | 1        | SWITCH; LIMIT INDUCER, OPEN 155, CLOSE 125 DEG F                         |
| BLW00879 | 5             | 1        | BLOWER; INDUCER, 3-PHASE                                                 |
| PIP00365 | 6             | 1        | PIPE; FLUE, MOLDED                                                       |
| GKT02606 | 8             | 1        | GASKET;COLLECTOR BOX                                                     |
| BOX00581 | 9             | 1        | BOX; FLUE COLLECTOR                                                      |
| INS01974 | 10            | 1        | INSULATION; COLLECTOR BOX                                                |

Burner Assembly

75000977

REV  
A




This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No.                   | Reference No. | Quantity | Description                |
|----------------------------|---------------|----------|----------------------------|
| 75000977_FURUP207_148408~P | *             |          | BURNER ASSEMBLY PARTS LIST |

Burner Assembly

75000977

REV  
A




This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No. | Reference No. | Quantity | Description                                                                          |
|----------|---------------|----------|--------------------------------------------------------------------------------------|
| BRK01963 | 1             | 1        | BRACKET; TOP                                                                         |
| BRK01530 | 2             | 1        | BRACKET; BURNER                                                                      |
| SUP02126 | 3             | 1        | SUPPORT; BURNER-LEFT HAND                                                            |
| SUP02127 | 4             | 1        | SUPPORT; BURNER-RIGHT HAND                                                           |
| BOX00604 | 5             | 1        | BOX;DIRECT VENT                                                                      |
| COV03096 | 6             | 1        | COVER; TOP DIRECT VENT - DOWNFLOW                                                    |
| VAL10381 | 7             | 1        | VALVE; GAS, 3 STAGE, MODULATING , 24 VOLT, 50/60HZ                                   |
| BNR01074 | 9             | 6        | BURNER; ALUMINUM STL, .50 INSERT DIA, TOG-L-LOC                                      |
| ORF01427 | 10            | 6        | ORIFICE; SPUD, DRILL #45, BRASS                                                      |
| MFD01213 | 11            | 1        | MANIFOLD; NPT GAS                                                                    |
| IGN00152 | 12            | 1        | MIN=12/12 IGNITER; SILICON-NITRIDE, 120V, INCLUDES BRACKET AND SCREWS                |
| BRK03336 | 13            | 1        | BRACKET; SiNi IGNITOR BRACKET                                                        |
| COV04440 | 14            | 1        | COVER; FRONT ASM DV                                                                  |
| SEN01114 | 15            | 1        | SENSOR; FLAME, NIKROTHAL 80 MATERIAL                                                 |
| SWT03525 | 16            | 1        | SWITCH; FLAME ROLLOUT, 200 DEGREES F, AUTO RESET, CLOSING TEMP. 150                  |
| GLS00820 | 18            | 1        | GLASS; SIGHT                                                                         |
| ADP00446 | 19            | 2        | ADAPTER; INLET, 3" DIA                                                               |
| GKT03082 | 20            | 2        | GASKET; INLET, 4.0 X 4.0 NONWOVEN FIBERGLASS                                         |
| CMP00380 | 21            | 2        | CLAMP; FLUE STACK                                                                    |
| CON00468 | 22            | 1        | CONNECTOR; FLEX                                                                      |
| PLT02216 | 23            | 1        | PLATE; DEFLECTOR                                                                     |
| DIF00177 | 24            | 1        | DIFFUSER; AIR, PERFORATED ALUMINUM (NOT REQUIRED WHEN ORDERING ADP01052 OR ADP01053) |

Blower Assembly

75008965

REV  
A




This is a typical illustration. The unit in the field may not appear exactly as shown.

| Part No.                   | Reference No. | Quantity | Description                |
|----------------------------|---------------|----------|----------------------------|
| 75008965_FURUP207_148410~P | *             |          | BLOWER ASSEMBLY PARTS LIST |

## Blower Assembly

75008965

REV  
A



This is a typical illustration. The unit in the field may not appear exactly as shown.


| Part No. | Reference No. | Quantity | Description                                                         |
|----------|---------------|----------|---------------------------------------------------------------------|
| WIR05151 | *             | 1        | WIRE; HARNESS, TWO PIN DF                                           |
| BLW01189 | 1             | 1        | BLOWER; REPLACEMENT BLOWER ASSEMBLY                                 |
| BRK03779 | 2             | 4        | BRACKET; MOTOR ARM, 4.8 X 3.0                                       |
| BND00026 | 3             | 1        | BAND; MOTOR MOUNT                                                   |
| HUS03092 | 5             | 1        | HOUSING; BLOWER                                                     |
| MOT14415 | 6             | 1        | MOTOR; VARIABLE SPEED, 1 HP,120V/240V, 60 HZ, 1250/VAR RPM.         |
| WHL01034 | 7             | 1        | WHEEL; BLOWER, 10.62 DIA X 10.75 WIDTH, CONVEX .50 BORE CW          |
| SWT01649 | 8             | 1        | SWITCH; REVERSE AIRFLOW, OPEN 105F, CLOSE 95F, 120/240V, 1/4QC TERM |

## INTEGRATED FURNACE CONTROL

75010797

REV.  
A

### TYPICAL ILLUSTRATION




| Part No.                   | Reference No. | Quantity | Description                           |
|----------------------------|---------------|----------|---------------------------------------|
| 75010797_FURUP207_144279~P | *             |          | INTEGRATED FURNACE CONTROL PARTS LIST |

## INTEGRATED FURNACE CONTROL

75010797

REV.  
A

### TYPICAL ILLUSTRATION



| Part No. | Reference No. | Quantity | Description                                                                                    |
|----------|---------------|----------|------------------------------------------------------------------------------------------------|
| SCR00968 | *             | 6        | SCREW; 10-16 HEX WASHER, TYPE B, THREAD FORMING SCREW, 0.31 THREAD LENGTH, STEEL W/ZINC FINISH |
| CNT06058 | 1             | 1        | CONTROL; USER INTERFACE - DISPLAY ASSEMBLY                                                     |
| BRK03798 | 2             | 1        | BRACKET; FACE - C, 6.85 X 2.91 INCH                                                            |
| BRK03797 | 3             | 1        | BRACKET; LEG - C, 2.5" X 3.85"                                                                 |
| CNT06883 | 4             | 1        | CONTROL; VARIABLE SPEED IFC DRIVE ASSEMBLY (VSIM). INCLUDES: CONTROL, BRACKET AND INSULATION   |
| TRR01816 | 5             | 1        | TRANSFORMER;                                                                                   |
| MNT02206 | 6             | 1        | MOUNT; IFC CONTROL PLATFORM                                                                    |
| BRK02826 | 7             | 1        | BRACKET; BLOWER DOOR SWITCH                                                                    |
| SWT01714 | 8             | 1        | SWITCH; DOOR SPST, 21 AMP, 125/250VAC                                                          |
| CNT07080 | 9             | 1        | CONTROL; INTEGRATED FURNACE CONTROL, MODULATING                                                |
| BRK03797 | 10            | 1        | BRACKET; LEG - C, 2.5" X 3.85"                                                                 |

| MODEL                                                                    | NUMBER | DESCRIPTION                             | 75008940 | RE<br>A |
|--------------------------------------------------------------------------|--------|-----------------------------------------|----------|---------|
| FURNACES                                                                 |        |                                         |          |         |
| <div> <div>TUD1A080A9361AA</div> <div>123456789101112131415</div> </div> |        |                                         |          |         |
| Digit 1                                                                  |        | Digit 10                                |          |         |
| Brand                                                                    |        | Voltage                                 |          |         |
| T = Trane                                                                |        | 9 = 115 Volts / 60hz / Natural Gas      |          |         |
| A = American Standard                                                    |        | A = 115 Volts / 50hz / Natural Gas      |          |         |
| C = Standard                                                             |        | C = 115 Volts / 60hz / Natural Gas      |          |         |
| Digit 2                                                                  |        | Communicating System control            |          |         |
| Configuration                                                            |        | F = 115 Volts / 60hz / Natural Gas With |          |         |
| U = Upflow or Upflow / Horizontal                                        |        | Integrated Electronic Filter            |          |         |
| H = Horizontal                                                           |        | D = 115 Volts / 60hz / Natural Gas With |          |         |
| D = Downflow                                                             |        | Communicating System & Integrated       |          |         |
|                                                                          |        | Electronic Filter                       |          |         |
| Digit 3                                                                  |        | Digit 11 & 12                           |          |         |
| Product Family                                                           |        | Air Flow                                |          |         |
| E = 80% Induced Draft Standard                                           |        | 36 = 3 Ton Standard PSC motor           |          |         |
| D = 80% Induced Draft Premium                                            |        | H3 = 3 Ton High Efficiency Motor        |          |         |
| C = 90% Condensing Standard 1 or 2 Pipe                                  |        | V3 = 3 Ton Variable Speed Motor         |          |         |
| X = 90% Condensing Premium 1 or 2 Pipe                                   |        |                                         |          |         |
| H = 95% Condensing Premium 1 or 2 Pipe                                   |        |                                         |          |         |
| Digit 4                                                                  |        | Digit 13                                |          |         |
| Heating Stages                                                           |        | Draft Inducer Speed                     |          |         |
| 1 = Single Stage                                                         |        | 1 = Single Speed                        |          |         |
| 2 = Two Stage                                                            |        | 2 = Two Speeds                          |          |         |
| 3 = Three Stage                                                          |        | V = Variable Speed                      |          |         |
| M = Modulating                                                           |        |                                         |          |         |
| Digit 5                                                                  |        | Digit 14                                |          |         |
| A = 14.5" Cabinet Width                                                  |        | Minor Design Change                     |          |         |
| B = 17.5" Cabinet Width                                                  |        | A = Minor Design Change                 |          |         |
| C = 21.0" Cabinet Width                                                  |        |                                         |          |         |
| D = 24.5" Cabinet Width                                                  |        | Digit 15                                |          |         |
|                                                                          |        | Service Digit                           |          |         |
|                                                                          |        | A = Service Digit                       |          |         |
| Digit 6,7,8                                                              |        |                                         |          |         |
| Capacity                                                                 |        |                                         |          |         |
| 080 = Heating Input MBTUH                                                |        |                                         |          |         |
| Digit 9                                                                  |        |                                         |          |         |
| Major Modification                                                       |        |                                         |          |         |
| A = Major Design Change                                                  |        |                                         |          |         |

| Part No.                   | Reference No. | Quantity | Description                         |
|----------------------------|---------------|----------|-------------------------------------|
| 75008940_FURUP207_124595~P | *             |          | MODEL NUMBER DESCRIPTION PARTS LIST |

| MODEL                                                                                                                                                                                                                                                                                                                                                                                                               | NUMBER | DESCRIPTION | 75008940 | REV<br>A |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------|-------------|----------|----------|
| FURNACES                                                                                                                                                                                                                                                                                                                                                                                                            |        |             |          |          |
| <div>T U D 1 A 0 8 0 A 9 3 6 1 A A</div> <div>1 2 3 4 5 6 7 8 9 10 11 12 13 14 15</div>                                                                                                                                                                                                                                                                                                                             |        |             |          |          |
| <div>Digit 1</div> <div>Brand</div> <div>T = Trane</div> <div>A = American Standard</div> <div>C = Standard</div>                                                                                                                                                                                                                                                                                                   |        |             |          |          |
| <div>Digit 2</div> <div>Configuration</div> <div>U = Upflow or Upflow / Horizontal</div> <div>H = Horizontal</div> <div>D = Downflow</div>                                                                                                                                                                                                                                                                          |        |             |          |          |
| <div>Digit 3</div> <div>Product Family</div> <div>E = 80% Induced Draft Standard</div> <div>D = 80% Induced Draft Premium</div> <div>C = 90% Condensing Standard 1 or 2 Pipe</div> <div>X = 90% Condensing Premium 1 or 2 Pipe</div> <div>H = 95% Condensing Premium 1 or 2 Pipe</div>                                                                                                                              |        |             |          |          |
| <div>Digit 4</div> <div>Heating Stages</div> <div>1 = Single Stage</div> <div>2 = Two Stage</div> <div>3 = Three Stage</div> <div>M = Modulating</div>                                                                                                                                                                                                                                                              |        |             |          |          |
| <div>Digit 5</div> <div>A = 14.5" Cabinet Width</div> <div>B = 17.5" Cabinet Width</div> <div>C = 21.0" Cabinet Width</div> <div>D = 24.5" Cabinet Width</div>                                                                                                                                                                                                                                                      |        |             |          |          |
| <div>Digit 6,7,8</div> <div>Capacity</div> <div>080 = Heating Input MBTUH</div>                                                                                                                                                                                                                                                                                                                                     |        |             |          |          |
| <div>Digit 9</div> <div>Major Modification</div> <div>A = Major Design Change</div>                                                                                                                                                                                                                                                                                                                                 |        |             |          |          |
| <div>Digit 10</div> <div>Voltage</div> <div>9 = 115 Volts / 60hz / Natural Gas</div> <div>A = 115 Volts / 50hz / Natural Gas</div> <div>C = 115 Volts / 60hz / Natural Gas</div> <div>Communicating System control</div> <div>F = 115 Volts / 60hz / Natural Gas With Integrated Electronic Filter</div> <div>D = 115 Volts / 60hz / Natural Gas With Communicating System &amp; Integrated Electronic Filter</div> |        |             |          |          |
| <div>Digit 11 &amp; 12</div> <div>Air Flow</div> <div>36 = 3 Ton Standard PSC motor</div> <div>H3 = 3 Ton High Efficiency Motor</div> <div>V3 = 3 Ton Variable Speed Motor</div>                                                                                                                                                                                                                                    |        |             |          |          |
| <div>Digit 13</div> <div>Draft Inducer Speed</div> <div>1 = Single Speed</div> <div>2 = Two Speeds</div> <div>V = Variable Speed</div>                                                                                                                                                                                                                                                                              |        |             |          |          |
| <div>Digit 14</div> <div>Minor Design Change</div> <div>A = Minor Design Change</div>                                                                                                                                                                                                                                                                                                                               |        |             |          |          |
| <div>Digit 15</div> <div>Service Digit</div> <div>A = Service Digit</div>                                                                                                                                                                                                                                                                                                                                           |        |             |          |          |

