

# TITAN HD<sup>®</sup>

## MOTOR RUN CAPACITORS



### Titan HD<sup>®</sup> Capacitor Offering:

- Single and Dual Ratings
- Round and Oval Sizes
- Voltage: 370 & 440/370



AS  
IN THE  
MADE



## Titan HD® Motor Run Capacitors - Single Section - Oval

### Features

Manufactured to EIA-456A standards  
Soybean oil filled aluminum can  
UL-801 fault current protection  
RoHS compliant  
Made in USA  
Up to 60,000 hours operational life

### Part Numbering System - Oval

P: Packard  
O: Oval Case  
C: Capacitor  
F: AC Volt: Blank = 370 / F = 440/370  
D: Section: Blank = Single / D = Dual  
MFD: 105 = 10 + 5  
A: American



POCF2A

**TITAN HD®**

| -----INDUSTRY NO.'S-----                          |      |          |          |              |     |    |  |
|---------------------------------------------------|------|----------|----------|--------------|-----|----|--|
| CATALOG NO.                                       | MFD  | CAN SIZE | USA MADE | NON-USA MADE | UOM | OM |  |
| <b>Titan HD® 370 Volt - Single Section - Oval</b> |      |          |          |              |     |    |  |
| POCF2A                                            | 2    | 1        | —        | 14002 12002  | EA  | 1  |  |
| POCF3A                                            | 3    | 1        | —        | 14003 12003  | EA  | 1  |  |
| POCF4A                                            | 4    | 1        | —        | 14004 12004  | EA  | 1  |  |
| POCF5A                                            | 5    | 1        | —        | 14005 12005  | EA  | 1  |  |
| POCF6A                                            | 6    | 1        | —        | 14006 12006  | EA  | 1  |  |
| POCF7.5A                                          | 7.5  | 1        | —        | 14007 12007  | EA  | 1  |  |
| POCF10A                                           | 10   | 2        | USA2037  | 14008 12008  | EA  | 1  |  |
| POCF12.5A                                         | 12.5 | 2        | —        | 14009 12009  | EA  | 1  |  |
| POCF15A                                           | 15   | 3        | —        | 14010 12010  | EA  | 1  |  |
| POCF17.5A                                         | 17.5 | 3        | —        | 14012 12012  | EA  | 1  |  |
| POCF20A                                           | 20   | 3        | —        | 14014 12014  | EA  | 1  |  |
| POCF25A                                           | 25   | 3        | —        | 14015 12015  | EA  | 1  |  |
| POCF30A                                           | 30   | 3        | —        | 14017 12017  | EA  | 1  |  |
| POCF35A                                           | 35   | 3        | —        | 14018 12018  | EA  | 1  |  |
| POCF40A                                           | 40   | 3        | —        | 14021 12021  | EA  | 1  |  |
| POCF45A                                           | 45   | 4        | —        | 14023 12023  | EA  | 1  |  |
| POCF50A                                           | 50   | 13       | —        | 14025 12025  | EA  | 1  |  |
| POCF55A                                           | 55   | 13       | —        | — 12024      | EA  | 1  |  |
| POCF60A                                           | 60   | 13       | —        | — 12087      | EA  | 1  |  |
| POCF70A                                           | 70   | 13       | —        | 14089 12089  | EA  | 1  |  |
| POCF80A                                           | 80   | 13       | —        | 14090 12090  | EA  | 1  |  |

| -----INDUSTRY NO.'S-----                              |      |          |          |              |     |    |  |
|-------------------------------------------------------|------|----------|----------|--------------|-----|----|--|
| CATALOG NO.                                           | MFD  | CAN SIZE | USA MADE | NON-USA MADE | UOM | OM |  |
| <b>Titan HD® 440/370 Volt - Single Section - Oval</b> |      |          |          |              |     |    |  |
| POCF2A                                                | 2    | 1        | —        | — 12026      | EA  | 1  |  |
| POCF2.5A                                              | 2.5  | 1        | —        | — 12019      | EA  | 1  |  |
| POCF3A                                                | 3    | 1        | USA2027  | 14027 12027  | EA  | 1  |  |
| POCF4A                                                | 4    | 1        | USA2028  | 14028 12028  | EA  | 1  |  |
| POCF5A                                                | 5    | 1        | USA2029  | 14029 12029  | EA  | 1  |  |
| POCF6A                                                | 6    | 1        | USA2030  | 14030 12030  | EA  | 1  |  |
| POCF7.5A                                              | 7.5  | 2        | USA2031  | 14031 12031  | EA  | 1  |  |
| POCF10A                                               | 10   | 3        | USA2035  | 14032 12032  | EA  | 1  |  |
| POCF12.5A                                             | 12.5 | 3        | USA2037  | 14033 12033  | EA  | 1  |  |
| POCF15A                                               | 15   | 3        | —        | 14034 12034  | EA  | 1  |  |
| POCF17.5A                                             | 17.5 | 3        | —        | — 12036      | EA  | 1  |  |
| POCF20A                                               | 20   | 3        | USA2260  | 14037 12037  | EA  | 1  |  |
| POCF25B                                               | 25   | 3        | USA2040  | 14040 12040  | EA  | 1  |  |
| POCF30A                                               | 30   | 4        | —        | 14041 12041  | EA  | 1  |  |
| POCF35A                                               | 35   | 4        | —        | 14043 12043  | EA  | 1  |  |
| POCF40A                                               | 40   | 13       | —        | 14045 12045  | EA  | 1  |  |
| POCF45A                                               | 45   | 13       | —        | 14048 12048  | EA  | 1  |  |
| POCF50A                                               | 50   | 13       | —        | 14049 12049  | EA  | 1  |  |
| POCF55A                                               | 55   | 13       | —        | 14050 12050  | EA  | 1  |  |
| POCF60A                                               | 60   | 14       | —        | 14051 12051  | EA  | 1  |  |
| POCF70A                                               | 70   | 14       | —        | — 12130      | EA  | 1  |  |
| POCF80A                                               | 80   | 14       | —        | 14140 —      | EA  | 1  |  |

**Notes:** Height dimension does not include terminals. Add 1/2" for terminals. Dimensions are subject to change. When dimensions are critical, please call.

## PART NUMBERING SYSTEM - OVAL

**P**

Packard

**O**

Case  
O = Oval

**C**

Capacitor

**F**

AC Volt  
Blank = 370  
F = 440

**D**

Section  
Blank = Single  
D = Dual

**105**

MFD  
Ex. 105 = 10+5

**A**

American

A SOLUTION FROM **Packard**

## Titan HD® Motor Run Capacitors - Dual Section - Oval

### Features

Manufactured to EIA-456A standards  
Soybean oil filled aluminum can  
UL-801 fault current protection  
RoHS compliant  
Made in USA  
Up to 60,000 hours operational life

### Part Numbering System - Oval

P: Packard  
O: Oval Case  
C: Capacitor  
F: AC Volt: Blank = 370 / F = 440/370  
D: Section: Blank = Single / D = Dual  
MFD: 105 = 10 + 5  
A: American



POCD55A

**TITAN HD®**

| -----INDUSTRY NO.'S-----                        |        |          |          |              |     |    |
|-------------------------------------------------|--------|----------|----------|--------------|-----|----|
| CATALOG NO.                                     | MFD    | CAN SIZE | USA MADE | NON-USA MADE | UOM | OM |
| <b>Titan HD® 370 Volt - Dual Section - Oval</b> |        |          |          |              |     |    |
| POCD55A                                         | 5+5    | 5        | —        | —            | EA  | 1  |
| POCD1010A                                       | 10+10  | 5        | —        | —            | EA  | 1  |
| POCD153A                                        | 15+3   | 12       | —        | 12141        | EA  | 1  |
| POCD154A                                        | 15+4   | 12       | —        | 12056        | EA  | 1  |
| POCD155A                                        | 15+5   | 12       | —        | 12057        | EA  | 1  |
| POCD1510A                                       | 15+10  | 12       | —        | 12058        | EA  | 1  |
| POCD1755A                                       | 17.5+5 | 12       | —        | 12060        | EA  | 1  |
| POCD204A                                        | 20+4   | 12       | —        | 12062        | EA  | 1  |
| POCD205A                                        | 20+5   | 12       | —        | 12063        | EA  | 1  |
| POCD2010A                                       | 20+10  | 12       | —        | 12064        | EA  | 1  |
| POCD2015A                                       | 20+15  | 8        | —        | 12164        | EA  | 1  |
| POCD253A                                        | 25+3   | 12       | —        | 12142        | EA  | 1  |
| POCD254A                                        | 25+4   | 6        | —        | 12065        | EA  | 1  |
| POCD255A                                        | 25+5   | 12       | 14066    | 12066        | EA  | 1  |
| POCD2575A                                       | 25+7.5 | 12       | —        | 12143        | EA  | 1  |
| POCD258A                                        | 25+8   | 8        | —        | 12131        | EA  | 1  |
| POCD2510A                                       | 25+10  | 12       | —        | 12167        | EA  | 1  |
| POCD2515A                                       | 25+15  | 8        | —        | 12133        | EA  | 1  |
| POCD303A                                        | 30+3   | 13       | —        | 12144        | EA  | 1  |
| POCD305A                                        | 30+5   | 13       | 14069    | 12069        | EA  | 1  |
| POCD3075A                                       | 30+7.5 | 8        | —        | 12146        | EA  | 1  |
| POCD3010A                                       | 30+10  | 13       | —        | 12147        | EA  | 1  |
| POCD353A                                        | 35+3   | 13       | —        | 12148        | EA  | 1  |
| POCD354A                                        | 35+4   | 13       | —        | 12071        | EA  | 1  |
| POCD355A                                        | 35+5   | 13       | 14072    | 12072        | EA  | 1  |
| POCD3575A                                       | 35+7.5 | 13       | —        | 12149        | EA  | 1  |
| POCD3510A                                       | 35+10  | 13       | —        | 12150        | EA  | 1  |
| POCD403A                                        | 40+3   | 13       | —        | 12151        | EA  | 1  |
| POCD404A                                        | 40+4   | 9        | —        | 12158        | EA  | 1  |
| POCD405A                                        | 40+5   | 13       | 14171    | 12171        | EA  | 1  |
| POCD4075A                                       | 40+7.5 | 13       | —        | 12152        | EA  | 1  |
| POCD4010A                                       | 40+10  | 13       | —        | 12134        | EA  | 1  |
| POCD455A                                        | 45+5   | 13       | 14174    | 12174        | EA  | 1  |
| POCD4575A                                       | 45+7.5 | 13       | —        | 12153        | EA  | 1  |
| POCD4510A                                       | 45+10  | 13       | —        | 12136        | EA  | 1  |
| POCD4515A                                       | 45+15  | 13       | —        | 12137        | EA  | 1  |
| POCD505A                                        | 50+5   | 13       | —        | 12138        | EA  | 1  |
| POCD555A                                        | 55+5   | 14       | —        | 12154        | EA  | 1  |
| POCD5575A                                       | 55+7.5 | 14       | —        | 12155        | EA  | 1  |
| POCD605A                                        | 60+5   | 14       | —        | 12139        | EA  | 1  |
| POCD6075A                                       | 60+7.5 | 14       | —        | 12156        | EA  | 1  |
| POCD6010A                                       | 60+10  | 14       | —        | 12157        | EA  | 1  |

### Notes:

Height dimension does not include terminals.  
Add 1/2" for terminals.  
Dimensions are subject to change.  
When dimensions are critical, please call.

| -----INDUSTRY NO.'S-----                            |        |          |          |              |     |    |
|-----------------------------------------------------|--------|----------|----------|--------------|-----|----|
| CATALOG NO.                                         | MFD    | CAN SIZE | USA MADE | NON-USA MADE | UOM | OM |
| <b>Titan HD® 440/370 Volt - Dual Section - Oval</b> |        |          |          |              |     |    |
| POCFD105A                                           | 10+5   | 5        | —        | 12165        | EA  | 1  |
| POCFD154A                                           | 15+4   | 5        | —        | 12270        | EA  | 1  |
| POCFD155A                                           | 15+5   | 12       | —        | 12271        | EA  | 1  |
| POCFD1510A                                          | 15+10  | 6        | —        | 12177        | EA  | 1  |
| POCFD205A                                           | 20+5   | 12       | —        | 12180        | EA  | 1  |
| POCFD2015A                                          | 20+15  | 13       | —        | 12083        | EA  | 1  |
| POCFD255A                                           | 25+5   | 13       | 14184    | 12184        | EA  | 1  |
| POCFD2575A                                          | 25+7.5 | 13       | —        | 12182        | EA  | 1  |
| POCFD2510A                                          | 25+10  | 13       | —        | 12183        | EA  | 1  |
| POCFD2515A                                          | 25+15  | 9        | —        | 12186        | EA  | 1  |
| POCFD304A                                           | 30+4   | 13       | —        | 12181        | EA  | 1  |
| POCFD305A                                           | 30+5   | 13       | 14187    | 12187        | EA  | 1  |
| POCFD3075A                                          | 30+7.5 | 13       | —        | 12038        | EA  | 1  |
| POCFD3010A                                          | 30+10  | 13       | —        | 12035        | EA  | 1  |
| POCFD353A                                           | 35+3   | 13       | —        | 12085        | EA  | 1  |
| POCFD354A                                           | 35+4   | 9        | —        | 12179        | EA  | 1  |
| POCFD355A                                           | 35+5   | 13       | 14185    | 12185        | EA  | 1  |
| POCFD3575A                                          | 35+7.5 | 13       | 14188    | 12188        | EA  | 1  |
| POCFD3510A                                          | 35+10  | 10       | —        | 12272        | EA  | 1  |
| POCFD403A                                           | 40+3   | 12       | —        | 12080        | EA  | 1  |
| POCFD405A                                           | 40+5   | 14       | 14086    | 12086        | EA  | 1  |
| POCFD4075A                                          | 40+7.5 | 14       | 14189    | 12189        | EA  | 1  |
| POCFD4010A                                          | 40+10  | 14       | —        | 12273        | EA  | 1  |
| POCFD455A                                           | 45+5   | 14       | 14190    | 12190        | EA  | 1  |
| POCFD4575A                                          | 45+7.5 | 14       | —        | 12274        | EA  | 1  |
| POCFD505A                                           | 50+5   | 15       | —        | 12108        | EA  | 1  |
| POCFD5075A                                          | 50+7.5 | 15       | —        | 12013        | EA  | 1  |
| POCFD555A                                           | 55+5   | 15       | —        | 12275        | EA  | 1  |
| POCFD5510A                                          | 55+10  | 15       | —        | 12276        | EA  | 1  |
| POCFD605A                                           | 60+5   | 15       | —        | 12109        | EA  | 1  |
| POCFD6510A                                          | 65+10  | 15       | —        | 12101        | EA  | 1  |
| POCFD805A                                           | 80+5   | 16       | 14297    | 12297        | EA  | 1  |
| POCFD8075A                                          | 80+7.5 | 16       | 14298    | 12298        | EA  | 1  |

| CAN SIZE              | DEPTH (IN.) | WIDTH (IN.) | HEIGHT (IN.) |
|-----------------------|-------------|-------------|--------------|
| <b>Can Dimensions</b> |             |             |              |
| 1                     | 1.25        | 2.00        | 1.56         |
| 2                     | 1.25        | 2.00        | 2.19         |
| 3                     | 1.25        | 2.00        | 2.88         |
| 4                     | 1.25        | 2.00        | 3.88         |
| 5                     | 1.75        | 2.75        | 2.38         |
| 6                     | 1.75        | 2.75        | 2.75         |
| 8                     | 1.75        | 2.75        | 3.25         |
| 9                     | 1.75        | 2.75        | 3.75         |
| 12                    | 1.75        | 2.75        | 2.38         |
| 13                    | 1.75        | 2.75        | 2.91         |

| CAN SIZE              | DEPTH (IN.) | WIDTH (IN.) | HEIGHT (IN.) |
|-----------------------|-------------|-------------|--------------|
| <b>Can Dimensions</b> |             |             |              |
| 14                    | 1.75        | 2.75        | 3.91         |
| 15                    | 1.75        | 2.75        | 4.75         |
| 16                    | 1.75        | 3.54        | 4.75         |

## Titan HD® Motor Run Capacitors - Single Section - Round

### Features

Manufactured to EIA-456A standards  
Soybean oil filled aluminum can  
UL-801 fault current protection  
RoHS compliant  
Made in USA  
Up to 60,000 hours operational life

### Part Numbering System - Oval

P: Packard  
R: Round Case  
C: Capacitor  
F: AC Volt: Blank = 370 / F = 440/370  
D: Section: Blank = Single / D = Dual  
MFD: Ex. 4575 = 45+7.5  
A: American



PRC7.5A

**TITAN HD®**

| -----INDUSTRY NO.'S----- |      |          |          |              |     |    |
|--------------------------|------|----------|----------|--------------|-----|----|
| CATALOG NO.              | MFD  | CAN SIZE | USA MADE | NON-USA MADE | UOM | OM |
| Titan HD 370 Volt        |      |          |          |              |     |    |
| PRC5A                    | 5    | 1        | —        | 12095        | EA  | 1  |
| PRC7.5A                  | 7.5  | 1        | —        | 12097        | EA  | 1  |
| PRC10A                   | 10   | 1        | 14098    | 12098        | EA  | 1  |
| PRC12.5A                 | 12.5 | 1        | —        | 12099        | EA  | 1  |
| PRC15A                   | 15   | 1        | 14210    | 12210        | EA  | 1  |
| PRC17.5A                 | 17.5 | 1        | 14212    | 12212        | EA  | 1  |
| PRC20A                   | 20   | 1        | 14214    | 12214        | EA  | 1  |
| PRC25A                   | 25   | 1        | 14215    | 12215        | EA  | 1  |
| PRC30A                   | 30   | 1        | 14217    | 12217        | EA  | 1  |
| PRC31.5A                 | 31.5 | 5        | —        | —            | EA  | 1  |
| PRC35A                   | 35   | 3        | 14218    | 12218        | EA  | 1  |
| PRC40A                   | 40   | 3        | 14821    | 12221        | EA  | 1  |
| PRC45A                   | 45   | 3        | 14823    | 12223        | EA  | 1  |
| PRC50A                   | 50   | 4        | 14225    | 12225        | EA  | 1  |
| PRC55A                   | 55   | 4        | 14226    | 12226        | EA  | 1  |
| PRC60A                   | 60   | 4        | 14227    | 12227        | EA  | 1  |
| PRC70A                   | 70   | 8        | 14229    | 12229        | EA  | 1  |
| PRC80A                   | 80   | 8        | 14199    | 12199        | EA  | 1  |
| PRC100A                  | 100  | 12       | —        | 12116        | EA  | 1  |

| -----INDUSTRY NO.'S----- |      |          |          |              |       |      |
|--------------------------|------|----------|----------|--------------|-------|------|
| CATALOG NO.              | MFD  | CAN SIZE | USA MADE | NON-USA MADE | UOM   | OM   |
| Titan HD 440/370 Volt    |      |          |          |              |       |      |
| PRCF5A                   | 5    | 1        | USA2204  | 14105        | 12105 | EA 1 |
| PRCF7.5A                 | 7.5  | 1        | USA2206  | 14107        | 12107 | EA 1 |
| PRCF10A                  | 10   | 1        | USA2207  | 14232        | 12232 | EA 1 |
| PRCF12.5A                | 12.5 | 1        | USA2208  | 14833        | 12233 | EA 1 |
| PRCF15A                  | 15   | 1        | USA2209  | 14234        | 12234 | EA 1 |
| PRCF17.5A                | 17.5 | 1        | —        | —            | 12236 | EA 1 |
| PRCF20A                  | 20   | 1        | USA2211  | 14237        | 12237 | EA 1 |
| PRCF25A                  | 25   | 3        | USA2212  | 14240        | 12240 | EA 1 |
| PRCF30A                  | 30   | 3        | USA2213  | 14241        | 12241 | EA 1 |
| PRCF35A                  | 35   | 4        | USA2214  | 14243        | 12243 | EA 1 |
| PRCF40A                  | 40   | 4        | USA2215  | 14245        | 12245 | EA 1 |
| PRCF45A                  | 45   | 4        | USA2216  | 14248        | 12248 | EA 1 |
| PRCF50A                  | 50   | 8        | USA2217  | 14251        | 12251 | EA 1 |
| PRCF55A                  | 55   | 8        | USA2218  | 14252        | 12252 | EA 1 |
| PRCF60A                  | 60   | 8        | USA2219  | 14254        | 12254 | EA 1 |
| PRCF65A                  | 65   | 10       | USA2220  | 14256        | —     | EA 1 |
| PRCF70A                  | 70   | 10       | USA2228  | 14258        | 12258 | EA 1 |
| PRCF75A                  | 75   | 10       | —        | —            | —     | EA 1 |
| PRCF80A                  | 80   | 10       | USA2229  | 14259        | 12259 | EA 1 |
| PRCF90A                  | 90   | 15       | —        | —            | 12068 | EA 1 |

**Notes:** Height dimension does not include terminals. Add 1/2" for terminals. Dimensions are subject to change. When dimensions are critical, please call.

## PART NUMBERING SYSTEM - ROUND

|          |                   |           |                                   |                                       |                          |          |
|----------|-------------------|-----------|-----------------------------------|---------------------------------------|--------------------------|----------|
| <b>P</b> | <b>R</b>          | <b>C</b>  | <b>F</b>                          | <b>D</b>                              | <b>4575</b>              | <b>A</b> |
| Packard  | Case<br>R = Round | Capacitor | AC Volt<br>Blank = 370<br>F = 440 | Section<br>Blank = Single<br>D = Dual | MFD<br>Ex. 4575 = 45+7.5 | American |

A SOLUTION FROM **Packard**

## Titan HD® Motor Run Capacitors - Dual Section - Round

### Features

Manufactured to EIA-456A standards  
Soybean oil filled aluminum can  
UL-801 fault current protection  
RoHS compliant  
Made in USA  
Up to 60,000 hours operational life

### Part Numbering System - Oval

P: Packard  
R: Round Case  
C: Capacitor  
F: AC Volt: Blank = 370 / F = 440/370  
D: Section: Blank = Single / D = Dual  
MFD: Ex. 4575 = 45+7.5  
A: American



PRCD253A

**TITAN HD®**

| -----INDUSTRY NO.'S-----                 |         |          |          |              |     |    |
|------------------------------------------|---------|----------|----------|--------------|-----|----|
| CATALOG NO.                              | MFD     | CAN SIZE | USA MADE | NON-USA MADE | UOM | OM |
| Titan HD® 370 Volt - Dual Section - Oval |         |          |          |              |     |    |
| PRCD253A                                 | 25+3    | 6        | —        | 12242        | EA  | 1  |
| PRCD254A                                 | 25+4    | 6        | —        | 12175        | EA  | 1  |
| PRCD255A                                 | 25+5    | 6        | 14261    | 12261        | EA  | 1  |
| PRCD303A                                 | 30+3    | 6        | —        | 12244        | EA  | 1  |
| PRCD304A                                 | 30+4    | 6        | —        | 12263        | EA  | 1  |
| PRCD305A                                 | 30+5    | 6        | 14264    | 12264        | EA  | 1  |
| PRCD3075A                                | 30+7.5  | 6        | —        | 12224        | EA  | 1  |
| PRCD3010A                                | 30+10   | 6        | —        | 12228        | EA  | 1  |
| PRCD353A                                 | 35+3    | 6        | —        | 12082        | EA  | 1  |
| PRCD354A                                 | 35+4    | 6        | —        | 12231        | EA  | 1  |
| PRCD355A                                 | 35+5    | 6        | 14266    | 12266        | EA  | 1  |
| PRCD3575A                                | 35+7.5  | 6        | —        | 12235        | EA  | 1  |
| PRCD3510A                                | 35+10   | 6        | —        | 12238        | EA  | 1  |
| PRCD404A                                 | 40+4    | 6        | —        | 12267        | EA  | 1  |
| PRCD405A                                 | 40+5    | 6        | 14178    | 12178        | EA  | 1  |
| PRCD4075A                                | 40+7.5  | 6        | 14268    | 12268        | EA  | 1  |
| PRCD4010A                                | 40+10   | 6        | —        | 12246        | EA  | 1  |
| PRCD453A                                 | 45+3    | 6        | —        | 12073        | EA  | 1  |
| PRCD455A                                 | 45+5    | 6        | 14269    | 12269        | EA  | 1  |
| PRCD4575A                                | 45+7.5  | 6        | 14249    | 12249        | EA  | 1  |
| PRCD4510A                                | 45+10   | 6        | —        | 12250        | EA  | 1  |
| PRCD503A                                 | 50+3    | 6        | —        | 12075        | EA  | 1  |
| PRCD505A                                 | 50+5    | 6        | 14191    | 12191        | EA  | 1  |
| PRCD5075A                                | 50+7.5  | 6        | 14192    | 12192        | EA  | 1  |
| PRCD5010A                                | 50+10   | 6        | 14239    | 12239        | EA  | 1  |
| PRCD555A                                 | 55+5    | 8        | 14193    | 12193        | EA  | 1  |
| PRCD5575A                                | 55+7.5  | 8        | 14194    | 12194        | EA  | 1  |
| PRCD5510A                                | 55+10   | 8        | —        | 12067        | EA  | 1  |
| PRCD605A                                 | 60+5    | 8        | 14195    | 12195        | EA  | 1  |
| PRCD6075A                                | 60+7.5  | 8        | 14196    | 12196        | EA  | 1  |
| PRCD6010A                                | 60+10   | 8        | —        | 12265        | EA  | 1  |
| PRCD805A                                 | 80+5    | 12       | 14197    | 12197        | EA  | 1  |
| PRCD8075A                                | 80+7.5  | 12       | 14198    | 12198        | EA  | 1  |
| PRCD8010A                                | 80+10   | 12       | 14201    | 12201        | EA  | 1  |
| PRCD80125A                               | 80+12.5 | 16       | —        | 12202        | EA  | 1  |

### Notes:

Height dimension does not include terminals.  
Add 1/2" for terminals.  
Dimensions are subject to change.  
When dimensions are critical, please call.

| CAN SIZE       | DIA. (IN.) | HEIGHT (IN.) | CAN SIZE | DIA. (IN.) | HEIGHT (IN.) | CAN SIZE | DIA. (IN.) | HEIGHT (IN.) |
|----------------|------------|--------------|----------|------------|--------------|----------|------------|--------------|
| Can Dimensions |            |              | 4        | 1.75       | 3.84         | 12       | 2.5        | 2.91         |
| 1              | 1.75       | 2.38         | 6        | 2          | 2.91         | 15       | 2.5        | 3.91         |
| 2              | 1.75       | 2.75         | 8        | 2          | 3.84         | 16       | 2.5        | 4.25         |
| 3              | 1.75       | 2.84         | 10       | 2          | 4.75         |          |            |              |

| -----INDUSTRY NO.'S-----                     |         |          |           |       |              |     |    |
|----------------------------------------------|---------|----------|-----------|-------|--------------|-----|----|
| CATALOG NO.                                  | MFD     | CAN SIZE | USA MADE  |       | NON-USA MADE | UOM | OM |
| Titan HD® 440/370 Volt - Dual Section - Oval |         |          |           |       |              |     |    |
| PRCFD105A                                    | 10+5    | 6        | —         | —     | 12111        | EA  | 1  |
| PRCFD205A                                    | 20+5    | 6        | USA2222   | —     | 12115        | EA  | 1  |
| PRCFD2015A                                   | 20+15   | 6        | —         | —     | 12112        | EA  | 1  |
| PRCFD253A                                    | 25+3    | 6        | USA2224BA | 14353 | —            | EA  | 1  |
| PRCFD255A                                    | 25+5    | 6        | USA2225   | 14278 | 12278        | EA  | 1  |
| PRCFD2575A                                   | 25+7.5  | 6        | USA2225B  | 14279 | 12279        | EA  | 1  |
| PRCFD2510A                                   | 25+10   | 6        | —         | —     | 12113        | EA  | 1  |
| PRCFD2515A                                   | 25+15   | 6        | —         | —     | 12114        | EA  | 1  |
| PRCFD303A                                    | 30+3    | 6        | USA2227BA | 14126 | 12126        | EA  | 1  |
| PRCFD304A                                    | 30+4    | 6        | —         | —     | 12120        | EA  | 1  |
| PRCFD305A                                    | 30+5    | 6        | USA2226   | 14281 | 12281        | EA  | 1  |
| PRCFD3075A                                   | 30+7.5  | 6        | USA2272B  | 14282 | 12282        | EA  | 1  |
| PRCFD353A                                    | 35+3    | 8        | USA2226BA | 14077 | 12077        | EA  | 1  |
| PRCFD354A                                    | 35+4    | 8        | —         | 14070 | 12070        | EA  | 1  |
| PRCFD355A                                    | 35+5    | 8        | USA2227   | 14283 | 12283        | EA  | 1  |
| PRCFD356A                                    | 35+6    | 8        | —         | —     | 12119        | EA  | 1  |
| PRCFD3575A                                   | 35+7.5  | 8        | USA2291   | 14284 | 12284        | EA  | 1  |
| PRCFD3510A                                   | 35+10   | 8        | USA2227B  | 14091 | —            | EA  | 1  |
| PRCFD403A                                    | 40+3    | 8        | USA2274   | 14078 | 12078        | EA  | 1  |
| PRCFD404A                                    | 40+4    | 8        | —         | —     | 12285        | EA  | 1  |
| PRCFD405A                                    | 40+5    | 8        | USA2235   | 14286 | 12286        | EA  | 1  |
| PRCFD406A                                    | 40+6    | 8        | —         | —     | 12220        | EA  | 1  |
| PRCFD4075A                                   | 40+7.5  | 8        | USA2232   | 14287 | 12287        | EA  | 1  |
| PRCFD4010A                                   | 40+10   | 8        | USA2232A  | 14088 | —            | EA  | 1  |
| PRCFD453A                                    | 45+3    | 8        | USA2236A  | 14079 | 12079        | EA  | 1  |
| PRCFD455A                                    | 45+5    | 8        | USA2236   | 14288 | 12288        | EA  | 1  |
| PRCFD456A                                    | 45+6    | 8        | —         | —     | 12127        | EA  | 1  |
| PRCFD4575A                                   | 45+7.5  | 8        | USA2233   | 14289 | 12289        | EA  | 1  |
| PRCFD4510A                                   | 45+10   | 8        | USA2234   | 14172 | —            | EA  | 1  |
| PRCFD505A                                    | 50+5    | 8        | USA2237   | 14290 | 12290        | EA  | 1  |
| PRCFD5075A                                   | 50+7.5  | 8        | USA2238   | 14291 | 12291        | EA  | 1  |
| PRCFD5010A                                   | 50+10   | 8        | —         | 14124 | —            | EA  | 1  |
| PRCFD555A                                    | 55+5    | 12       | USA2240   | 14292 | 12292        | EA  | 1  |
| PRCFD5575A                                   | 55+7.5  | 12       | USA2218A  | 14293 | 12293        | EA  | 1  |
| PRCFD5510A                                   | 55+10   | 12       | USA2218BA | 14299 | 12799        | EA  | 1  |
| PRCFD605A                                    | 60+5    | 12       | USA2220B  | 14294 | 12294        | EA  | 1  |
| PRCFD6075A                                   | 60+7.5  | 12       | USA2221B  | 14295 | 12295        | EA  | 1  |
| PRCFD6010A                                   | 60+10   | 12       | USA2221BA | 14296 | 12296        | EA  | 1  |
| PRCFD60125A                                  | 60+12.5 | 15       | —         | —     | 12161        | EA  | 1  |
| PRCFD6510A                                   | 65+10   | 15       | —         | 14162 | 14162        | EA  | 1  |
| PRCFD705A                                    | 70+5    | 15       | USA2221   | 14255 | 12255        | EA  | 1  |
| PRCFD7075A                                   | 70+7.5  | 15       | USA2222A  | 14166 | 12166        | EA  | 1  |
| PRCFD7010A                                   | 70+10   | 15       | USA2220BA | 14169 | 12169        | EA  | 1  |
| PRCFD805A                                    | 80+5    | 15       | USA2222BA | 14257 | 12257        | EA  | 1  |
| PRCFD8075A                                   | 80+7.5  | 15       | USA2223B  | 14216 | 12216        | EA  | 1  |
| PRCFD8010A                                   | 80+10   | 15       | USA2223BA | 14117 | 12117        | EA  | 1  |



## BUY HVAC/R PRODUCTS, GET REWARDED

**ENROLL**

SCAN HERE



ContractorRewards.com

**UPLOAD**

Upload  
receipts for  
purchases of  
DiversiTech  
products.

**GET  
REWARDED**

Shop the  
extensive online  
REWARDS catalog.

## IT'S THAT EASY!



## TITAN HD MOTOR RUN CAPACITORS

©2025 DiversiTech® Corporation  
www.diversitech.com

0125  
LIT-CAT-CAPACITORS-TITANHD