

PRODUCT-DETAILS

TY24M

CABLE TIE 40LB 5.5IN NATURAL NYLON



General Information

Extended Product Type	TY24M
Product ID	7TAG009130R0007
EAN	5414363062103
Catalog Description	CABLE TIE 40LB 5.5IN NATURAL NYLON
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 137mm (5.4 Inches), Width of 3.6mm (0.14 Inches), Thickness of 1mm (0.04 Inch), Tensile Strength Rating of 178 Newtons (40 Pounds), Bulk Pack

Ordering

E-Number (Finland)	1370035
EAN	5414363062103

Dimensions

Product Net Width	0.14 in 3.6 mm
Product Net Depth / Length	5.4 in 137 mm
Product Net Weight	.001 lb .454 g

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	8.45 in 215 mm
Package Level 1 Height	3.05 in 77 mm
Package Level 1 Depth / Length	9.75 in 248 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	10.8 in 274 mm
Package Level 2 Height	10.9 in 277 mm
Package Level 2 Depth / Length	13.4 in 340 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 1.38 in 2 to 35 mm
Color	Natural
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	40 lb 178 N
Thickness	0.04 in 1.0 mm
UPC	786210824475

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY24M
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY24M

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

