



PRODUCT-DETAILS

TY5232MX

CABLE TIE 18LB 8IN UV BLK 2-PC DIST



General Information

Extended Product Type	TY5232MX
Product ID	7TAG009010R0010
EAN	5414363065302
Catalog Description	CABLE TIE 18LB 8IN UV BLK 2-PC DIST
Long Description	Cable Tie, Black Polyamide (Nylon 6.6) for Temperatures up to 105 Degrees Celsius (220 F), Weather and Ultraviolet Resistant for Indoor and Outdoor Applications, UL/EN/CSA62275 Type 2/21 Rated for AH-2 Plenum, Length of 203.2mm (8.0 Inches), Width of 2.54mm (0.10 Inches), Thickness of 1.10mm (0.05 Inches), Tensile Strength Rating of 80 Newtons (18 Pounds), 100 Pack

Ordering

EAN	5414363065302
-----	---------------

Dimensions

Product Net Width	0.1 in 2.54 mm
Product Net Depth / Length	8 in 203.2 mm
Product Net Weight	.002 lb .907 g

Container Information

Package Level 1 Units	100 piece
Package Level 1 Width	5 in 127 mm
Package Level 1 Depth / Length	10.5 in 267 mm
Package Level 2 Units	500 piece
Package Level 2 Width	4.1 in 104 mm
Package Level 2 Height	6.3 in 160 mm
Package Level 2 Depth / Length	9.7 in 246 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.08 to 1.97 in 2 to 50 mm
Color	Black
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	Plastic cable tie
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Tensile Strength	18 lb 80 N
Thickness	0.047 in 1.1 mm
UPC	786210839370

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY5232MX
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY5232MX

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

