

PRODUCT-DETAILS

TY5272M

CABLE TIE 120LB 9 NAT NYLON 2-PC D



General Information

Extended Product Type	TY5272M
Product ID	7TAG009300R0015
EAN	5414363065753
Catalog Description	CABLE TIE 120LB 9 NAT NYLON 2-PC D
Long Description	Cable Tie, Natural Polyamide (Nylon 6.6) for Temperatures up to 85 Degrees Celsius (185 F) for Indoor Applications, UL/EN/CSA62275 Type 2/21S Rated for AH-2 Plenum and as a Flexible Cable and Conduit Support, Length of 222.3mm (8.75 Inches), Width of 6.9mm (0.27 Inch), Thickness of 1.27mm (0.05 Inch), Tensile Strength Rating of 534 Newtons (120 Pounds)

Ordering

EAN	5414363065753
-----	---------------

Dimensions

Product Net Width	0.27 in 6.9 mm
Product Net Depth / Length	8.75 in 222.3 mm
Product Net Weight	.01 lb 4.535 g

Container Information

Package Level 1 Units	50 piece
Package Level 2 Units	250 piece
Package Level 2 Width	6.5 in 165 mm
Package Level 2 Height	5.5 in 140 mm
Package Level 2 Depth / Length	9.75 in 248 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.236 to 1.97 in 6 to 50 mm
Color	Natural
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 6.6
Number of Batteries	0
Product Name	NYLON CABLE TIE
Product Type	High Performance
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	120 lb 530 N
Thickness	0.05 in 1.27 mm
UPC	786210855431

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TY5272M
Declaration of Conformity - CE	9AKK107492A9841
Instructions and Manuals	TY5272M

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

