



PRODUCT-DETAILS

TYHT25M

CABLE TIE 50LB 7IN OLIV NYL HI TEMP



General Information

Extended Product Type	TYHT25M
Product ID	7TAG009590R0014
EAN	5414363178415
Catalog Description	CABLE TIE 50LB 7IN OLIV NYL HI TEMP
Long Description	Extra High Temperature Cable Tie, Olive Polyamide (Nylon 4.6) for Temperatures up to 150 Degrees Celsius (302 F) for High Temperature Environments, Length of 186mm (7.31 Inches), Width of 4.77mm (0.188 Inch), Thickness of 1.22mm (0.048 Inch), Tensile Strength Rating of 222 Newtons (50 Pounds)

Ordering

EAN	5414363178415
-----	---------------

Dimensions

Product Net Width	0.188 in 4.77 mm
Product Net Depth / Length	7.31 in 186 mm
Product Net Weight	.003 lb 1.361 g

Container Information

Package Level 1 Units	1000 piece
Package Level 1 Width	1 in 25 mm
Package Level 1 Height	14 in 356 mm
Package Level 1 Depth / Length	15 in 381 mm
Package Level 2 Units	10000 piece
Package Level 2 Width	9.12 in 232 mm
Package Level 2 Height	20.75 in 527 mm
Package Level 2 Depth / Length	13.12 in 333 mm

Additional Information

Brand / Label	Ty-Rap
Bundle Diameter	0.187 to 1.77 in 4.75 to 45 mm
Color	Olive
Lock Type	Stainless Steel Barb
Material	Nylon/Polyamide 4.6
Number of Batteries	0
Product Name	PLASTIC CABLE TIE
Product Type	Extra High Temperature
Special Functions	Low profile head is designed to prevent snags on uneven surfaces and easier to pull through bulkheads. Non-magnetic stainless steel locking device insures both maximum strength and the right tightness every time.
Standards	UL E49405
Tensile Strength	50 lb 222 N
Thickness	0.048 in 1.22 mm
UPC	786210952703

Certificates and Declarations (Document Number)

Data Sheet, Technical Information	TYHT25M
Instructions and Manuals	TYHT25M

Classifications

ETIM 6	EC000046 - Cable tie
ETIM 7	EC000046 - Cable tie
UNSPSC	39121703
WEEE Category	Product Not in WEEE Scope
IDEA Granular Category Code (IGCC)	5034 >> Cable ties

Categories

Low Voltage Products and Systems → Installation Products → Wire Management and Connectivity → Cable Ties

