

Parts List Number :UHPA1001#UHPBUP1

Model Number :UHPB0421TAA10000000


| Part No.                  | Reference No. | Quantity | Description              |
|---------------------------|---------------|----------|--------------------------|
| 75008736#UHPBUP1~S        | *             |          | MODEL NUMBER DESCRIPTION |
| UHPA1001_UHPBUP1_121962~P | *             |          | UHPBUP1 PARTS LIST       |
| 75000092#UHPBUP1~S        | *             |          | UNIT PARTS               |
| UHPA1003#UHPBUP1~S        | *             |          | WIRE GUARDS              |

NO GRAPHIC AVAILABLE


75013702

REV  
A

**NO  
GRAPHIC  
AVAILABLE**



| Part No.                  | Reference No. | Quantity | Description |
|---------------------------|---------------|----------|-------------|
| 75000092_UHPBUP1_213135~P | *             |          | UNIT PARTS  |



## UNIT PARTS

Parts List Number :UHPA1001#UHPBUP1

Model Number :UHPB0421TAA10000000

| Part No. | Reference No. | Quantity | Description                                      |
|----------|---------------|----------|--------------------------------------------------|
| CNT00642 | *             | 1        | CONTROL; VARIABLE SPEED MOTOR, SOLID STATE       |
| PAI00087 | *             | 0        | PAINT; AEROSOL, LT.GRAY (SHIPPING UOM 12 OZ HAZ) |
| COL00780 | 1             | 1        | COIL;ASSEMBLY,.025 CUP UNIT HEATER COIL          |
| MOT01501 | 2             | 1        | MOTOR; 1/25 HP, 115/60/1 1550 RPM, ENCL, SLEEVE  |
| FAN02121 | 3             | 1        | FAN; 3 BLADE, 11 DIA, 23 DEG, .50 BORE, CW       |
| MNT00110 | 4             | 1        | MOUNT; MOTOR, PAINTED                            |
| BUS00167 | 5             | 1        | BUSHING, ISOLATOR, 5/16OD X 17/64ID, STL         |
| WAS00379 | 6             | 1        | WASHER; ISOLATOR, .56 ID X 1.00 OD, .25 THICK    |
| MNT00316 | 7             | 1        | MOUNT, MOTOR ISOLATOR                            |
| DIF00026 | 8             | 1        | DIFFUSER;                                        |

| MODEL NUMBER DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                    |  | 75008736                                                                                                                                                                                                                                                                      | REV<br>A |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| UHPB, UHSB                                                                                                                                                                                                                                                                                                                                                                                  |  |                                                                                                                                                                                                                                                                               |          |
| Digit 1,2,3 - Product Type<br>UHP, UHS                                                                                                                                                                                                                                                                                                                                                      |  | Digit 11 - Tube Material<br>A = Copper*<br>B = Steel(P Only)                                                                                                                                                                                                                  |          |
| Digit 4 - Development Sequence<br>B                                                                                                                                                                                                                                                                                                                                                         |  | Digit 12 - Fan Guard<br>1 - DSHA Fan Guard<br>2 - Std Fan Guard<br>(3 phase or Expl. Proof mtrs. only)<br>3 - Std Fan Guard ( Unit Cap. 240-360)                                                                                                                              |          |
| Digit 5,6,7 - Capacity/Coil Type<br>Hot Water Only(Coil Type A "serpentine")<br>A08 - 8,030 BTU<br>A18 - 18,400 BTU/HR<br>A25 - 24,800 BTU/HR<br>A36 - 35,900 BTU/HR                                                                                                                                                                                                                        |  | Digit 13 - Special Coating<br>0 = No Special Coating<br>A = Phenolic Coating(Baked)<br>B = Epoxy<br>C = Epoxy Phenolic                                                                                                                                                        |          |
| 018 18,000 BTU/HR 132 132,000 BTU/HR<br>024 24,000 BTU/HR 144 144,000 BTU/HR<br>036 36,000 BTU/HR 156 156,000 BTU/HR<br>048 48,000 BTU/HR 180 180,000 BTU/HR<br>060 60,000 BTU/HR 204 204,000 BTU/HR<br>072 72,000 BTU/HR 240 240,000 BTU/HR<br>084 84,000 BTU/HR 280 280,000 BTU/HR<br>096 96,000 BTU/HR 300 300,000 BTU/HR<br>108 108,000 BTU/HR 360 360,000 BTU/HR<br>120 120,000 BTU/HR |  | Digit 14 - Disconnect Switch<br>0 = None<br>1 = Disconnect Switch                                                                                                                                                                                                             |          |
| Digit 5,6,7 - Capacity<br>Steam or Hot Water                                                                                                                                                                                                                                                                                                                                                |  | Digit 15 - Thermostats(Line Voltage)<br>0 = None<br>A = Light Duty TSTAT w/subbase Line<br>Volts 8 Amps<br>B = Heavy Duty TSTAT w/subbase &<br>locking cover Line Volts 16 Amps+A32                                                                                           |          |
| 042 42,000 BTU/HR 252 252,000 BTU/HR<br>064 64,000 BTU/HR 280 280,000 BTU/HR<br>080 80,000 BTU/HR 336 336,000 BTU/HR<br>102 102,000 BTU/HR 384 384,000 BTU/HR<br>122 122,000 BTU/HR 500 500,000 BTU/HR<br>146 146,000 BTU/HR 600 600,000 BTU/HR<br>166 166,000 BTU/HR 720 720,000 BTU/HR<br>202 202,000 BTU/HR                                                                              |  | Digit 16 - Thermostat Cover<br>0 = None<br>A = Locking Thermostat Cover                                                                                                                                                                                                       |          |
| Digit 8 - Voltage<br>1 = 115/1/60<br>3 = 230/1/60 (115 V MTR/W/TRANSF)<br>4 = 208/3/60<br>5 = 230/3/60<br>5 = 460/3/60<br>7 = 575/60/3 (Totally Enclosed(P only)                                                                                                                                                                                                                            |  | Digit 17 - Manual Starter<br>0 = None<br>A= Manual Starter                                                                                                                                                                                                                    |          |
| Digit 9 - Motor Type<br>T = Totally Enclosed<br>E = Explosion Proof                                                                                                                                                                                                                                                                                                                         |  | Digit 18 - Steam and Hot Water Control<br>0 = None<br>1 = Strap on Hot Water Control<br>2 = Steam Pressure Control(open on rise<br>in pressure)<br>3 = Steam Pressure Control(closed on rise<br>in pressure)<br>4 = 5.0 Amp Speed Control Switch<br>(Capacities 18 -120 only) |          |
| Digit 10 - Design Sequence<br>A                                                                                                                                                                                                                                                                                                                                                             |  | Digit 19 - Vertical Louver<br>0 = None<br>A - Vertical Louver<br>B - Fin Diffuser(p Only)<br>C - Fin Diffuser w/coating (ponly)                                                                                                                                               |          |

| Part No.                  | Reference No. | Quantity | Description                         |
|---------------------------|---------------|----------|-------------------------------------|
| 75008736_UHPBUP1_121966~P | *             |          | MODEL NUMBER DESCRIPTION PARTS LIST |

| MODEL NUMBER DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                    |  | 75008736                                                                                                                                                                                                                                                                      | REV<br>A |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| UHPB, UHSB                                                                                                                                                                                                                                                                                                                                                                                  |  |                                                                                                                                                                                                                                                                               |          |
| Digit 1,2,3 - Product Type<br>UHP, UHS                                                                                                                                                                                                                                                                                                                                                      |  | Digit 11 - Tube Material<br>A = Copper*<br>B = Steel(P Only)                                                                                                                                                                                                                  |          |
| Digit 4 - Development Sequence<br>B                                                                                                                                                                                                                                                                                                                                                         |  | Digit 12 - Fan Guard<br>1 - DSHA Fan Guard<br>2 - Std Fan Guard<br>(3 phase or Expl. Proof mtrs. only)<br>3 - Std Fan Guard ( Unit Cap. 240-360)                                                                                                                              |          |
| Digit 5,6,7 - Capacity/Coil Type<br>Hot Water Only(Coil Type A "serpentine")<br>A08 - 8,030 BTU<br>A18 - 18,400 BTU/HR<br>A25 - 24,800 BTU/HR<br>A36 - 35,900 BTU/HR                                                                                                                                                                                                                        |  | Digit 13 - Special Coating<br>0 = No Special Coating<br>A = Phenolic Coating(Baked)<br>B = Epoxy<br>C = Epoxy Phenolic                                                                                                                                                        |          |
| 018 18,000 BTU/HR 132 132,000 BTU/HR<br>024 24,000 BTU/HR 144 144,000 BTU/HR<br>036 36,000 BTU/HR 156 156,000 BTU/HR<br>048 48,000 BTU/HR 180 180,000 BTU/HR<br>060 60,000 BTU/HR 204 204,000 BTU/HR<br>072 72,000 BTU/HR 240 240,000 BTU/HR<br>084 84,000 BTU/HR 280 280,000 BTU/HR<br>096 96,000 BTU/HR 300 300,000 BTU/HR<br>108 108,000 BTU/HR 360 360,000 BTU/HR<br>120 120,000 BTU/HR |  | Digit 14 - Disconnect Switch<br>0 = None<br>1 = Disconnect Switch                                                                                                                                                                                                             |          |
| Digit 5,6,7 - Capacity<br>Steam or Hot Water<br>042 42,000 BTU/HR 252 252,000 BTU/HR<br>064 64,000 BTU/HR 280 280,000 BTU/HR<br>080 80,000 BTU/HR 336 336,000 BTU/HR<br>102 102,000 BTU/HR 384 384,000 BTU/HR<br>122 122,000 BTU/HR 500 500,000 BTU/HR<br>146 146,000 BTU/HR 600 600,000 BTU/HR<br>166 166,000 BTU/HR 720 720,000 BTU/HR<br>202 202,000 BTU/HR                              |  | Digit 15 - Thermostats(Line Voltage)<br>0 = None<br>A = Light Duty TSTAT w/subbase Line<br>Volts 8 Amps<br>B = Heavy Duty TSTAT w/subbase &<br>locking cover Line Volts 16 Amps+A32                                                                                           |          |
| Digit 8 - Voltage<br>1 = 115/1/60<br>3 = 230/1/60 (115 V MTR/W/TRANSF)<br>4 = 208/3/60<br>5 = 230/3/60<br>5 = 460/3/60<br>7 = 575/60/3 (Totally Enclosed(P only)                                                                                                                                                                                                                            |  | Digit 16 - Thermostat Cover<br>0 = None<br>A = Locking Thermostat Cover                                                                                                                                                                                                       |          |
| Digit 9 - Motor Type<br>T = Totally Enclosed<br>E = Explosion Proof                                                                                                                                                                                                                                                                                                                         |  | Digit 17 - Manual Starter<br>0 = None<br>A= Manual Starter                                                                                                                                                                                                                    |          |
| Digit 10 - Design Sequence<br>A                                                                                                                                                                                                                                                                                                                                                             |  | Digit 18 - Steam and Hot Water Control<br>0 = None<br>1 = Strap on Hot Water Control<br>2 = Steam Pressure Control(open on rise<br>in pressure)<br>3 = Steam Pressure Control(closed on rise<br>in pressure)<br>4 = 5.0 Amp Speed Control Switch<br>(Capacities 18 -120 only) |          |
|                                                                                                                                                                                                                                                                                                                                                                                             |  | Digit 19 - Vertical Louver<br>0 = None<br>A - Vertical Louver<br>B - Fin Diffuser(p Only)<br>C - Fin Diffuser w/coating (ponly)                                                                                                                                               |          |

| Part No.                  | Reference No. | Quantity | Description            |
|---------------------------|---------------|----------|------------------------|
| UHPA1003_UHPBUP1_213136-P | *             |          | WIRE GUARDS PARTS LIST |

NO GRAPHIC AVAILABLE

75013702

REV  
A

**NO  
GRAPHIC  
AVAILABLE**

WIRE GUARDS PARTS LIST

Parts List Number :UHPA1001#UHPBUP1

Model Number :UHPB0421TAA10000000

| Part No. | Reference No. | Quantity | Description              |
|----------|---------------|----------|--------------------------|
| GRD01160 | 3             | 1        | GUARD; FAN, OSHA FOR 042 |