


Part No.	Reference No.	Quantity	Description
75000089	SEC 1		COIL S
75008736	SEC 2		MODEL NUMBER DESCRIPTION
75000088	SEC 3		FAN ASSEMBLY
UHSB1003	SEC 6		PANELS
UHSB1004	SEC 7		CONTROL ACCESSORIES

COIL ASSEMBLY & FIN DIFFUSER


75000089

REV
A



Part No.	Reference No.	Quantity	Description
COL14973	1	1	COIL; ASSEMBLY FOR UNIT SIZE 048 AND 060

MODEL NUMBER DESCRIPTION		75008736	REV A																																																																								
UHPB, UHSB																																																																											
Digit 1,2,3 - Product Type UHP, UHS Digit 4 - Development Sequence B Digit 5,6,7 - Capacity/Coil Type Hot Water Only(Coil Type A "serpentine") A08 - 8,030 BTU A18 - 18,400 BTU/HR A25 - 24,800 BTU/HR A36 - 35,900 BTU/HR <table> <tr><td>018</td><td>18,000 BTU/HR</td><td>132</td><td>132,000 BTU/HR</td></tr> <tr><td>024</td><td>24,000 BTU/HR</td><td>144</td><td>144,000 BTU/HR</td></tr> <tr><td>036</td><td>36,000 BTU/HR</td><td>156</td><td>156,000 BTU/HR</td></tr> <tr><td>048</td><td>48,000 BTU/HR</td><td>180</td><td>180,000 BTU/HR</td></tr> <tr><td>060</td><td>60,000 BTU/HR</td><td>204</td><td>204,000 BTU/HR</td></tr> <tr><td>072</td><td>72,000 BTU/HR</td><td>240</td><td>240,000 BTU/HR</td></tr> <tr><td>084</td><td>84,000 BTU/HR</td><td>280</td><td>280,000 BTU/HR</td></tr> <tr><td>096</td><td>96,000 BTU/HR</td><td>300</td><td>300,000 BTU/HR</td></tr> <tr><td>108</td><td>108,000 BTU/HR</td><td>360</td><td>360,000 BTU/HR</td></tr> <tr><td>120</td><td>120,000 BTU/HR</td><td></td><td></td></tr> </table> Digit 5,6,7 - Capacity Steam or Hot Water <table> <tr><td>042</td><td>42,000 BTU/HR</td><td>252</td><td>252,000 BTU/HR</td></tr> <tr><td>064</td><td>64,000 BTU/HR</td><td>280</td><td>280,000 BTU/HR</td></tr> <tr><td>080</td><td>80,000 BTU/HR</td><td>336</td><td>336,000 BTU/HR</td></tr> <tr><td>102</td><td>102,000 BTU/HR</td><td>384</td><td>384,000 BTU/HR</td></tr> <tr><td>122</td><td>122,000 BTU/HR</td><td>500</td><td>500,000 BTU/HR</td></tr> <tr><td>146</td><td>146,000 BTU/HR</td><td>600</td><td>600,000 BTU/HR</td></tr> <tr><td>168</td><td>168,000 BTU/HR</td><td>720</td><td>720,000 BTU/HR</td></tr> <tr><td>202</td><td>202,000 BTU/HR</td><td></td><td></td></tr> </table> Digit 8 - Voltage 1 = 115/1/60 3 = 230/1/60 (115 V MTR/W/TRANSF) 4 = 208/3/60 5 = 230/3/60 5 = 460/3/60 7 = 575/60/3 (Totally Enclosed(P only) Digit 9 - Motor Type T = Totally Enclosed E = Explosion Proof Digit 10 - Design Sequence A Digit 11 - Tube Material A = Copper* B = Steel(P Only) Digit 12 - Fan Guard 1 - DSHA Fan Guard 2 - Std Fan Guard (3 phase or Expl. Proof mtrs. only) 3 - Std Fan Guard (Unit Cap. 240-360) Digit 13 - Special Coating 0 = No Special Coating A = Phenolic Coating(Baked) B = Epoxy C = Epoxy Phenolic Digit 14 - Disconnect Switch 0 = None 1 = Disconnect Switch Digit 15 - Thermostats(Line Voltage) 0 = None A = Light Duty TSTAT w/subbase Line Volts 8 Amps B = Heavy Duty TSTAT w/subbase & locking cover Line Volts 16 Amps+A32 Digit 16 - Thermostat Cover 0 = None A = Locking Thermostat Cover Digit 17 - Manual Starter 0 = None A= Manual Starter Digit 18 - Steam and Hot Water Control 0 = None 1 = Strap on Hot Water Control 2 = Steam Pressure Control(open on rise in pressure) 3 = Steam Pressure Control(closed on rise in pressure) 4 = 5.0 Amp Speed Control Switch (Capacities 18 -120 only) Digit 19 - Vertical Louver 0 = None A - Vertical Louver B - Fin Diffuser(p Only) C - Fin Diffuser w/coating (ponly)				018	18,000 BTU/HR	132	132,000 BTU/HR	024	24,000 BTU/HR	144	144,000 BTU/HR	036	36,000 BTU/HR	156	156,000 BTU/HR	048	48,000 BTU/HR	180	180,000 BTU/HR	060	60,000 BTU/HR	204	204,000 BTU/HR	072	72,000 BTU/HR	240	240,000 BTU/HR	084	84,000 BTU/HR	280	280,000 BTU/HR	096	96,000 BTU/HR	300	300,000 BTU/HR	108	108,000 BTU/HR	360	360,000 BTU/HR	120	120,000 BTU/HR			042	42,000 BTU/HR	252	252,000 BTU/HR	064	64,000 BTU/HR	280	280,000 BTU/HR	080	80,000 BTU/HR	336	336,000 BTU/HR	102	102,000 BTU/HR	384	384,000 BTU/HR	122	122,000 BTU/HR	500	500,000 BTU/HR	146	146,000 BTU/HR	600	600,000 BTU/HR	168	168,000 BTU/HR	720	720,000 BTU/HR	202	202,000 BTU/HR		
018	18,000 BTU/HR	132	132,000 BTU/HR																																																																								
024	24,000 BTU/HR	144	144,000 BTU/HR																																																																								
036	36,000 BTU/HR	156	156,000 BTU/HR																																																																								
048	48,000 BTU/HR	180	180,000 BTU/HR																																																																								
060	60,000 BTU/HR	204	204,000 BTU/HR																																																																								
072	72,000 BTU/HR	240	240,000 BTU/HR																																																																								
084	84,000 BTU/HR	280	280,000 BTU/HR																																																																								
096	96,000 BTU/HR	300	300,000 BTU/HR																																																																								
108	108,000 BTU/HR	360	360,000 BTU/HR																																																																								
120	120,000 BTU/HR																																																																										
042	42,000 BTU/HR	252	252,000 BTU/HR																																																																								
064	64,000 BTU/HR	280	280,000 BTU/HR																																																																								
080	80,000 BTU/HR	336	336,000 BTU/HR																																																																								
102	102,000 BTU/HR	384	384,000 BTU/HR																																																																								
122	122,000 BTU/HR	500	500,000 BTU/HR																																																																								
146	146,000 BTU/HR	600	600,000 BTU/HR																																																																								
168	168,000 BTU/HR	720	720,000 BTU/HR																																																																								
202	202,000 BTU/HR																																																																										



Part No.	Reference No.	Quantity	Description
MOT02229	1	1	MOTOR, 1/20 HP, 115/60/1, 3/8" SHAFT
MOT12908	1	1	MOTOR; 1/2 HP FOR UHSB UNIT, 208/230/460/3 PHASE, .625 DIAMETER SHAFT
FAN01112	2	1	FAN; 5 BLADE,.38 BORE, 12 DIA, 34 DEG, CW
FAN04320	2	1	FAN; FAN; 5 BLADE,.58 BORE, 12 DIA, 34 DEG, CW
GRD00430	3	1	GUARD;FAN, SAME AS GRD0309 BUT PAINTED SLATE GREY
GRD01447	3	1	GUARD; FAN, OSHA FOR 003, 004 UNITS

PANELS

Parts List Number :UHSBUP1

Model Number :UHSB0484TAA20000000

Part No.	Reference No.	Quantity	Description
PNL25571	1	1	PANEL; BOTTOM JACKET FOR UNIT SIZE 048, AND 060
PNL25583	2	1	PANEL; TOP JACKET FOR UNIT SIZE 048 AND 060
PNL25596	3	1	PANEL; BACK(A SINGLE SHEETMETAL JACKET THAT COVERS 3-SIDES OF THE UNIT LEFT-HAND RIGHT-HAND SIDES AND THE BACK PANEL FOR UNIT SIZES 048 AND 060

