

Parts List Number :UHSBUP1#UHSBUP1

Model Number :UHSB2801TAA0000000A

| Part No.                 | Reference No. | Quantity | Description              |
|--------------------------|---------------|----------|--------------------------|
| 75000089#UHSBUP1~S       | *             |          | COIL S                   |
| UHSB1004#UHSBUP1~S       | *             |          | CONTROL ACCESSORIES      |
| 75000088#UHSBUP1~S       | *             |          | FAN ASSEMBLY             |
| 75008736#UHSBUP1~S       | *             |          | MODEL NUMBER DESCRIPTION |
| UHSB1003#UHSBUP1~S       | *             |          | PANELS                   |
| UHSBUP1_UHSBUP1_101359~P | *             |          | UHSBUP1 PARTS LIST       |

NO GRAPHIC AVAILABLE

75013702


REV  
A

**NO  
GRAPHIC  
AVAILABLE**

COIL ASSEMBLY & FIN DIFFUSER

75000089

REV  
A




| Part No.                  | Reference No. | Quantity | Description       |
|---------------------------|---------------|----------|-------------------|
| 75000089_UHSBUP1_140343~P | *             |          | COIL S PARTS LIST |

COIL ASSEMBLY & FIN DIFFUSER

75000089

REV  
A




| Part No. | Reference No. | Quantity | Description                              |
|----------|---------------|----------|------------------------------------------|
| COL14979 | 1             | 1        | COIL; ASSEMBLY FOR UNIT SIZE 180 AND 204 |
| COL14980 | 1             | 1        | COIL; ASSEMBLY FOR UNIT SIZE 240 AND 280 |

| MODEL NUMBER DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                    |  | 75008736                                                                                                                                                                                                                                                                      | REV<br>A |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| UHPB, UHSB                                                                                                                                                                                                                                                                                                                                                                                  |  |                                                                                                                                                                                                                                                                               |          |
| Digit 1,2,3 - Product Type<br>UHP, UHS                                                                                                                                                                                                                                                                                                                                                      |  | Digit 11 - Tube Material<br>A = Copper*<br>B = Steel(P Only)                                                                                                                                                                                                                  |          |
| Digit 4 - Development Sequence<br>B                                                                                                                                                                                                                                                                                                                                                         |  | Digit 12 - Fan Guard<br>1 - DSHA Fan Guard<br>2 - Std Fan Guard<br>(3 phase or Expl. Proof mtrs. only)<br>3 - Std Fan Guard ( Unit Cap. 240-360)                                                                                                                              |          |
| Digit 5,6,7 - Capacity/Coil Type<br>Hot Water Only(Coil Type A "serpentine")<br>A08 - 8,030 BTU<br>A18 - 18,400 BTU/HR<br>A25 - 24,800 BTU/HR<br>A36 - 35,900 BTU/HR                                                                                                                                                                                                                        |  | Digit 13 - Special Coating<br>0 = No Special Coating<br>A = Phenolic Coating(Baked)<br>B = Epoxy<br>C = Epoxy Phenolic                                                                                                                                                        |          |
| 018 18,000 BTU/HR 132 132,000 BTU/HR<br>024 24,000 BTU/HR 144 144,000 BTU/HR<br>036 36,000 BTU/HR 156 156,000 BTU/HR<br>048 48,000 BTU/HR 180 180,000 BTU/HR<br>060 60,000 BTU/HR 204 204,000 BTU/HR<br>072 72,000 BTU/HR 240 240,000 BTU/HR<br>084 84,000 BTU/HR 280 280,000 BTU/HR<br>096 96,000 BTU/HR 300 300,000 BTU/HR<br>108 108,000 BTU/HR 360 360,000 BTU/HR<br>120 120,000 BTU/HR |  | Digit 14 - Disconnect Switch<br>0 = None<br>1 = Disconnect Switch                                                                                                                                                                                                             |          |
| Digit 5,6,7 - Capacity<br>Steam or Hot Water                                                                                                                                                                                                                                                                                                                                                |  | Digit 15 - Thermostats(Line Voltage)<br>0 = None<br>A = Light Duty TSTAT w/subbase Line<br>Volts 8 Amps<br>B = Heavy Duty TSTAT w/subbase &<br>locking cover Line Volts 16 Amps+A32                                                                                           |          |
| 042 42,000 BTU/HR 252 252,000 BTU/HR<br>064 64,000 BTU/HR 280 280,000 BTU/HR<br>080 80,000 BTU/HR 336 336,000 BTU/HR<br>102 102,000 BTU/HR 384 384,000 BTU/HR<br>122 122,000 BTU/HR 500 500,000 BTU/HR<br>146 146,000 BTU/HR 600 600,000 BTU/HR<br>166 166,000 BTU/HR 720 720,000 BTU/HR<br>202 202,000 BTU/HR                                                                              |  | Digit 16 - Thermostat Cover<br>0 = None<br>A = Locking Thermostat Cover                                                                                                                                                                                                       |          |
| Digit 8 - Voltage<br>1 = 115/1/60<br>3 = 230/1/60 (115 V MTR/W/TRANSF)<br>4 = 208/3/60<br>5 = 230/3/60<br>5 = 460/3/60<br>7 = 575/60/3 (Totally Enclosed(P only)                                                                                                                                                                                                                            |  | Digit 17 - Manual Starter<br>0 = None<br>A= Manual Starter                                                                                                                                                                                                                    |          |
| Digit 9 - Motor Type<br>T = Totally Enclosed<br>E = Explosion Proof                                                                                                                                                                                                                                                                                                                         |  | Digit 18 - Steam and Hot Water Control<br>0 = None<br>1 = Strap on Hot Water Control<br>2 = Steam Pressure Control(open on rise<br>in pressure)<br>3 = Steam Pressure Control(closed on rise<br>in pressure)<br>4 = 5.0 Amp Speed Control Switch<br>(Capacities 18 -120 only) |          |
| Digit 10 - Design Sequence<br>A                                                                                                                                                                                                                                                                                                                                                             |  | Digit 19 - Vertical Louver<br>0 = None<br>A - Vertical Louver<br>B - Fin Diffuser(p Only)<br>C - Fin Diffuser w/coating (ponly)                                                                                                                                               |          |


| Part No.                  | Reference No. | Quantity | Description                         |
|---------------------------|---------------|----------|-------------------------------------|
| 75008736_UHSBUP1_101368~P | *             |          | MODEL NUMBER DESCRIPTION PARTS LIST |



| MODEL NUMBER DESCRIPTION                                                                                                                                                                                                                                                                                                                                                                    |  | 75008736                                                                                                                                                                                                                                                                      | REV<br>A |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|
| UHPB, UHSB                                                                                                                                                                                                                                                                                                                                                                                  |  |                                                                                                                                                                                                                                                                               |          |
| Digit 1,2,3 - Product Type<br>UHP, UHS                                                                                                                                                                                                                                                                                                                                                      |  | Digit 11 - Tube Material<br>A = Copper*<br>B = Steel(P Only)                                                                                                                                                                                                                  |          |
| Digit 4 - Development Sequence<br>B                                                                                                                                                                                                                                                                                                                                                         |  | Digit 12 - Fan Guard<br>1 - DSHA Fan Guard<br>2 - Std Fan Guard<br>(3 phase or Expl. Proof mtrs. only)<br>3 - Std Fan Guard ( Unit Cap. 240-360)                                                                                                                              |          |
| Digit 5,6,7 - Capacity/Coil Type<br>Hot Water Only(Coil Type A "serpentine")<br>A08 - 8,030 BTU<br>A18 - 18,400 BTU/HR<br>A25 - 24,800 BTU/HR<br>A36 - 35,900 BTU/HR                                                                                                                                                                                                                        |  | Digit 13 - Special Coating<br>0 = No Special Coating<br>A = Phenolic Coating(Baked)<br>B = Epoxy<br>C = Epoxy Phenolic                                                                                                                                                        |          |
| 018 18,000 BTU/HR 132 132,000 BTU/HR<br>024 24,000 BTU/HR 144 144,000 BTU/HR<br>036 36,000 BTU/HR 156 156,000 BTU/HR<br>048 48,000 BTU/HR 180 180,000 BTU/HR<br>060 60,000 BTU/HR 204 204,000 BTU/HR<br>072 72,000 BTU/HR 240 240,000 BTU/HR<br>084 84,000 BTU/HR 280 280,000 BTU/HR<br>096 96,000 BTU/HR 300 300,000 BTU/HR<br>108 108,000 BTU/HR 360 360,000 BTU/HR<br>120 120,000 BTU/HR |  | Digit 14 - Disconnect Switch<br>0 = None<br>1 = Disconnect Switch                                                                                                                                                                                                             |          |
| Digit 5,6,7 - Capacity<br>Steam or Hot Water                                                                                                                                                                                                                                                                                                                                                |  | Digit 15 - Thermostats(Line Voltage)<br>0 = None<br>A = Light Duty TSTAT w/subbase Line<br>Volts 8 Amps<br>B = Heavy Duty TSTAT w/subbase &<br>locking cover Line Volts 18 Amps+A32                                                                                           |          |
| 042 42,000 BTU/HR 252 252,000 BTU/HR<br>064 64,000 BTU/HR 280 280,000 BTU/HR<br>080 80,000 BTU/HR 336 336,000 BTU/HR<br>102 102,000 BTU/HR 384 384,000 BTU/HR<br>122 122,000 BTU/HR 500 500,000 BTU/HR<br>146 146,000 BTU/HR 600 600,000 BTU/HR<br>166 166,000 BTU/HR 720 720,000 BTU/HR<br>202 202,000 BTU/HR                                                                              |  | Digit 16 - Thermostat Cover<br>0 = None<br>A = Locking Thermostat Cover                                                                                                                                                                                                       |          |
| Digit 8 - Voltage<br>1 = 115/1/60<br>3 = 230/1/60 (115 V MTR/W/TRANSF)<br>4 = 208/3/60<br>5 = 230/3/60<br>5 = 460/3/60<br>7 = 575/60/3 (Totally Enclosed(P only)                                                                                                                                                                                                                            |  | Digit 17 - Manual Starter<br>0 = None<br>A = Manual Starter                                                                                                                                                                                                                   |          |
| Digit 9 - Motor Type<br>T = Totally Enclosed<br>E = Explosion Proof                                                                                                                                                                                                                                                                                                                         |  | Digit 18 - Steam and Hot Water Control<br>0 = None<br>1 = Strap on Hot Water Control<br>2 = Steam Pressure Control(open on rise<br>in pressure)<br>3 = Steam Pressure Control(closed on rise<br>in pressure)<br>4 = 5.0 Amp Speed Control Switch<br>(Capacities 18 -120 only) |          |
| Digit 10 - Design Sequence<br>A                                                                                                                                                                                                                                                                                                                                                             |  | Digit 19 - Vertical Louver<br>0 = None<br>A - Vertical Louver<br>B - Fin Diffuser(p Only)<br>C - Fin Diffuser w/coating (ponly)                                                                                                                                               |          |



| Part No.                  | Reference No. | Quantity | Description             |
|---------------------------|---------------|----------|-------------------------|
| 75000088_UHSBUP1_217767~P | *             |          | FAN ASSEMBLY PARTS LIST |



| Part No. | Reference No. | Quantity | Description                                                                   |
|----------|---------------|----------|-------------------------------------------------------------------------------|
| SPG00194 | *             | 1        | SPRING; CONE, ADJUSTABLE LOUVERS FOR HORZ. AND VERT.(ORDER QTY EQUALS PIECES) |
| MOT03782 | 1             | 1        | MOTOR; 1/3 HP, 115/60/1, 1140 RPM, TE                                         |
| MOT12907 | 1             | 1        | MOTOR; 1/2 HP; 115/60/1, 1100 RPM, TENV CCW                                   |
| MOT13404 | 1             | 1        | MOTOR; EXPLOSION PROOF, 230/460/3/60                                          |
| FAN03965 | 2             | 1        | FAN; 20 IN. DIA. 5/8 IN BORE, 26 DEGREE PITCH                                 |
| GRD01648 | 3             | 1        | GUARD; MOTOR MOUNT AND WIRE GUARD ASSY FOR 20 IN DIA. FANS                    |
| GRD01655 | 3             | 1        | GUARD; MOTOR MOUNT AND WIRE GUARD ASSY, OSHA, FOR 20 IN DIA FANS              |
| LVR00865 | 3             | 1        | LOUVER; HORIZONTAL 26 IN                                                      |

| Part No.                  | Reference No. | Quantity | Description       |
|---------------------------|---------------|----------|-------------------|
| UHSB1003_UHSBUP1_140344~P | *             |          | PANELS PARTS LIST |

NO GRAPHIC AVAILABLE

75013702

REV  
A

**NO  
GRAPHIC  
AVAILABLE**

Parts List Number :UHSBUP1#UHSBUP1

Model Number :UHSB2801TAA0000000A

| Part No. | Reference No. | Quantity | Description                                    |
|----------|---------------|----------|------------------------------------------------|
| PNL25577 | 1             | 1        | PANEL; BOTTOM JACKET FOR UNIT SIZE 180 AND 204 |
| PNL25578 | 1             | 1        | PANEL; BOTTOM JACKET FOR UNIT SIZE 240 ADN 280 |
| PNL25589 | 2             | 1        | PANEL; TOP JACKET FOR UNIT SIZES 180 AND 204   |
| PNL25590 | 2             | 1        | PANEL; TOP JACKET FOR UNIT SIZES 240 AND 280   |
| PNL25602 | 3             | 1        | PANEL; BACK FOR UNIT SIZES 180 AND 204         |



| Part No.                  | Reference No. | Quantity | Description                    |
|---------------------------|---------------|----------|--------------------------------|
| UHSB1004_UHSBUP1_117837~P | *             |          | CONTROL ACCESSORIES PARTS LIST |

NO GRAPHIC AVAILABLE

75013702

REV  
A

**NO  
GRAPHIC  
AVAILABLE**

