

<b>Part No.</b>	<b>Reference No.</b>	<b>Quantity</b>	<b>Description</b>
UHXA0201	SEC 1		MODEL NUMBER DESCRIPTION
UHXA0202	SEC 2		GENERAL ASSEMBLY
UHXA0299	SEC 3		ACCESSORIES

Part No.	Reference No.	Quantity	Description
PAI00306	*	1	PAINT; GREY 12 OZ. SPRAY CAN FOR UHXA
CBT00660	1	1	CABINET;WELDMENT
LVR00078	2	3	LOUVER;BLADE
SUP02602	3	1	SUPPORT;MOTOR
COV02125	4	1	COVER;BOTTOM
GRD00948	5	1	GUARD;FAN
FAN02132	6	1	FAN;
CNT01626	7	1	CONTROL;HIGH LIMIT
CND00066	8	1	CONDUIT;MOTOR 3/4 & JUNCTION BOX 3/4
CND00066	9	1	CONDUIT;MOTOR 3/4 & JUNCTION BOX 3/4
EXC01136	10	1	EXCHANGER;HEAT, 7.5KW, 208V
COV02127	11	1	COVER;ELEMENT ENCLOSURE
COV02128	12	1	COVER;ELEMENT ENCLOSURE (EXP. PROOF) THREADED
PLT02004	13	2	PLATE; CAUTION
BOX00578	14	1	BOX;CONTROL, EXP. PROOF (WO/THERMOSTAT)
COV02129	15	1	COVER;CONTROL BOX EXP. PROOF
RNG01232	17	1	RING; THERMOSTAT RETAINING
SHF01795	18	1	SHAFT; THERMOSTAT ASSEMBLY
CND00070	19	1	CONDUIT; UNION FEMALE 3/4IN. (MOTOR)
CND00071	20	1	CONDUIT; UNION MALE 3/4IN. (JUNCTION BOX)
FTG00114	21	1	FITTING; JOINT 3/4" SLIP (JUNCTION BOX TO ELEMENT ENCL.)
SCR01456	22	0	SCREW; DRIVE #6 X 3/16IN.
MOT06348	23	1	MOTOR, JUNCTION BOX FOR (EXP. PROOF)
MOT06344	24	1	MOTOR, 1/4 HP, 208/240/480 VOLTS, 3 PHASE
CTR01032	25	1	CONTACTOR; 50 AMP, 3 POLE, 208/240V COIL
BLK00480	27	1	BLOCK;FUSE, 2 POLE
FUS00899	28	1	FUSE; TIME DELAY, 4/10 AMP

<b>Part No.</b>	<b>Reference No.</b>	<b>Quantity</b>	<b>Description</b>
BRK01795	3	1	BRACKET;WALL MOUNTING (3, 5 & 7.5 KW)
BRK01798	3	1	BRACKET;CEILING MOUNTING (ALL SIZES)
BRK01799	3	1	BRACKET;FLOOR MOUNTING (3, 5 & 7.5 KW)
THT01209	3	1	THERMOSTAT; EXPLOSION PROOF, SPST 40-90F, 22AMP (WALL MNT)
THT01210	3	1	THERMOSTAT; EXPLOSION PROOF, DPST 40-90F, 22AMP (WALL MNT)