

ProPress 304 FKM



1.2

ProPress 304 FKM

Viega ProPress 304 FKM is engineered for commercial and industrial environments, such as breweries and other facilities. With applications ranging from fire protection systems to compressed air, Viega ProPress 304 FKM is a complete solution with pipe, valves and fittings. Viega ProPress fittings offer Smart Connect technology, providing installers added confidence in their ability to ensure the integrity of connections.

FEATURES AND BENEFITS

- More than 150 different engineered fitting configurations for stainless 304
- Available in sizes ½" to 4"
- Approved for more than 400 different applications

CODES AND STANDARDS

- ASME B31: Code for Pressure Piping
- ASME B31.1: Power Piping
- ASME B31.3: Process Piping
- ASME B31.9: Building Services Piping
- ASTM A312: Standard Specification for Seamless, Welded and Heavily Cold Worked Austenitic Stainless Steel Pipes
- ASTM A554: Standard Specification for Welded Stainless Steel Mechanical Tubing
- IACS UR P2: Rules for piping design, construction and testing
- IAPMO Uniform Mechanical Code (UMC)
- ICC International Mechanical Code (IMC)
- NFPA 13: Standard for the Installation of Sprinkler Systems
- NFPA 13D: Standard for the Installation of Sprinkler Systems in One- and Two-Family Dwellings and Manufactured Homes
- NFPA 13R: Standard for the Installation of Sprinkler Systems in Low-Rise Residential Occupancies

LISTINGS AND CERTIFICATIONS

- ABS: American Bureau of Shipping Type Approval
- Canadian Registration Number (CRN): 13492.5 A/B/C
- LR: Lloyd's Register Type Approval
- UL /ANSI 213: Standard for Rubber Gasketed Fittings for Fire-Protection Service
- UL /ANSI 852: Standard for Metallic Sprinkler Pipe for Fire Protection Services
- ULC/ANSI ORD-C213: Canadian Standard for Rubber Gasketed Fittings for Fire-Protection Service
- United States Coast Guard Acceptance Letter 2019-3650

NOTE

A white dot on a Viega ProPress 304 fitting indicates Smart Connect technology with an FKM sealing element.

Index

Pipe	42
Elbows	42
Tees	44
Adapters	45
Flanges	45
Caps	46
Unions	46
Couplings	46
Reducers	47
Valves	48
Sealing Elements and Gaskets	48
Tools	48
Accessories	49

Pipe



Viega ProPress pipe

- For use with Viega ProPress stainless fittings
- 304 stainless steel

Note

All Viega ProPress stainless pipe is copper tube size (CTS).

ASTM A312

Model 0103

d	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	20	7.480	1	87000	9
3/4	20	10.800	1	87005	9
1	20	14.120	1	87010	9
1 1/4	20	17.460	1	87015	9
1 1/2	20	20.740	1	87020	9
2	20	27.380	1	87025	9



Viega ProPress pipe

- For use with Viega ProPress stainless fittings
- 304 stainless steel


Note

All Viega ProPress stainless pipe is copper tube size (CTS).

ASTM A312

Model 0107XL

d	L [ft]	Wt [lb]	Quantity	Part No	DG
2 1/2	20	43.580	1	87095	9
3	20	52.120	1	87100	9
4	20	69.240	1	87105	9



Viega ProPress ECO pipe

- For use with Viega ProPress stainless fittings
- 304 stainless steel

Note

All Viega ProPress stainless pipe is copper tube size (CTS).

ASTM A554

Model 0108

d	L [ft]	Wt [lb]	Quantity	Part No	DG
1/2	20	5.300	1	87050	9
3/4	20	9.000	1	87055	9
1	20	11.720	1	87060	9
1 1/4	20	17.920	1	87065	9
1 1/2	20	21.280	1	87070	9
2	20	28.080	1	87075	9



Viega ProPress ECO pipe

- For use with Viega ProPress stainless fittings
- 304 stainless steel

Note

All Viega ProPress stainless pipe is copper tube size (CTS).

ASTM A554

Model 0108XL

d	L [ft]	Wt [lb]	Quantity	Part No	DG
2 1/2	20	46.120	1	87080	9
3	20	51.600	1	87085	9
4	20	68.540	1	87090	9

Elbows



Viega ProPress 90° elbow

Smart Connect technology

- For use with Viega ProPress stainless pipe
- 304 stainless steel
- Press connection

Components

FKM sealing elements

Model 6016

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.126	10	85402	9
3/4	3/4	0.237	10	85407	9
1	1	0.314	5	85412	9
1 1/4	1 1/4	0.385	1	85417	9
1 1/2	1 1/2	0.650	1	85422	9
2	2	1.020	1	85427	9



Viega ProPress 90° elbow

Smart Connect technology

- For use with Viega ProPress stainless pipe
- 304 stainless steel
- Press connection

Components

FKM sealing elements

Note

Must be installed with Viega ProPress XL-C rings and V2 actuator.

Model 6016XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.843	1	85432	9
3	3	2.499	1	85437	9
4	4	4.166	1	85442	9



Viega ProPress 90° street elbow
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection, street
Components
 FKM sealing element
Model 6016.1

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.115	10	85492	9
3/4	3/4	0.219	10	85497	9
1	1	0.315	5	85502	9
1 1/2	1 1/2	0.782	1	85512	9
2	2	0.985	1	85517	9



Viega ProPress 90° street elbow
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection, street
Components
 FKM sealing element
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 6016.1XL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.688	1	85522	9
3	3	2.332	1	85527	9
4	4	3.828	1	85532	9



Viega ProPress 45° elbow
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing elements
Model 6026

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.104	10	85447	9
3/4	3/4	0.184	10	85452	9
1	1	0.233	5	85457	9
1 1/4	1 1/4	0.298	1	85462	9
1 1/2	1 1/2	0.550	1	85467	9
2	2	0.774	1	85472	9



Viega ProPress 45° elbow
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing elements
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 6026XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.446	1	85477	9
3	3	1.913	1	85482	9
4	4	2.969	1	85487	9



Viega ProPress 45° street elbow
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection, street
Components
 FKM sealing element
Model 6026.1

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.087	10	85537	9
3/4	3/4	0.187	10	85542	9
1	1	0.235	5	85547	9
1 1/2	1 1/2	0.600	1	85557	9
2	2	0.740	1	85562	9



Viega ProPress 45° street elbow
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection, street
Components
 FKM sealing element
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 6026.1XL

P	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.340	1	85567	9
3	3	1.785	1	85572	9
4	4	2.848	1	85577	9

Tees



Viega ProPress tee
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing elements
Model 6018

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1/2	0.165	10	85582	9
3/4	3/4	1/2	0.242	10	85632	9
3/4	3/4	3/4	0.264	10	85587	9
1	1	1/2	0.316	5	85642	9
1	1	3/4	0.340	5	85652	9
1	1	1	0.364	5	85592	9
1 1/4	1 1/4	1/2	0.359	1	85662	9
1 1/4	1 1/4	3/4	0.403	1	85672	9
1 1/4	1 1/4	1	0.445	1	85682	9
1 1/4	1 1/4	1 1/4	0.452	1	85597	9
1 1/2	1 1/2	1/2	0.641	1	85692	9
1 1/2	1 1/2	3/4	0.655	1	85702	9
1 1/2	1 1/2	1	0.683	1	85712	9
1 1/2	1 1/2	1 1/2	0.842	1	85598	9
2	2	1/2	0.753	1	85722	9
2	2	3/4	0.755	1	85732	9
2	2	1	0.804	1	85742	9
2	2	1 1/2	0.998	1	85752	9
2	2	2	1.180	1	85607	9



Viega ProPress tee
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing elements
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 6018XL

P1	P2	P3	Wt [lb]	Quantity	Part No	DG
2 1/2	2	1 1/2	1.534	1	85955	9
2 1/2	2	2	1.706	1	85954	9
2 1/2	2 1/2	1 1/2	1.578	1	85934	9
2 1/2	2 1/2	2	1.735	1	85904	9
2 1/2	2 1/2	2 1/2	2.061	1	85612	9
3	3	1 1/4	1.827	1	85944	9
3	3	1 1/2	1.951	1	85935	9
3	3	2	2.109	1	85905	9
3	3	2 1/2	2.468	1	85914	9
3	3	3	2.691	1	85617	9
4	4	1 1/2	2.821	1	85945	9
4	4	2	3.011	1	85915	9
4	4	2 1/2	3.421	1	85924	9
4	4	3	3.681	1	85925	9
4	4	4	4.201	1	85622	9



Viega ProPress reducing tee
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection, female pipe thread
Components
 FKM sealing elements
Model 6017.2

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
3/4	3/4	1/2	0.258	5	85822	9
3/4	3/4	3/4	0.303	5	85832	9
1	1	1/2	0.337	5	85842	9
1	1	3/4	0.379	5	85852	9
1 1/4	1 1/4	1/2	0.399	1	85862	9
1 1/4	1 1/4	3/4	0.455	1	85872	9
1 1/4	1 1/4	1	0.628	1	85882	9
1 1/2	1 1/2	1/2	0.685	1	85892	9
1 1/2	1 1/2	3/4	0.715	1	85902	9
1 1/2	1 1/2	1	0.884	1	85912	9
2	2	1/2	0.785	1	85922	9
2	2	3/4	0.822	1	85932	9
2	2	1	0.864	1	85942	9



Viega ProPress reducing tee
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection, female pipe thread
Components
 FKM sealing elements
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 6017.2XL

P1	P2	FPT	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	3/4	1.393	1	85952	9
2 1/2	2 1/2	1	1.585	1	85962	9
3	3	3/4	1.750	1	85972	9
3	3	1	1.931	1	85982	9
4	4	3/4	2.557	1	85992	9
4	4	1	2.724	1	86002	9

Adapters



Viega ProPress adapter
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection, male pipe thread
Components
 FKM sealing element
Model 6011

P	MPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.117	10	85012	9
1/2	3/4	0.171	10	85017	9
3/4	1/2	0.140	10	85022	9
3/4	3/4	0.179	10	85027	9
3/4	1	0.434	5	85032	9
1	3/4	0.203	5	85037	9
1	1	0.308	5	85042	9
1 1/4	1 1/4	0.584	1	85047	9
1 1/2	1 1/2	0.733	1	85052	9
2	2	1.009	1	85054	9



Viega ProPress adapter
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection, male pipe thread
Components
 FKM sealing element
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 6011XL

P	MPT	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	2.034	1	85062	9
3	3	2.843	1	85067	9
4	4	3.967	1	85072	9



Viega ProPress adapter
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection, female pipe thread
Components
 FKM sealing element
Model 6012

P	FPT	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.109	10	85082	9
3/4	1/2	0.132	10	85087	9
3/4	3/4	0.175	10	85096	9
1	1/2	0.261	5	85094	9
1	3/4	0.208	5	85097	9
1	1	0.238	5	85128	9
1 1/4	1 1/4	0.417	1	85107	9
1 1/2	1 1/2	0.663	1	85117	9
2	1	1.047	1	85077	9
2	1 1/2	0.719	1	85122	9
2	2	0.714	1	85127	9

Flanges



Viega ProPress adapter flange
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing element
Model 6059

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
1/2	4	2 3/8	1.142	1	86082	9
3/4	4	2 3/4	1.803	1	86087	9
1	4	3 1/8	1.895	1	86092	9
1 1/4	4	3 1/2	2.534	1	86097	9
1 1/2	4	3 7/8	2.720	1	86102	9
2	4	4 3/4	5.576	1	86107	9

BP = bolt pattern
 BPd = bolt pattern diameter



Viega ProPress adapter flange
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing element
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 6059XL

P	BP	BPd	Wt [lb]	Quantity	Part No	DG
2 1/2	4	5 1/2	8.128	1	86067	9
3	4	6	7.661	1	86072	9
4	8	7 1/2	11.020	1	86077	9

BP = bolt pattern
 BPd = bolt pattern diameter

Caps



Viega ProPress cap
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing element
Model 6056

P	Wt [lb]	Quantity	Part No	DG
1/2	0.038	10	85357	9
3/4	0.079	10	85362	9
1	0.105	5	86367	9
1 1/4	0.161	1	86372	9
1 1/2	0.258	1	86377	9
2	0.355	1	86382	9



Viega ProPress cap
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing element
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 6056.1XL

P	Wt [lb]	Quantity	Part No	DG
2 1/2	0.787	1	85387	9
3	1.007	1	85392	9
4	1.627	1	85397	9

Unions



Viega ProPress union
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
 - Ground joint
Components
 FKM sealing elements
Model 6060

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.312	5	86007	9
3/4	3/4	0.475	5	86012	9
1	1	0.776	5	86017	9
1 1/4	1 1/4	1.016	1	86022	9
1 1/2	1 1/2	1.957	1	86027 ¹⁾	9
2	2	3.024	1	86032	9

¹⁾ Available while supplies last

Couplings



Viega ProPress coupling
With stop
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing elements
Model 6015

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	0.083	10	85267	9
3/4	3/4	0.132	10	85272	9
1	1	0.164	5	85277	9
1 1/4	1 1/4	0.241	1	85282	9
1 1/2	1 1/2	0.417	1	85287	9
2	2	0.575	1	85292	9



Viega ProPress coupling
With stop
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing elements
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 6015XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2 1/2	2 1/2	1.095	1	85297	9
3	3	1.396	1	85302	9
4	4	2.136	1	85307	9



Viega ProPress coupling
No stop
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing elements
Model 6015.5

P1	P2	Wt [lb]	Quantity	Part No	DG
½	½	0.076	10	85312	9
¾	¾	0.130	10	85317	9
1	1	0.166	5	85322	9
1¼	1¼	0.242	1	85327	9
1½	1½	0.390	1	85332	9
2	2	0.570	1	85337	9



Viega ProPress coupling
No stop
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Press connection
Components
 FKM sealing elements
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 6015.5XL

P1	P2	Wt [lb]	Quantity	Part No	DG
2½	2½	1.087	1	85342	9
3	3	1.411	1	85347	9
4	4	2.160	1	85352	9



Viega ProPress transition coupling
 - For transitioning between IPS and CTS systems
 - 304 stainless steel
 - Butt weld - iron pipe size, street
Model 0113.3

FTG (IPS)	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
½	½	0.115	10	86003	9
¾	¾	0.177	5	86008	9
1	1	0.269	5	86013	9
1½	1½	0.611	1	86023	9
2	2	0.774	1	86028	9



Viega ProPress transition coupling
 - For transitioning between IPS and CTS systems
 - 304 stainless steel
 - Butt weld - iron pipe size, street
Model 0113.1XL

FTG (IPS)	FTG (CTS)	Wt [lb]	Quantity	Part No	DG
2½	2½	1.031	1	85135	9
3	3	1.300	1	85145	9
4	4	1.887	1	85155	9

Reducers



Viega ProPress reducer
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Street, press connection
Components
 FKM sealing element
Model 6015.1

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
¾	½	0.094	10	85162	9
1	½	0.121	10	85167	9
1	¾	0.139	10	85172	9
1¼	½	0.165	1	85173	9
1¼	¾	0.192	1	85182	9
1¼	1	0.216	1	85187	9
1½	½	0.278	1	85192	9
1½	¾	0.295	1	85197	9
1½	1	0.273	1	85202	9
2	½	0.395	1	85212	9
2	¾	0.434	1	85217	9
2	1	0.419	1	85222	9
2	1½	0.476	1	85232	9



Viega ProPress reducer
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 304 stainless steel
 - Street, press connection
Components
 FKM sealing element
Note
 Must be installed with Viega ProPress XL-C rings and V2 actuator.
Model 6015.1XL

FTG (CTS)	P	Wt [lb]	Quantity	Part No	DG
2½	2	0.765	1	85237	9
3	2	0.970	1	85242	9
3	2½	1.153	1	85247	9
4	2	1.448	1	85252	9
4	2½	1.607	1	85257	9
4	3	1.673	1	85262	9

Valves



Viega ProPress 3-piece ball valve
Smart Connect technology
 - For use with Viega ProPress stainless pipe
 - 316 stainless steel
 - Press connection
Components
 FKM sealing elements
Model 4370.8

P1	P2	Wt [lb]	Quantity	Part No	DG
1/2	1/2	1.433	1	85132	9
3/4	3/4	2.085	1	85133	9
1	1	2.799	1	85134	9
1 1/4	1 1/4	3.714	1	85136	9
1 1/2	1 1/2	5.298	1	85137	9
2	2	7.780	1	85138	9

Sealing Elements and Gaskets



Viega ProPress sealing element
FKM
 - For Viega ProPress CTS size fitting
Model 2986

d	Version	Wt [lb]	Quantity	Part No	DG
1/2	dull black	0.004	5	17768	8
3/4	dull black	0.005	5	17778	8
1	dull black	0.006	5	17788	8
1 1/4	dull black	0.001	5	17803	8
1 1/2	dull black	0.010	5	17818	8
2	dull black	0.010	5	17823	8



Viega ProPress sealing element
FKM
 - For Viega ProPress CTS size fitting
Model 0186XL

d	Version	Wt [lb]	Quantity	Part No	DG
2 1/2	dull black	0.017	5	85995	9
3	dull black	0.021	5	85996	9
4	dull black	0.027	5	85997	9



Viega ProPress sealing element
EPDM
 - For Viega ProPress CTS size fitting
Model 2989

d	Version	Wt [lb]	Quantity	Part No	DG
1/2	shiny black	0.001	10	78242	8
3/4	shiny black	0.002	10	78247	8
1	shiny black	0.005	10	78252	8
1 1/4	shiny black	0.003	10	78257	8
1 1/2	shiny black	0.005	10	78262	8
2	shiny black	0.007	10	78267	8



Viega ProPress sealing element
HNBR
 - For Viega ProPress CTS size fitting
Note
 HNBR sealing elements may NOT be installed in ProPress systems that require ANSI/CSA LC-4 approval for natural gas or propane gas applications.
Model 0687

d	Version	Wt [lb]	Quantity	Part No	DG
1/2	yellow	0.002	10	21023	8
3/4	yellow	0.004	10	21028	8
1	yellow	0.103	10	21033	8
1 1/4	yellow	0.005	10	21038	8
1 1/2	yellow	0.106	10	21043	8
2	yellow	0.010	10	21048	8

Tools



Ridgid RP 241 press tool kit
ProPress, PureFlow
Compact
 - For Viega ProPress connections 1/2" to 1", Viega PureFlow Press connections 1/2" to 1"
Components
 Ridgid RP 241, ProPress jaw sizes 1/2" to 1" OR PureFlow jaw sizes 1/2" to 1", battery, battery charger, branded soft-sided case
Model 2880.7US

Press Jaws	for d	Wt [lb]	Quantity	Part No	DG
Viega ProPress	1/2, 3/4, 1	19.195	1	56021	16



**Ridgid RP 340 press tool
Standard**

- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

Components

Ridgid 340 tool, battery, battery charger, hard case

Model 2980.71

for d	Wt [lb]	Quantity	Part No	DG
Jaws not included	22.854	1	56024	16



**Ridgid RP 340 press tool kit
ProPress
Standard**

- For Viega PureFlow Press connections 1/2" to 2", Viega ProPress connections 1/2" to 4", Viega MegaPress connections 1/2" to 4"

Components

Ridgid 340 tool, ProPress jaw sizes 1/2" to 2", battery, battery charger, hard case

Model 2980.7

for d	Wt [lb]	Quantity	Part No	DG
1/2-2	56.684	1	56023	16



New

Viega ProPress XL-C ring kit

- For Ridgid standard tools, Viega ProPress connections 2 1/2" to 4"

- Phosphated steel

Components

V2 actuator, ProPress XL-C rings sizes 2 1/2" to 4", hard case

Model 2999.4XL

for d	Wt [lb]	Quantity	Part No	DG
2 1/2-4	40.239	1	57076¹	16

¹) Available soon!

Accessories



Flange bolt set

- For adapter flange
- Galvanized carbon steel

Components

Bolt, nut, washer

Model 2959.7

L [in]	W [in]	Bolts	Flange	Wt [lb]	Quantity	Part No	DG
2 1/2	1/2	4	1/2, 3/4, 1, 1 1/4, 1 1/2	0.871	1	19748¹	8
2 3/4	5/8	4	2, 2 1/2, 3	1.572	1	19758²	8
2 3/4	5/8	8	4	3.141	1	19763³	8

¹) Suitable for Viega MegaPress flange Part No 25760, 25765, 25770, 25775, 25780, 90440, 90445, 90450, 90455, 95440, 95445, 95450, 95455, Viega MegaPressG flange Part No 25761, 25766, 25771, 25776, 25781, Viega ProPress adapter flange Part No 81035, 81040, 81045, 81050, 81055, 86082, 86087, 86092, 86097, 86102, Viega ProPress adapter flange, 2 - pc Part No 79680, 79685, 79690

²) Suitable for Viega MegaPress flange Part No 25785, 90460, 95460, Viega MegaPressG flange Part No 25786, Viega ProPress adapter flange Part No 81060, 81065, 81070, 86067, 86072, 86107, Viega ProPress adapter flange, 2 - pc Part No 20853, 20858, 79695

³) Suitable for Viega ProPress adapter flange Part No 81075, 86077, Viega ProPress adapter flange, 2 - pc Part No 20863



New

Replacement handle

- Use with Viega MegaPress 3-piece ball valve Model 4175.8, Viega ProPress 3-piece ball valve Model 4370.8, Viega MegaPress 3-piece ball valve Model 4875.8, 5175.8, 5975.8
- 316 stainless steel

Model 4875.80

Valve Size (CTS)	Valve Size (IPS)	Wt [lb]	Quantity	Part No	DG
3/4	1/2		1	86625	14
1	3/4		1	86600	14
1 1/4	1		1	86605	14
1 1/2, 2	1 1/4, 1 1/2, 2		1	86630	14



Viega ProPress valve repair kit

- Use with Viega ProPress 3-piece ball valve Model 4370.8
- PTFE

Components

PTFE stem seals, PTFE ball seats

Model 4370.91

d	Wt [lb]	Quantity	Part No	DG
1/2		1	85146 ¹	9
3/4		1	85147 ¹	9
1		1	85148 ¹	9
1 1/4		1	85149 ¹	9
1 1/2		1	85150 ¹	9
2		1	85151 ¹	9

¹⁾ Available soon!