For Residential Applications

| | • • |
|--------------|-----------------------|
| Job Name | Contractor |
| Job Location | Approval |
| Engineer | Contractor's P.O. No. |
| Approval | Representative |

Model WAS

Anti-Sweat Valve for Water Closets

Size: 1/2" (15mm)

Model WAS Anti-Sweat Valve for Water Closets mixes hot water with cold supply water to avoid condensation build up on the outside of the water closet and to temper the water inside the toilet tank.

Features:

- Cast brass
- Compression end or IPS connections

Specifications

Valve shall be manufactured out of cast brass and have compression ends or IPS connections. Valve shall have a maximum temperature of 180 F. Valve shall be a Watts Regulator Company Series WAS.

Pressure - Temperature


Maximum Temperature: 180 F (82 C)

VWorks

WAS

Dimensions — Weights

| Size (DN) | | A | | В | | E | | T | | Weight | |
|-----------|----|----|----|----|----|------|----|------|----|--------|-----|
| in | mm | in | mm | in | mm | in | mm | in | mm | lbs | kgs |
| 1/2 | 15 | 3 | 76 | 3% | 86 | 21/8 | 54 | 11/2 | 38 | 1.2 | .94 |



Watts product specifications in U.S. customary units and metric are approximate and are provided for reference only. For precise measurements, please contact Watts Technical Service. Watts reserves the right to change or modify product design, construction, specifications, or materials without prior notice and without incurring any obligation to make such changes and modifications on Watts products previously or subsequently sold.

USA: 815 Chestnut St., No. Andover, MA 01845-6098; www.wattsreg.com Canada: 5435 North Service Rd., Burlington, ONT. L7L 5H7; www.wattscanada.ca

