



EAN: 4013288161383
Part number: 05350451001
Article number: 7445/46/47

Size: 260x220x85 mm
Weight: 1022 g
Country of origin: CZ
Customs tariff number: 82079030

- Kraftform torque screwdriver set
- Suitable for bits with 1/4" hex head drive
- With Hex-Plus, TORX® and TORX PLUS® bits

Wera torque screwdriver set. Two high precision torque screwdrivers with variable torque settings. One torque screwdriver with Kraftform pistol handle for the transfer of especially high torque; multi-component for high working speeds and particularly ergonomic screwdriving. Simple adjustment of the required torque value without any special tools. Easy-to-read scale value. Rapidaptor quick-release technology for rapid bit change. Unlimited torque to loosen seized screws. Multi-component Kraftform handle with hard and soft zones for high working speeds, whilst being easy on the hand. Includes a bit assortment in a high quality and stable plastic case.



Web link

https://products.wera.de/en/torque_tools_series_7400_kraftform_torque_screwdrivers_variable_torque_adjustment_models_7445_46_47.html

Wera - 7445/46/47
05350451001 - 4013288161383

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de

Series 7400 Kraftform Torque Screwdrivers - Variable torque adjustment models

Set contents:



7400 inch

05074710001 1 x art. no. 7445 x 2.5-11.5 in.
lbs.
05074711001 1 x art. no. 7446 x 11-29 in. lbs.



7400 Pistolet inch

05074712001 1 x art. no. 7447 x 25-55 in. lbs.



867/1 TZ TORX®

05066301001 1 x TX 6 x 25 mm
05066302001 1 x TX 7 x 25 mm
05066303001 1 x TX 8 x 25 mm
05066304001 1 x TX 9 x 25 mm
05066305001 1 x TX 10 x 25 mm
05066308001 1 x TX 15 x 25 mm
05066310001 1 x TX 20 x 25 mm
05066312001 1 x TX 25 x 25 mm
05066315001 1 x TX 30 x 25 mm



867/1 IP TORX PLUS®

05066274001 1 x 6 IP x 25 mm
05066276001 1 x 7 IP x 25 mm
05066278001 1 x 8 IP x 25 mm
05066279001 1 x 9 IP x 25 mm
05066280001 1 x 10 IP x 25 mm
05066282001 1 x 15 IP x 25 mm
05066284001 1 x 20 IP x 25 mm
05066286001 1 x 25 IP x 25 mm
05066288001 1 x 30 IP x 25 mm



840/1 Z Hex-Plus

05056305001 1 x 2 x 25 mm
05056310001 1 x 2.5 x 25 mm
05056315001 1 x 3 x 25 mm
05056320001 1 x 4 x 25 mm
05056325001 1 x 5 x 25 mm
05056330001 1 x 6 x 25 mm

Adjustable Torque Screwdrivers

Simple setting

Easy-to-read



Wera's adjustable torque screwdrivers allow variable torque settings with maximum precision and ensure that the user gets the very best results in the familiar Wera design with superior ergonomics.



Simple setting of the required torque by hand.



Easy-to-read scale value.

Web link

https://products.wera.de/en/torque_tools_series_7400_kraftform_torque_screwdrivers_variable_torque_adjustment_models_7445_46_47.html

Wera - 7445/46/47

05350451001 - 4013288161383

Wera Werkzeuge GmbH

Korzerter Straße 21-25

D-42349 Wuppertal

Tel: +49 (0)2 02 / 40 45-0

E-Mail: info@wera.de

Measurement accuracy



Measurement accuracy is $\pm 6\%$ (article 1430: $\pm 10\%$) in accordance with the standard DIN EN ISO 6789. Distinctly audible and noticeable excess-load signal when the pre-set torque is reached.

Unlimited torque



Unlimited torque for loosening seized screws.

Versatile



Rapidaptor technology makes the tool adaptable since bits and sockets can be exchanged rapidly.

Chuck-all



The Rapidaptor quick-release chucks hold 1/4" DIN ISO 1173-C 6,3 and E 6,3 as well as Wera series 1 and 4 bits.

Web link

https://products.wera.de/en/torque_tools_series_7400_kraftform_torque_screwdrivers_variable_torque_adjustment_models_7445_46_47.html

Wera - 7445/46/47
05350451001 - 4013288161383

Wera Werkzeuge GmbH
Korzerter Straße 21-25
D-42349 Wuppertal
Tel: +49 (0)2 02 / 40 45-0
E-Mail: info@wera.de