



**EAN:** 4013288113900  
**Part number:** 05030170001  
**Article number:** 1578 A/6

**Size:** 260x205x55 mm  
**Weight:** 408 g  
**Country of origin:** CZ  
**Customs tariff number:** 82054000

- Kraftform Micro screwdriver set for slotted and cross-recess screws, Phillips
- ESD-safe tool thanks to surface resistance of  $\leq 10^9$  Ohm
- Multi-component Kraftform Micro handles for fast and ergonomic screwdriving
- Hexagonal anti-roll feature against rolling away
- The Wera Black Point tip offers an exact fit and optimum corrosion protection

ESD-safe Wera Micro screwdriver set. Dependable protection against electrostatic energy and associated damage. Rapid twisting results from fixing the hand on the head and using the fast-turning zone just below. This makes time-consuming grip adjustments unnecessary. Power zones with integrated soft sections ensure the transfer of high loosening and tightening torque; a precision zone for the right rotation angle during fine adjustment work. The Black Point tip offers optimised corrosion protection and an exact fit.



#### Web link

[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_1578\\_a\\_6.html](https://products.wera.de/en/screwdrivers_esd_series_1578_a_6.html)

Wera - 1578 A/6  
05030170001 - 4013288113900

Wera Werkzeuge GmbH  
Korzter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## ESD Series

### Set contents:



#### 1550 PH ESD Micro

05030111001<sup>1)</sup> 1 x PH 0 x 60 mm

05030112001 1 x PH 1 x 80 mm

1) Size 0 modified according to JCIS 0 (Japanese Camera Industrial Standard)



#### 1578 A ESD Micro

05030100001 1 x 0.25 x 1.2 x 40 mm

05030101001 1 x 0.23 x 1.5 x 40 mm

05030102001 1 x 0.30 x 1.8 x 60 mm

05030104001 1 x 0.40 x 2.5 x 80 mm

### Wera ESD Tools



The requirements for ESD-safe screwdrivers are specified in the European standard DIN EN 61340-5-1. This standard also includes a handle that has to be out of a defined conductive material. The Wera products in the ESD series satisfy these standards and the even more stringent requirements demanded by some technology companies.

### High protection




The electric surface resistance of the Wera ESD material is  $\leq 10^9$  ohm. This securely protects components against electrostatic energy and associated damage.

### Kraftform Micro handle




Multi-component screwdriver handle for ergonomic working.

### The precision zone




The precision zone directly above the blade gives the user a better feel for the right rotation angle during fine adjustment work.

### The power zone



The power zone has integrated soft zones near the blade tip to ensure high torque transfer for loosening or tightening screws without losing contact with the screw.

### The fast-turning zone




The fast-turning zone just below the rotating cap allows rapid twisting

### Rotating cap and fast-turning zone



The fast-turning zone just below the rotating cap allow rapid twisting. This makes time-consuming grip adjustments as with other conventional precision screwdrivers unnecessary.

### "Take it easy" Tool Finder zone



Screwdrivers with "Take it easy" tool finder: colour coding according to profile and size stamp.

### Web link

[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_1578\\_a\\_6.html](https://products.wera.de/en/screwdrivers_esd_series_1578_a_6.html)

Wera - 1578 A/6  
05030170001 - 4013288113900

Wera Werkzeuge GmbH  
Korzerter Straße 21-25  
D-42349 Wuppertal  
Tel: +49 (0)2 02 / 40 45-0  
E-Mail: [info@wera.de](mailto:info@wera.de)

## 1578 A/6 ESD Screwdriver set and rack for electronic applications, 6 pieces

ESD Series



### Web link

[https://products.wera.de/en/screwdrivers\\_esd\\_series\\_1578\\_a\\_6.html](https://products.wera.de/en/screwdrivers_esd_series_1578_a_6.html)

Wera - 1578 A/6

05030170001 - 4013288113900