

The Web Development Glossary

More Than
2,000
Key Terms for
Developers
Jens Oliver
Meiert



The Web Development Glossary

More Than 2,000 Key Terms for Developers

Jens Oliver Meiert

This book is available at <http://leanpub.com/web-development-glossary>

This version was published on 2024-11-01



This is a [Leanpub](#) book. Leanpub empowers authors and publishers with the Lean Publishing process. [Lean Publishing](#) is the act of publishing an in-progress ebook using lightweight tools and many iterations to get reader feedback, pivot until you have the right book and build traction once you do.



This work is licensed under a [Creative Commons Attribution-ShareAlike 4.0 International License](#)

Tweet This Book!

Please help Jens Oliver Meiert by spreading the word about this book on [Twitter](#)!

The suggested hashtag for this book is [#webdevglossary](#).

Find out what other people are saying about the book by clicking on this link to search for this hashtag on Twitter:

[#webdevglossary](#)

For Beatriz.

Contents

Introduction	i
Acknowledgments	iii
The Web Development Glossary	1
!/_	2
0–9	4
A	7
B	21
C	32
D	57
E	58
F	59
G	60
H	61
I	62
J	63
K	64
L	65
M	66
N	67
O	68

CONTENTS

P	69
Q	70
R	71
S	72
T	73
U	74
V	75
W	76
X	77
Y	78
Z	79
Appendix	80
Wikipedia Contributions	80
MDN Web Docs Contributions	110
Feedback	113
About <i>The Web Development Glossary</i>	114

Introduction

This is a glossary for web development.

It covers more than 2,000 [with the latest update more than 3,000] important, useful, and historic terms and abbreviations relevant for web (and software) developers.

The glossary acquaints and reunites you with the major standards and concepts of the Web, with HTML, CSS, JavaScript, accessibility, security, performance, code quality, internationalization, localization, editors and tooling and more. It then goes beyond web development, touching on computer science, design, typography, usability and user experience, information as well as project management, other disciplines of interest and relevance to the modern developer. It goes beyond, inspiring the curiosity to learn more about the Web and the people creating and using it.

The glossary does not tell a story in the same way as other books do, but it still tells a story. It tells a story that is sterile yet messy. It tells a story that only started three decades ago and that is still unfolding. It tells a story that starts with you. Why you? Because you are at your own stage of web development—and because web development is only unfolding, only so alive, because of people like you, people who take a personal interest in it. When you read the glossary like you would read another book, you may notice. (Yet still, it is a glossary.)

**

Many explanations and definitions in this glossary are based on Wikipedia and the MDN Web Docs. It was neither necessary nor desirable to come up with a new and different explanation for every term.

Arrows (“→”) point to the expanded forms of abbreviations, and to the more common synonyms and expressions. Sometimes they take you on a little detour, but only to be transparent about the journey taken (like Personal Home Page → PHP → Hypertext Preprocessor, or HTML 5 → HTML → HyperText Markup Language). This may seem lengthy, but it aims to make meanings, relationships, and sometimes history more clear. An arrow may also point at a term that encompasses the referring term, or at a related concept, and therefore does not necessarily indicate identity or equivalence.

Whenever there is a source of great quality or immediate use, explanations include references to external documentation and software.

Some terms and abbreviations have several meanings. Only the tech-related ones are shown.

Sometimes there is imprecision: Is a home page a special type of web page, but a *homepage* another word for a website? (Per this book, trying to gauge how “most” people use the respective terms, this is so.)

Unfortunately, there are going to be inconsistencies, probably errors, and perhaps also controversy. Please [help improve the glossary](#) as well as, if applicable, Wikipedia and MDN Web Docs. Giving back to the communities, work on the book has led to numerous small improvements to both [Wikipedia](#) and [MDN Web Docs articles](#), but it is unlikely that these improvements covered all there was to improve. Thank you for sharing your knowledge and taking the time to contribute as well.

This all being said: Enjoy. Web development is a great field.



Licenses

The Web Development Glossary is licensed under a [CC BY-SA 4.0 \(Attribution–ShareAlike 4.0 International\) license](#).

A great number of explanations build on [Wikipedia](#). They are marked “†” and attributed in the *Appendix*. The original material is licensed under a [CC BY-SA 3.0 license](#).

Some explanations build on the [MDN Web Docs](#). They are marked “‡” and likewise attributed in the *Appendix*. The original material is licensed under a [CC BY-SA 2.5 license](#).

A handful of explanations build on the [HTML Living Standard](#). They are marked “§”. The original material is licensed under a [CC BY 4.0 license](#).

Acknowledgments

The Web Development Glossary would not have been possible without help. I thank Gabriele Kretzschmar for review of the manuscript, and Ganesh Subramanian and Yaroslav Kiyenko for advice on book details. I am also grateful to Wikipedia, the MDN Web Docs, and all their contributors for their own work mapping the web development landscape, and allowing others to build on that work. Thank you.

I also thank Lucas Frank Weatherhog, Dan Shappir, [Shaun O'Connell](#), [Moritz Gießmann](#), J. Albert Bowden II, [Tommy Williams](#), and Kirsty MacRae who contributed with corrections and suggestions to the glossary, as well as [Red Onion](#) for their friendly support.

The Web Development Glossary

!./_

!important

An indicator for a declaration that, by virtue of the CSS cascade, is to take precedence over a normal declaration.

.gitignore

A plain-text file that, one per line, contains patterns for files and directories to be ignored by Git version control.

.htaccess

A directory-level configuration file supported by several web servers, used for the configuration of website access issues, such as URL redirection, URL shortening, access control, and more. A site could have more than one .htaccess file, and the files are placed inside the web tree (i.e., inside directories and their subdirectories). .htaccess files act as a subset of the server's global configuration file (like httpd.conf) for the directory that they are in, or all subdirectories. The original purpose of .htaccess—reflected in its name—was to allow per-directory access control by, for example, requiring a password to access web content. More commonly, however, the .htaccess files define or override many other configuration settings such as content type, character set, CGI handlers, etc. [†]

.htpasswd

A flat file used to store usernames and password for basic authentication on an Apache HTTP Server. The name of the file is given in the .htaccess configuration, and can be anything although “.htpasswd” is the canonical name. .htpasswd is often maintained with the shell command “htpasswd” which can add, delete, and update users, and will properly encode the password for use (so that it is easily checked, but not reversed back to the original password). The file consists of rows, each row corresponding to a username, followed by a colon, followed by a string containing the hashed password optionally prepended by an algorithm specifier (\$2y\$, \$apr1\$, or {SHA}) or salt. The hash historically used “Unix crypt” style with MD5 or SHA1 as common alternatives, although as of version 2.2.18 a variant of MD5 is now the default.

[†]

.NET

→ .NET Framework

.NET Framework

A software framework developed by Microsoft that runs primarily on Microsoft Windows. The .NET Framework includes a large class library named as Framework Class Library (FCL) and provides language interoperability (each language can use code written in other languages) across several programming languages. Programs written for the .NET Framework execute in a software environment (in contrast to a hardware environment) named the Common Language Runtime (CLR). The CLR is an application virtual machine that provides services such as

security, memory management, and exception handling. As such, computer code written using the .NET Framework is called managed code. FCL and CLR together constitute the .NET Framework. .NET was first released in 2002. [† i dotnet.microsoft.com](https://dotnet.microsoft.com)

/dev/null

→ Null device

__qem

A proprietary, unofficial CSS unit (“quirky em”) to manage margins in reflow roots (body, th, and td) similar to the Internet Explorer web browser. According to [the source code](#), “When the quirky value is used, if you’re in quirks mode, the margin will collapse away inside a table cell.” __qem was originally spelled with one underscore, _qem.



Is something important missing, or did you find a mistake? Please [share your feedback!](#)

0-9

8.3 A filename convention used by old versions of DOS and versions of Microsoft Windows prior to Windows 95 and Windows NT 3.5. 8.3 is also used in modern Microsoft operating systems as an alternate filename to the long filename for compatibility with legacy programs. 8.3 filenames are limited to at most eight characters (after any directory specifier), followed optionally by a filename extension consisting of a period (“.”) and at most three further characters. †

11ty

→ Eleventy

20 FTP data transfer TCP port number.

21 FTP control TCP port number.

22 SSH TCP port number.

23 Telnet TCP port number.

25 Simple Mail Transfer Protocol (SMTP) TCP port number.

2FA → Two-factor authentication

53 Domain Name System (DNS) TCP and UDP port number.

70 Gopher TCP port number.

79 Finger TCP and UDP port number.

80 Hypertext Transfer Protocol (HTTP) TCP port number.

88 Kerberos authentication TCP and UDP port number.

100 “Continue” HTTP status code.

101 “Switching Protocols” HTTP status code.

102 “Processing” HTTP status code (WebDAV).

109 Post Office Protocol (POP2) TCP port number.

110 Post Office Protocol (POP3) TCP port number.

143 Internet Message Access Protocol (IMAP) TCP port number.

200 “OK” HTTP status code.

201 “Created” HTTP status code.

202 “Accepted” HTTP status code.

203 “Non-Authoritative Information” HTTP status code.

204 “No Content” HTTP status code.

205 “Reset Content” HTTP status code.

206 “Partial Content” HTTP status code.

207 “Multi-Status” HTTP status code (WebDAV).

220 Internet Message Access Protocol (IMAP) TCP and UDP port number.

226 “IM Used” HTTP status code.

300 “Multiple Choices” HTTP status code.

301 “Moved Permanently” HTTP status code.

- 302 “Found” (previously “Moved Temporarily”) HTTP status code.
- 303 “See Other” HTTP status code.
- 304 “Not Modified” HTTP status code.
- 305 “Use Proxy” HTTP status code.
- 306 Now unused, former “Switch Proxy” HTTP status code.
- 307 “Temporary Redirect” HTTP status code.
- 308 “Permanent Redirect” HTTP status code.
- 389 Lightweight Directory Access Protocol (LDAP) TCP port number.
- 400 “Bad Request” HTTP status code.
- 401 “Unauthorized” HTTP status code.
- 403 “Forbidden” HTTP status code.
- 404 “Not Found” HTTP status code.
- 405 “Method Not Allowed” HTTP status code.
- 406 “Not Acceptable” HTTP status code.
- 407 “Proxy Authentication Required” HTTP status code.
- 408 “Request Timeout” HTTP status code.
- 409 “Conflict” HTTP status code.
- 410 “Gone” HTTP status code.
- 411 “Length Required” HTTP status code.
- 412 “Precondition Failed” HTTP status code.
- 413 “Request Entity Too Large” HTTP status code.
- 414 “Request-URI Too Long” HTTP status code.
- 415 “Unsupported Media Type” HTTP status code.
- 416 “Requested Range Not Satisfiable” HTTP status code.
- 417 “Expectation Failed” HTTP status code.
- 418 “I’m a teapot” HTTP status code, a 1998 IETF April Fools’ joke.
- 421 “Misdirected Request” HTTP status code.
- 422 “Unprocessable Entity” HTTP status code (WebDAV).
- 423 “Locked” HTTP status code (WebDAV).
- 424 “Failed Dependency” HTTP status code (WebDAV).
- 425 “Too Early” HTTP status code.
- 426 “Upgrade Required” HTTP status code.
- 428 “Precondition Required” HTTP status code.
- 429 “Too Many Requests” HTTP status code.
- 431 “Request Header Fields Too Large” HTTP status code.
- 443 Hypertext Transfer Protocol Secure (HTTPS) TCP port number.
- 451 “Unavailable For Legal Reasons” HTTP status code.
- 500 “Internal Server Error” HTTP status code.
- 501 “Not Implemented” HTTP status code.
- 502 “Bad Gateway” HTTP status code.
- 503 “Service Unavailable” HTTP status code.
- 504 “Gateway Timeout” HTTP status code.

- 505 “HTTP Version Not Supported” HTTP status code.
- 507 “Insufficient Storage” HTTP status code (WebDAV).
- 511 “Network Authentication Required” HTTP status code.
- 992 Telnet over TLS/SSL TCP and UDP port number.
- 993 Internet Message Access Protocol over TLS/SSL (IMAPS) TCP port number.
- 995 Post Office Protocol 3 over TLS/SSL (POP3S) TCP and UDP port number.



Is something important missing, or did you find a mistake? Please [share your feedback!](#)

A

A An IPv4 address resource record in the Domain Name System (DNS). [†](#)

A List Apart

A popular online magazine that “explores the design, development, and meaning of web content, with a special focus on web standards and best practices.” A List Apart was founded in 1998. [i alistapart.com](http://alistapart.com)

A/B testing

A user experience research methodology. A/B tests consist of a randomized experiment with two variants, A and B. A/B testing includes the application of statistical hypothesis testing or “two-sample hypothesis testing” as used in the field of statistics. It is a way to compare two versions of a single variable, typically by testing a subject’s response to variant A against variant B, and determining which of the two variants is more effective. [†](#)

A11Y

→ Accessibility

AAA

→ Arrange, Act, Assert

AAAA

An IPv6 address resource record in the Domain Name System (DNS). [†](#)

Above the fold

The part of a web page that is visible without scrolling.

Absolute domain name

→ Fully qualified domain name

Abstract Data Type

A mathematical model for data types, where a data type is defined by its behavior (semantics) from the point of view of a user of the data, specifically in terms of possible values, possible operations on data of this type, and the behavior of these operations. [†](#)

Abstraction

A way to reduce complexity and allow efficient design and implementation in complex software systems. Abstractions hide the technical complexity of systems behind simpler APIs.

[‡](#)

Accelerated Mobile Pages

A web component framework and a website publishing technology developed by Google which has the mission to “provide a user-first format for web content.” The AMP framework consists of three components: AMP HTML, which is standard HTML markup with web components, AMP JavaScript, which manages resource loading, and AMP caches, which serve and validate AMP pages. Most AMP pages are delivered by Google’s AMP cache. AMP was released in 2015. [† i amp.dev](#)

Accept-CH

An HTTP header that is used to specify which Client Hints headers a client should include in subsequent requests. [†](#)

Acceptance Test-Driven Development

A development methodology based on communication between the business customers, the developers, and the testers. ATDD aids developers and testers in understanding the customer's needs prior to implementation, and allow customers to be able to converse in their own domain language. [†](#)

Acceptance testing

A test conducted to determine if the requirements of a specification or contract are met. In systems engineering it may involve black-box testing performed on a system prior to its delivery. In software testing the ISTQB (International Software Testing Qualifications Board) defines acceptance testing as formal testing with respect to user needs, requirements, and business processes conducted to determine whether a system satisfies the acceptance criteria and to enable users, customers, or other authorized entities to determine whether to accept the system. Acceptance testing is also known as user acceptance testing (UAT), end user testing, operational acceptance testing (OAT), acceptance test-driven development (ATDD), or field (acceptance) testing. Acceptance criteria are the criteria that a system or component must satisfy in order to be accepted by a user, customer, or other authorized entity. [†](#)

Access control

The selective restriction of access to a place or other resource, while access management describes the process. The act of accessing may mean consuming, entering, or using. [†](#)

Access Control List

A list of permissions associated with an object. An ACL specifies which users or system processes are granted access to objects, as well as what operations are allowed on given objects. Each entry in a typical ACL specifies a subject and an operation. [†](#)

Access key

In accessibility, a shortcut to jump to a specific web page via the keyboard. Access keys were introduced in 1999 and quickly achieved near-universal browser support. [†](#)

In computer security, security credentials that consist of an access key ID and a secret access key.

Access logs

→ Server logs

Access token

A token that contains the security credentials for a login session and that identifies a user, a user's groups, a user's privileges, and, in some cases, a particular application. Typically, one may be asked to enter an access token (e.g., 40 random characters) rather than the usual password (an access token should therefore be kept secret just like a password). [†](#)

Accessibility

The design and development of products, devices, services, and environments so that they are usable by people with disabilities. In the context of the Web it means to make information and services usable by as many people as possible. [†](#)

Accessibility Conformance Testing

A rule format for the testing of conformance with accessibility standards. [i w3.org/WAI/standards-guidelines/act](https://www.w3.org/WAI/standards-guidelines/act)

Accessibility Object Model

A representation of the DOM that is being used by assistive technology. [i wicg.github.io/aom/spec](https://wicg.github.io/aom/spec)

Accessibility tree

→ Accessibility Object Model

Accessible Rich Internet Applications

A collection of roles, states, and properties that define accessible user interface elements and can be used to improve the accessibility and interoperability of web content and applications. [i w3.org/TR/wai-aria](https://www.w3.org/TR/wai-aria)

ACID

→ Atomicity, Consistency, Isolation, Durability

Acid tests

A range of web standards compliance tests that were set up in 1999 (Acid1), 2005 (Acid2), and 2008 (Acid3). [i acidtests.org](https://acidtests.org)

ACK

A signal that is passed between communicating processes, computers, or devices to signify acknowledgement, or receipt of message, as part of a communications protocol like the Transmission Control Protocol (TCP). [†](#)

ACL

→ Access Control List

ACM

→ Association for Computing Machinery

Acq-hiring

→ Acqui-hiring

Acqui-hiring

The process of acquiring a company primarily to recruit its employees, rather than its products or services. “Acqui-hiring” is a portmanteau of “acquisition” and “hiring.” The term was first used in 2005. [†](#)

ACSS

→ Atomic CSS

ACT

→ Accessibility Conformance Testing

Action item

→ Todo

ActionScript

An object-oriented programming language originally developed by Macromedia (later acquired by Adobe). ActionScript is influenced by HyperTalk, the scripting language for HyperCard. It is now an implementation of ECMAScript, though it originally arose as a sibling, both being influenced by HyperTalk. ActionScript is used primarily for the development of websites and software targeting the Adobe Flash Player platform, used on web pages in the form of embedded SWF files. [†](#)

Active redundancy

A design concept that increases operational availability and that reduces operating cost by automating critical maintenance actions. [†](#)

Active Server Pages

A server-side script engine for dynamically generated web pages. ASP can be written in a scripting language such as VBScript, JScript, or PerlScript. ASP were introduced in 1996 by Microsoft. [†](#)

Active Users

A performance metric for the success of an Internet product such as a social networking service, online game, or mobile app. It measures how many users visit or interact with the product or service over a given interval. This metric is commonly assessed per month as monthly active users (MAU), per week as weekly active users (WAU), or per day as daily active users (DAU). [†](#)

ActiveX

A software framework that allows applications to share information and functionality, based on the Component Object Model (COM) and Object Linking and Embedding (OLE). ActiveX was introduced in 1996 by Microsoft.

Adaptive

An aspect of or synonym for agile development.

Adaptive loading

The loading of web resources depending on the connection type and speed.

Adaptive technology

Technology specifically designed for and used by people with disabilities. Adaptive technology often refers to electronic and information technology access. It is a subset of assistive technology. [†](#)

Addon

→ Plugin

Address Resolution Protocol

A communication protocol used for discovering the link layer address, such as a MAC address, associated with a given internet layer address, typically an IPv4 address. This mapping is a critical function in the Internet protocol suite. ARP was defined in 1982 by RFC 826, which is Internet Standard STD 37. [†](#)

Adobe ColdFusion

→ ColdFusion

Adobe Dreamweaver

→ Dreamweaver

Adobe Flash

→ Flash

Adobe Photoshop

→ Photoshop

ads.txt

An initiative from the IAB Technology Laboratory that specifies an “ads.txt” text file that companies can host on their web servers, listing the other companies authorized to sell their

products or services. This is designed to allow online buyers to check the validity of the sellers from whom they buy, for the purposes of Internet fraud prevention. ads.txt was introduced in 2017. [†](#)

ADT

→ Abstract Data Type

Advanced Encryption Standard

A specification for the encryption of electronic data established in 2001 by the U.S. National Institute of Standards and Technology (NIST). AES is a subset of the Rijndael block cipher developed by Vincent Rijmen and Joan Daemen. For AES, NIST selected three members of the Rijndael family, each with a block size of 128 bits, but three different key lengths: 128, 192, and 256 bits. [†](#)

Advanced Package Tool

A software user interface that works with core libraries to handle the installation and removal of software on Debian, Ubuntu, and related Linux distributions. APT simplifies the process of managing software on Unix-like computer systems by automating the retrieval, configuration, and installation of software packages. [†](#)

Advanced Persistent Threat

A stealthy threat actor, typically a nation state or state-sponsored group, which gains unauthorized access to a computer network and remains undetected for an extended period. In recent times, the term may also refer to non-state-sponsored groups conducting large-scale targeted intrusions for specific goals. The median time an APT attack goes undetected differs widely between regions. [†](#)

AES

→ Advanced Encryption Standard

Affordance

Those action possibilities that are readily perceivable by an actor, that is, an affordance suggests how an object may be interacted with. For example, an underlined word on a web page has the affordance of being clickable. [†](#)

Agile

An umbrella term for approaches to project management and software development under which self-organizing, cross-functional teams cooperate with customers and users to produce requirements and solutions. Agile advocates adaptive planning, evolutionary development, early delivery, continuous improvement, and encourages rapid and flexible response to change. [†](#)

Agile Manifesto

→ Manifesto for Agile Software Development

AirMosaic

An early commercial web browser based on the NCSA Mosaic browser. AirMosaic was released in 1994. [†](#)

AJAX/Ajax

→ Asynchronous JavaScript and XML

ALA

→ A List Apart

ALGOL

→ Algorithmic Language

Algorithm

A finite sequence of well-defined, computer-implementable instructions, typically to solve a class of problems or to perform a computation. Algorithms are unambiguous specifications for performing calculation, data processing, automated reasoning, and other tasks. [†]

Algorithmic Language

A family of imperative computer programming languages, originally developed in the mid-1950s, which greatly influenced many other languages and was the standard method for algorithm description used by the Association for Computing Machinery (ACM) in textbooks and academic sources for more than 30 years. [†]

Aliasing

An effect that causes different signals to become indistinguishable (or aliases of one another) when sampled. Aliasing also often refers to the distortion or artifact that results when a signal reconstructed from samples is different from the original continuous signal. Aliasing can occur in signals sampled in time, for instance digital audio, and is referred to as temporal aliasing. It can also occur in spatially sampled signals (e.g., moiré patterns in digital images); this type of aliasing is called spatial aliasing. Aliasing is generally avoided by applying low pass filters or anti-aliasing filters (AAF) to the input signal. [†]

Almost standards mode

→ Almost strict mode

Almost strict mode

A third web browser compatibility mode (beside strict and quirks mode) which maintains the “traditional” vertical sizing of table cells according to the CSS 2 specification, and which treats images like block elements. [†]

ALPN

→ Application-Layer Protocol Negotiation

Alternate style sheet

A style sheet mutually exclusive to other style sheets, which can be selected for alternative styling. An alternate style sheet is indicated through the `alternate` keyword, as in `<link rel="alternate stylesheet" href=example.css title=Example>`.

Amaya

A web editor with browsing capabilities. Amaya was developed by the World Wide Web Consortium (W3C) and INRIA from 1996 to 2012.

Amazon Resource Name

A unique identifier for an Amazon Web Services (AWS) resource. An ARN follows the format `arn:partition:service:region:account-id:resource-id`, `arn:partition:service:region:account-id:resource-type/resource-id`, or `arn:partition:service:region:account-id:resource-type:resource-id`.

Amazon Route 53

→ Route 53

Amazon S3

→ S3

Amazon Silk

→ Silk

Amazon Simple Queue Service

→ SQS

Amazon Simple Storage Service

→ Amazon S3

Amazon SQS

→ SQS

Amazon Virtual Private Cloud

→ Amazon VPC

Amazon VPC

A commercial cloud computing service that provides users a virtual private cloud, by provisioning a logically isolated section of the Amazon Web Services (AWS) cloud. [† i aws.amazon.com/vpc](#)

Amazon Web Services

A subsidiary of Amazon that provides on-demand cloud computing platforms and APIs on a metered pay-as-you-go basis. In aggregate, these cloud computing web services provide a set of primitive abstract technical infrastructure and distributed computing building blocks and tools. AWS technology is implemented at server farms throughout the world. [† i aws.amazon.com](#)

AMD

→ Asynchronous Module Definition

American National Standards Institute

A private non-profit organization that, per its mission, “enhances both the global competitiveness of U.S. business and the U.S. quality of life by promoting and facilitating voluntary consensus standards and conformity assessment systems, and safeguarding their integrity.” The ANSI was founded in 1918. [i ansi.org](#)

American Standard Code for Information Interchange

A character encoding standard for electronic communication. ASCII was conceived in 1960 and published in 1963 by the ASA (American Standards Association), now ANSI.

AMP

→ Accelerated Mobile Pages

Analytics

→ Web analytics

Anchor

Technical name for a link, usually referring to the `a` element.

Angular

A TypeScript-based web application framework developed by Google and a community of individuals and corporations. Angular is a complete rewrite from the same team that built AngularJS. Angular was released in 2016. [† i angular.io](#)

AngularJS

A JavaScript-based frontend web framework mainly maintained by Google and a community of individuals and corporations to address challenges encountered in developing single-page applications (SPAs). AngularJS aims to simplify both the development and the testing of such applications by providing a framework for client-side model-view-controller (MVC) and

model-view-viewmodel (MVVM) architectures, along with components commonly used in rich Internet applications. AngularJS was first released in 2010 and makes for the frontend part of the MEAN stack. Google no longer updates AngularJS, and the Angular team recommends upgrading to Angular as the best path forward. [†](#) [i angularjs.org](#)

Animation

A method in which images and graphics are manipulated to appear as moving. In web development, animations are often created using CSS (CSS Animations, CSS Transitions) or JavaScript. [†](#)

Anonymous block box

Within a block container box, a block-level box forced by the presence of other block-level boxes. In `<div>Some text<p>More text</div>`, “Some text” resides in an anonymous block-level box because `<p>` spawns a block-level box.

Anonymous block element

→ Anonymous block box

Anonymous function

A function definition that is not bound to an identifier. Anonymous functions are often arguments being passed to higher-order functions, or used for constructing the result of a higher-order function that needs to return a function. If the function is only used once, or a limited number of times, an anonymous function may be syntactically lighter than using a named function. Anonymous functions are ubiquitous in functional programming languages and other languages with first-class functions. [†](#)

Anonymous inline box

An inline box that does not have an associated inline-level element.

Anonymous inline element

Any text that is directly contained inside a block container element that is not inside an inline element.

Anonymous text

Any string of characters that is not contained within an inline element.

ANSI

→ American National Standards Institute

Anti-pattern

A common response to a recurring problem that is usually ineffective and risks being highly counterproductive, and that has more negative than positive consequences. [†](#)

AOM

→ Accessibility Object Model

AOMedia Video 1

A video coding format initially designed for video transmissions over the Internet. AV1 was developed as a successor to VP9 by the Alliance for Open Media (AOMedia), a consortium founded in 2015. [†](#) [i aomedia.org/av1-features](#)

Apache

→ Apache HTTP Server

Apache HTTP Server

A cross-platform web server. The Apache server was first released in 1995. [i httpd.apache.org](#)

Apache Maven

→ Maven

Apache Subversion

→ Subversion

Apache Tomcat

→ Tomcat

Apache Weex

→ Weex

API → Application Programming Interface**API gateway**

An entry point for a system of application programming interfaces (APIs) that takes care of request routing as well as protocol translation. An API gateway also helps mitigate backend issues, for example by offering fallback or cached data.

App

→ Application

App shell

The minimal HTML, CSS, and JavaScript necessary to provide a site or app user interface.

Apple Safari

→ Safari

Apple Universal Access

→ Universal Access

Applet

Any small application that performs a specific task that runs within the scope of a dedicated widget engine or a larger program, often as a plugin. Usually referring to a Java applet, a program written in the Java programming language that is designed to be placed on a web page. An applet is not a full-featured application program but intended to be easily accessible.

†

Application

A computer program designed to help people perform an activity. An application differs from an operating system (which runs a computer), a utility (which performs maintenance or general-purpose chores), and a programming tool (with which computer programs are created). Depending on the activity for which it was designed, an application can manipulate text, numbers, audio, graphics, and a combination of these elements. Some application packages focus on a single task, such as word processing; others, called integrated software, include several applications.

†

Application context

A top-level browsing context that has a manifest applied to it. [‡](#)

Application Programming Interface

An interface or communication protocol between different parts of a computer program intended to simplify the implementation and maintenance of software. An API may be for a web-based system, operating system, database system, computer hardware, or software library.

†

Application-Layer Protocol Negotiation

A TLS extension which indicates what application layer protocol is negotiating the encrypted connection without requiring additional round trips. ALPN was specified in 2014 as RFC 7301.

†

APT

→ Advanced Package Tool

→ Advanced Persistent Threat

AR → Augmented Reality

Arena

One of the first web browsers for Unix. Originally developed in 1993 by Dave Raggett, development continued at CERN and the World Wide Web Consortium (W3C) and subsequently by Yggdrasil Computing. Arena was used in testing the implementations for HTML 3.0, Cascading Style Sheets (CSS), Portable Network Graphics (PNG), and libwww. Arena was widely used and popular at the beginning of the World Wide Web. †

Argument

The actual input expression passed or supplied to a function, procedure, or routine in a call or invocation statement. †

ARIA

→ Accessible Rich Internet Applications

ARIA roles

A set of predefined names that can be used to specify the meaning and purpose of markup elements. Roles can cover abstract use cases, widgets, document structure, landmarks, live regions, and windows, and are set using the `role` attribute.

ARN

→ Amazon Resource Name

ARP

→ Address Resolution Protocol

Arrange, Act, Assert

A pattern to organize test methods by.

Array

A data structure consisting of a collection of elements (values or variables), each identified by at least one array index or key. An array is stored such that the position of each element can be computed from its index tuple. The simplest type of data structure is a linear array, also called one-dimensional array. †

Arrow function

An anonymous function and syntactically compact alternative to a regular function expression, although without its own bindings to the `this`, `arguments`, `super`, or `new.target` keywords. †

ASCII

→ American Standard Code for Information Interchange

ASI → Automatic Semicolon Insertion

ASP

→ Active Server Pages

ASP.NET

A server-side web application framework designed to build dynamic websites, applications, and services. ASP.NET was first released in 2002 with version 1.0 of the .NET Framework, and is the successor to Microsoft's Active Server Pages (ASP) technology. [† i dotnet.microsoft.com/apps/aspnet](https://dotnet.microsoft.com/apps/aspnet)

Aspect ratio

A proportional relationship between an image's width and height. The aspect ratio is commonly expressed as two numbers separated by a colon, as in 16:9. [†](#)

AssemblyScript

A TypeScript-based programming language (essentially JavaScript with static types) that is optimized for WebAssembly and compiled to WebAssembly using `asc`, the reference AssemblyScript compiler. AssemblyScript is developed by the AssemblyScript Project and the AssemblyScript community. It was first released in 2017. [† i assemblyscript.org](https://assemblyscript.org)

Assignment

The setting or resetting of the value stored in the storage location(s) denoted by a variable name; in other words, an assignment statement copies a value into the variable. In most imperative programming languages, the assignment statement (or expression) is a fundamental construct. Today, the most commonly used notation for this basic operation has come to be `x = expr` (originally Superplan 1949–51, popularized by Fortran 1957 and C) followed by `x := expr` (originally ALGOL 1958, popularized by Pascal), although there are many other notations in use. [†](#)

Assistive technology

Assistive, adaptive, and rehabilitative devices and software for people with disabilities or the elderly population. Assistive technology can ameliorate the effects of disabilities that limit the ability to perform activities of daily living. [†](#)

Assistive Technology Service Provider Interface

A platform-neutral framework for providing bidirectional communication between assistive technologies (AT) and applications. AT-SPI is the *de facto* standard for providing accessibility to free and open desktops, like GNU/Linux or OpenBSD. It is led by the GNOME Project. [†](#)

Association for Computing Machinery

An international learned society for computing. The ACM was founded in 1947, and is the world's largest scientific and educational computing community. Its motto is "Advancing Computing as a Science and Profession." [† i acm.org](https://acm.org)

Asynchronous

The occurrence of events independent of the main program flow. A common way for dealing with asynchrony in is to provide subroutines that return to their caller an object, sometimes called a future or promise, that represents the ongoing events. [†](#)

Asynchronous Module Definition

A specification for the JavaScript programming language. AMD defines an API that defines code modules and their dependencies, and loads them asynchronously if desired. Implementations of AMD promise website performance improvements, because AMD implementations load smaller JavaScript files, and then only when they are needed. AMD implementations also suggest fewer page errors, because developers can define dependencies that must load before

a module is executed, so the module does not try to use outside code that is not available yet.

† [i github.com/AMDJS/AMDJS-API](https://github.com/AMDJS/AMDJS-API)

Asynchronous JavaScript and XML

A set of web development techniques using web technologies on the client side to create asynchronous web applications. With AJAX, web applications can send and retrieve data from a server asynchronously (in the background) without interfering with the display and behavior of the existing page. By decoupling the data interchange layer from the presentation layer, AJAX allows web pages and applications to change content dynamically without the need to reload the entire page. In practice, modern implementations commonly utilize JSON instead of XML. †

at A command on Unix-like operating systems, Microsoft Windows, and ReactOS used to schedule commands to be executed once, at a particular time in the future. †

AT → Assistive technology

at-rule

A CSS statement starting with an at-keyword (@ and an identifier, as with @import). The at-rule holds until either the next semicolon or the next block.

AT-SPI

→ Assistive Technology Service Provider Interface

ATAG

→ Authoring Tool Accessibility Guidelines

ATDD

→ Acceptance Test-Driven Development

Atlassian Bitbucket

→ Bitbucket

Atlassian Jira

→ Jira

Atom

An XML-based feed format consisting of two web standards, the Atom Syndication Format and the Atom Publishing Protocol (AtomPub or APP).

Atomic CSS

A CSS architecture that is based on “single-purpose units of style” applied via “short, predictable class names.” [i acss.io](https://acss.io)

Atomicity, Consistency, Isolation, Durability

A set of properties of database transactions intended to guarantee validity even in the event of errors, power failures, etc. In the context of databases, a sequence of database operations that satisfies the ACID properties (which can be perceived as a single logical operation on the data) is called a transaction. The acronym was coined in 1983 by Andreas Reuter and Theo Härder.

†

Attribute

A property of an object, element, or file. An attribute may also refer to or set the specific value for a given instance. An attribute of an object usually consists of a name and a value; of an element, a type or class name; of a file, a name and extension. Attributes should be considered metadata. †

Attribute minimization

The valid option for a Boolean attribute not to have a value if it is set (and therefore true). In XML-based languages, attribute minimization is disallowed and attributes must have a value; for example, `checked` is suggested to be written `checked="checked"`.

Augmented Reality

An interactive experience of a real-world environment where the objects that reside in the real world are enhanced by computer-generated perceptual information, sometimes across multiple sensory modalities, including visual, auditory, haptic, somatosensory, and olfactory. AR can be defined as a system that fulfills three basic features: a combination of real and virtual worlds, real-time interaction, and accurate 3D registration of virtual and real objects. [†]

Authentication

The act of proving an assertion, such as the identity of a computer system user. In contrast with identification, the act of indicating a person or thing's identity, authentication is the process of verifying that identity. [†]

Authoring tool

Software that enables the creation of digital content.

Authoring Tool Accessibility Guidelines

Guidelines for designing web content authoring tools that are accessible to authors with disabilities and designed to enable, support, and promote the production of more accessible web content by all authors. ATAG 1.0 became a W3C Recommendation in 2000, and ATAG 2.0 in 2015. ⁱ [w3.org/TR/ATAG20](https://www.w3.org/TR/ATAG20)

Authorization

The specifying of access rights and privileges to resources, which is related to information security and computer security in general, and to access control in particular. More formally, “to authorize” is to define an access policy. [†]

Automagic

A blend of “automatic” and “magic,” referring to an action that is performed automatically but also in a way as to seem magical.

Automatic Semicolon Insertion

An ECMAScript feature in which a semicolon is automatically inserted when two statements are separated by a line ending or a closing brace `()`, or if a line ending follows either of `break`, `continue`, `return`, or `throw` (restricted production).

Automation

A technology by which a process or procedure is performed with minimal human assistance. Automation or automatic control is the use of various control systems for operating equipment.

[†]

Autonomous custom element

One type of custom element for a web component. An autonomous custom element is standalone, that is, it does not inherit from standard HTML elements. Autonomous custom elements are used by literally writing them out as HTML elements. [‡]

AV1

→ AOMedia Video 1

AV1 Image File Format

An image file format that uses AV1 compression algorithms. AVIF competes with HEIC which uses the same container format, built upon ISOBMFF, but HEVC for compression. Version 1.0.0 of the AVIF specification was finalized in 2019. [†](#)

Availability Zone

With Amazon Web Services (AWS), a term for one or more data centers with redundant power, networking, and connectivity. An AWS Region consists of several Availability Zones.

AVIF

→ AV1 Image File Format

AWS

→ Amazon Web Services

AZ → Availability Zone



Is something important missing, or did you find a mistake? Please [share your feedback!](#)

B

BA → Basic access authentication

Babel

A JavaScript transpiler that is mainly used to convert ECMAScript 2015+ (ES6+) code into a backwards-compatible version of JavaScript that can be run by older JavaScript engines. [†](#) [i](#) [babeljs.io](#)

Back/forward cache

A browser optimization to improve the web browsing experience. Bfcache is an in-memory cache that stores a complete snapshot of a web page to enable fast back and forward navigation.

Backend

The data access layer of software of a piece of software, usually covering business logic and data storage. In the client-server model, the server is considered the back end. [†](#)

Backend for Frontend

The concept of having separate backends per application or interface, to act as intermediaries between the respective frontends and the underlying services. BFF was introduced in 2015 by Sam Newman.

Backlink

A link from one web resource (the referrer) to another web resource (the referent), made by an anchor, as viewed from the web resource being referred to. Other words for “backlink” are “incoming link,” “inbound link,” “inlink,” “inward link,” and “citation.” [†](#)

Backup

A copy of computer data taken and stored elsewhere so that it may be used to restore the original after a data loss event. The verb form, referring to the process of doing so, is “to back up,” whereas the noun and adjective form is “backup.” Backups can be used to recover data after its loss from data deletion or corruption, or to recover data from an earlier time. Backups provide a simple form of disaster recovery. [†](#)

Backup redundancy

→ Standby redundancy

Backward compatibility

A property of a product, system, or technology that allows for interoperability with an older legacy system, or with input designed for such a system, especially in telecommunications and computing. Modifying a system in a way that does not allow backward compatibility is sometimes called breaking backward compatibility. [†](#)

Bad Neighborhood

Bad quality websites, or websites that are being penalized and downgraded by search engines. Search engine optimization (SEO) best practices suggest to avoid links to and from bad neighborhood websites.

Bada

A discontinued operating system for mobile devices such as smartphones and tablet computers. Bada was developed by Samsung. Its name is derived from “ bada” (“bada”), meaning “ocean” or “sea” in Korean. Bada was released in 2010 and discontinued in 2013. [†](#)

Bandwidth

The maximum rate of data transfer across a given path. Bandwidth may be characterized as network bandwidth, data bandwidth, or digital bandwidth. [†](#)

Banner

An online advertising format, usually a horizontal or vertical rectangle in standardized sizes.

Barrierefreie-Informationstechnik-Verordnung

German accessibility regulations. [i www.gesetze-im-internet.de/bitv_2_0](http://www.gesetze-im-internet.de/bitv_2_0)

Base64

A group of binary-to-text encoding schemes that represent binary data in an ASCII string format by translating it into a radix-64 representation. The term “Base64” originates from a specific MIME content transfer encoding. Each Base64 digit represents exactly 6 bits of data. Three 8-bit bytes (i.e., 24 bits) can therefore be represented by four 6-bit Base64 digits. Common to all binary-to-text encoding schemes, Base64 is designed to carry data stored in binary formats across channels that only reliably support text content. Base64 is particularly prevalent on the World Wide Web where its uses include the ability to embed image files or other binary assets inside textual assets such as HTML and CSS files. [†](#)

Baseline

In European and West Asian typography and penmanship, the line upon which most letters “sit” and below which descenders extend. [†](#)

Bash

A Unix shell and command language written by Brian Fox for the GNU Project as a free software replacement for the Bourne shell. First released in 1989, Bash has been used widely as the default login shell for most Linux distributions and Apple’s macOS Mojave and earlier versions. [†](#)

Basic access authentication

A method for an HTTP user agent (e.g., a web browser) to provide a user and password when making a request. In basic HTTP authentication, a request contains a header field in the form of `Authorization: Basic <credentials>`, where “credentials” is the Base64 encoding of ID and password joined by a single colon (“:”). Basic access authentication is specified in RFC 7617 from 2015, which obsoletes RFC 2617 from 1999. [†](#)

Basic Multilingual Plane

The first Unicode plane, plane 0, containing characters for almost all modern languages, and a large number of symbols. A primary objective for the BMP is to support the unification of prior character sets as well as characters for writing. Most of the assigned code points in the BMP are used to encode Chinese, Japanese, and Korean (CJK) characters. [†](#)

BBCODE

A lightweight markup language used to format posts in many message boards. The available tags are usually indicated by square brackets ([]) surrounding a keyword, and parsed by the

message board system before being translated into a markup language that web browsers understand, like HTML. [†](#)

BDD

→ Behavior-Driven Development

Behavior

In web development, the code that deals with how content can be interacted with. This is often achieved through JavaScript.

Behavior-Driven Development

An agile software development process that encourages collaboration among developers, QA, and non-technical or business participants in a software project. BDD encourages teams to use conversation and concrete examples to formalize a shared understanding of how the application should behave. It emerged from Test-Driven Development (TDD). BDD combines the general techniques and principles of TDD with ideas from domain-driven design and object-oriented analysis and design to provide software development and management teams with shared tools and a shared process to collaborate on software development. [†](#)

Below the fold

The part of a web page that is visible only after scrolling down.

BEM

→ Block Element Modifier

Best practice

A method or technique that has been generally accepted as superior to any alternatives because it produces results that are superior to those achieved by other means or because it has become a standard way of doing things, e.g., a standard way of complying with legal or ethical requirements. Best practices are used to maintain quality as an alternative to mandatory legislated standards. [†](#)

Bézier curve

A parametric curve, mathematically based on Bernstein polynomials, that is defined by a set of control points P_0 through P_n , where n is called its order, and where the first and last points are always the end points of the curve, and where intermediate control points (if any) generally do not lie on the curve. Named after Pierre Bézier (1910–1999). [†](#)

Bfcache

→ Back/forward cache

BFF

→ Backend for Frontend

BGP

→ Border Gateway Protocol

BHO

→ Browser Helper Object

Bidi

→ Bidirectional

Bidirectional

Text that contains both text directionalities, right-to-left (RTL or dextrosinistral) and left-to-

right (LTR or sinistrodextral), and which generally involves text containing different types of alphabets. [†]

Big Bang

The practice of releasing a great amount of working software all at one time, as opposed to incrementally.

Big integer

An integral data type of 64 bits, with a signed range from $-9,223,372,036,854,775,808$ to $9,223,372,036,854,775,807$, and an unsigned range from 0 to $18,446,744,073,709,551,615$.

Big O notation

A mathematical notation that describes the limiting behavior of a function when the argument tends towards a particular value or infinity. It is a member of a family of notations invented by Paul Bachmann, Edmund Landau, and others, collectively called Bachmann-Landau notation or asymptotic notation. In computer science, big O notation is used to classify algorithms according to how their running time or space requirements grow as the input size grows. In analytic number theory, big O notation is often used to express a bound on the difference between an arithmetical function and a better understood approximation. [†]

Binary chop

→ Binary search algorithm

Binary large object

A collection of binary data stored as a single entity. Blobs are typically images, audio, or other multimedia objects, though sometimes binary executable code is stored as a blob. [†]

Binary number

A number expressed in the base-2 numeral system or binary numeral system, which uses only two symbols: typically “0” (zero) and “1” (one). [†]

Binary search algorithm

A search algorithm that finds the position of a target value within a sorted array. Binary search compares the target value to the middle element of the array. If they are not equal, the half in which the target cannot lie is eliminated and the search continues on the remaining half, again taking the middle element to compare to the target value, and repeating this until the target value is found. If the search ends with the remaining half being empty, the target is not in the array. [†]

Binding

The association of entities (data or code) with identifiers. An identifier bound to an object is said to reference that object. Machine languages have no built-in notion of identifiers, but name-object bindings as a service and notation for the programmer is implemented by programming languages. Binding is intimately connected with scoping, as scope determines which names bind to which objects—at which locations in the program code (lexically) and in which one of the possible execution paths (temporally). [†]

Bitbucket

A Git-based source code repository hosting service owned by Atlassian. Bitbucket was launched in 2008. [†] [i bitbucket.org](https://bitbucket.org)

Bitmap

A raster graphics image file format used to store bitmap digital images, independently of

the display device (such as a graphics adapter). Also known as bitmap image file or device independent bitmap (DIB) file format. [†](#)

→ Raster image

BITV

→ Barrierefreie-Informationstechnik-Verordnung

Black hat

Someone who violates computer security or systems for personal gain or maliciousness. [†](#)

Black Mode

→ Dark Mode

Black-box testing

A method of software testing that examines the functionality of an application without peering into its internal structures or workings. This method of test can be applied virtually to every level of software testing: unit, integration, system, and acceptance. Black-box testing is sometimes referred to as specification-based testing. [†](#)

Blacklist

A basic access control mechanism that allows through all elements (email addresses, users, passwords, URLs, IP addresses, domain names, file hashes, etc.), except those explicitly mentioned. Those items on the list are denied access. The opposite of a blacklist is a whitelist.

[†](#)

Blink

A browser engine used in the Chrome web browser and other projects. It is developed as part of the Chromium project with contributions from Google, Facebook, Microsoft, Opera, Adobe, Intel, IBM, Samsung, and others. Blink was released in 2013. [†](#)

Blisk

A developer-centered cross-platform web browser. Blisk was first released in 2016. [i](#) [blisk.io](#)

Blob

In JavaScript, an object that represents a blob, which is a file-like object of immutable, raw data. Blobs can be read as text or binary data, or converted into a `ReadableStream` so its methods can be used for processing the data. Blobs can represent data that is not necessarily in a JavaScript-native format. [‡](#)

→ Binary large object

Block

In CSS, a section enclosed by an opening `{}` and a closing curly brace `}`.

In JavaScript, a collection of related statements enclosed by an opening `{}` and a closing curly brace `}`. [‡](#)

→ Block box

→ Block container box

→ Block container element

→ Block-level box

→ Block-level element

Block box

A block-level box that is also a block container.

Block container

→ Block container element

Block container box

A block-level box that is not a table box or the principal box of a replaced element. It either contains only block-level boxes or, if establishing an inline formatting context, only inline-level boxes.

Block container element

An element whose principal box is a block container box.

Block element

→ Block-level element

Block Element Modifier

A naming convention for HTML and CSS classes. BEM was introduced in 2005 by Yandex. [i
getbem.com](http://getbem.com)

Block flow

A CSS concept referring to the direction in which blocks are running. In an English document, block flow goes from top to bottom.

Block formatting context

A formatting context in which boxes are laid out vertically. Vertical margins are respected but collapse.

Block-level box

A box created by a block-level element.

Block-level element

An element that is formatted visually as a block.

Blog

A discussion or informational website published on the World Wide Web consisting of discrete, often informal diary-style text entries (posts). Posts are typically displayed in reverse chronological order, so that the most recent post appears first, at the top of the web page. Until 2009, blogs were usually the work of a single individual, occasionally of a small group, and often covered a single subject or topic. In the 2010s, “multi-author blogs” (MABs) emerged. [†](#)

Blogging

The act of running a blog, and writing posts for a blog.

Blogosphere

A collective term for all blogs and their interconnections. The term implies that blogs exist together as a connected community (or as a collection of connected communities) or as a social networking service in which everyday authors can publish their opinions. [†](#)

BMP

→ Basic Multilingual Plane

→ Bitmap

BOM

→ Byte Order Mark

Bookmark

A URI that is stored for later retrieval in any of various storage formats. All modern web browsers include bookmark features. Bookmarks are normally accessed through a menu in the user's web browser, and folders are commonly used for organization. [†](#)

Bookmark icon

→ Favicon

Bookmarklet

Unobtrusive JavaScript stored as the URL of a bookmark in a web browser or as a hyperlink on a web page. Bookmarklets allow to add one-click functionality to the respective browser or web page. [†](#)

Boolean

A data type that has one of two possible values (usually denoted true and false) which is intended to represent the two truth values of logic and Boolean algebra. It is named after George Boole, who first defined an algebraic system of logic in the mid-19th century. The Boolean data type is primarily associated with conditional statements. [†](#)

Bootstrap

An HTML/CSS framework. [i getbootstrap.com](#)

Border

Per the CSS box model, any kind of line (solid, dotted, dashed, etc.) surrounding an element of a document, if present. The border area lies between the padding and margin areas of a box.

Border Gateway Protocol

A standardized exterior gateway protocol designed to exchange routing and reachability information among autonomous systems on the Internet. BGP is classified as a path-vector routing protocol, and it makes routing decisions based on paths, network policies, or rule sets configured by a network administrator. It was first described in 1989 in RFC 1105, and has been in use on the Internet since 1994. [†](#)

Bottom-posting

A posting style in which the reply follows the quote. [†](#)

Bounce rate

A marketing term used in web traffic analysis that represents the percentage of visitors who enter a site and then leave ("bounce") rather than continue to view other pages within the same site. The bounce rate is calculated by counting the number of single page visits and dividing that by the total visits. It is then represented as a percentage of total visits. [†](#)

Bound variable

A variable that was previously free, but has been bound to a specific value or set of values. [†](#)

Boundary value problem

A boundary value problem is a differential equation together with a set of additional constraints, called the boundary conditions. A solution to a boundary value problem is a solution to the differential equation which also satisfies the boundary conditions. [†](#)

Bounding box

The smallest possible rectangle (aligned with the axes of that element's user coordinate system) that entirely encloses an element and its descendants. [‡](#)

Bourne shell

A shell, or command-line interpreter, for computer operating systems. Developed by Stephen Bourne at Bell Labs, it was a replacement for the Thompson shell, whose executable file had the same name (`sh`). The Bourne shell was released in 1979 in the Version 7 Unix release distributed to colleges and universities. [†]

Bower

A maintenance-only package manager for the JavaScript programming language. Bower was first released in 2012. [i bower.io](http://bower.io)

Box The visual space occupied by an HTML element's content. 

Box model

A concept for the rectangular boxes that are generated for elements in the document tree and laid out according to the visual formatting model. The boxes consist of content, padding, border, and margin areas.

Box model hack

A popular early 2000's workaround for Internet Explorer 5/5.5's incorrect support of the CSS box model. The box model hack was obsoleted by improved browser implementations and an additional CSS property (box-sizing). is.gd/nZKbJw

Boyscout Rule

The idea to “always leave code better than you found it,” which may be attributable to Robert C. Martin.

Bracket notation

One of two ways to access object properties in JavaScript (`objectName['propertyName']`), the other being dot notation.

A tactile writing system used by people who are visually impaired. Braille is traditionally written with embossed paper. Braille users can read computer screens and other electronic supports using refreshable braille displays. They can write braille with the original slate and stylus or type it on a braille writer, such as a portable braille notetaker or computer that prints with a braille embosser. Braille was developed in 1824 by Louis Braille, who published it in 1829. [†]

Branch

A duplicate of an object under version control. Branches are also known as trees, streams, or codelines. The originating branch is sometimes called the parent branch, the upstream branch (or “upstream,” especially if the branches are maintained by different organizations or individuals), or the backing stream. Child branches are branches that have a parent; a branch without a parent is referred to as the trunk or the mainline. [†]

Branch prediction

→ Predication

Branching

The duplication of an object under version control (such as a source code file or a directory tree) so that modifications can occur in parallel along multiple branches. Branching generally implies the ability to later merge or integrate changes back onto the parent branch. [†]

BREAD

→ Browse, Read, Edit, Add, Delete

Breadcrumb

A graphical control element frequently used as a navigational aid in user interfaces and on web pages. It allows users to keep track and maintain awareness of their locations within programs, documents, or websites. [†](#)

Breakpoint

In software development, an intentional stopping or pausing place in a program, put in place for debugging purposes. A breakpoint is sometimes also referred to as a pause. [†](#)

In web development, any point at which a media query is introduced and the layout changed. [‡](#)

Brewer's Theorem

→ CAP Theorem

Bring Your Own License

A licensing model that allows to use available software licenses flexibly, both on-premise and in the cloud. While BYOL can help to save licensing cost, it comes with the responsibility of managing the respective licenses.

Broken link

A hyperlink that does not work, or work anymore, that is, that points to a target that is not available. Broken links constitute link rot.

Brotli

A data format specification for data streams compressed with a specific combination of the general-purpose LZ77 lossless compression algorithm, Huffman coding, and second-order context modeling. [†](#) [i](https://github.com/google/brotli) github.com/google/brotli

Browse, Read, Edit, Add, Delete

A variation of CRUD. [†](#)

Browser

A software application for accessing information on the World Wide Web. When a user requests a particular website, the web browser retrieves the necessary content from a web server and displays the resulting web page on the user's device. As of March 2019, more than 4.3 billion people use a browser, which is about 55% of the world's population. The three most popular browsers are Chrome, Firefox, and Safari. [†](#)

Browser detection

→ Browser sniffing

Browser engine

A core software component of every major web browser. The primary job of a browser engine is to transform HTML documents and other resources of a web page into an interactive visual representation on a user's device. Besides "browser engine," two other terms are in common use regarding related concepts: "layout engine" and "rendering engine." In theory, layout and rendering (or "painting") could be handled by separate engines. In practice, however, they are tightly coupled and rarely considered separately. [†](#)

Browser extension

A small software module for customizing a web browser. Browsers typically allow a variety

of extensions, including user interface modifications, ad blocking, and cookie management. Browser plugins are a separate type of module. The main difference is that extensions are usually just source code, but plugins are always executables (i.e., object code). As of 2019, plugins have been deprecated by most browsers, while extensions are widely used. [†](#)

Browser Helper Object

A DLL module designed as a plugin for Microsoft's Internet Explorer web browser to provide added functionality. BHOs were introduced in 1997 with the release of Internet Explorer 4. Most BHOs are loaded once by each new instance of Internet Explorer. BHOs are still supported as of Windows 10, through Internet Explorer 11, while BHOs are not supported in Edge. [†](#)

Browser sniffing

A set of techniques used in websites and web applications in order to determine the web browser a visitor is using, and to serve browser-appropriate content to the visitor. This practice is sometimes used to circumvent incompatibilities between browsers due to misinterpretation of HTML, Cascading Style Sheets (CSS), or the Document Object Model (DOM). While the World Wide Web Consortium (W3C) maintains up-to-date central versions of some of the most important Web standards in the form of recommendations, in practice no vendor has developed a browser which adheres exactly to these standards. As a result, different browsers may display the same page differently, and browser sniffing was developed to detect the web browser in order to help ensure consistent display of content. [†](#)

Browser testing

The testing of websites and apps in different web browsers.

Browser War

A market competition between web browsers, usually referring to the First Browser War (1995–2001) between Internet Explorer (Microsoft) and Navigator (Netscape) or the Second Browser War (2004–2017) between Internet Explorer, Firefox (Mozilla), and Chrome (Google).

Browsing

A kind of orienting strategy to identify something of relevance. One of the two major ways of interacting with the Web, the other one being searching. [†](#)

Browsing context

The environment in which a browser displays a document, as with a tab, window, or frame. Each browsing context has a specific origin, the origin of the active document, and a history that lists all the displayed documents in order. Communication between browsing contexts is restricted. [‡](#)

Buffer

A storage in physical memory used to temporarily store data while it is being transferred from one place to another. [‡](#)

Bug

An error, flaw, or fault in a computer program or system that causes it to produce an incorrect or unexpected result, or to behave in unintended ways. Most bugs arise from mistakes and errors made in either a program's source code or its design. [†](#)

Bug tracking system

A software application that keeps track of reported software bugs in software development projects. It may be regarded as a type of issue tracking system. Many bug tracking systems allow

end users to enter bug reports directly. Other systems are used only internally in a company or organization doing software development. Typically, bug tracking systems are integrated with other project management software. A bug tracking system is usually a necessary component of a professional software development infrastructure. [†](#)

Bugfix

→ Patch

Bugzilla

A web-based general-purpose bug tracking system and testing tool originally developed and used by the Mozilla project. Bugzilla was first released in 1998 by Netscape. [†](#) [i bugzilla.org](https://bugzilla.org)

Build Verification Test

→ Smoke testing

Bulletin Board Code

→ BBCODE

Bundling

The process of dynamically or statically merging (bundling) several files, notably JavaScript modules, for output to a client or a server. Bundling reduces the number of files and requests to be delivered to a client and thus helps improve performance.

Bushnell's Law

An aphorism attributed to Atari founder Nolan Bushnell, on the subject of video game design: “All the best games are easy to learn and difficult to master. They should reward the first quarter and the hundredth.” This is also referred to with the sentence “easy to learn, hard to master.” [†](#)

BVT

→ Build Verification Test

BYOL

→ Bring Your Own License

Byte Order Mark

A particular use of a special Unicode character, U+FEFF BYTE ORDER MARK, whose appearance as a magic number at the start of a text stream can signal several things to a program reading the text: the byte order, or endianness, of the text stream in the cases of 16-bit and 32-bit encodings; the fact that the text stream’s encoding is Unicode, to a high level of confidence; or which Unicode character encoding is used. [†](#)

Bytecode

A form of instruction set designed for efficient execution by a software interpreter. Unlike human-readable source code, bytecodes are compact numeric codes, constants, and references (normally numeric addresses) that encode the result of compiler parsing and performing semantic analysis of things like type, scope, and nesting depths of program objects. The name “bytecode” stems from instruction sets that have one-byte opcodes followed by optional parameters. [†](#)



Is something important missing, or did you find a mistake? Please [share your feedback!](#)

C

CA → Certificate Authority

→ Confidentiality Agreement

Cache

A hardware or software component that stores data so that future requests for that data can be served faster. The data stored in a cache might be the result of an earlier computation or a copy of data stored elsewhere. A cache hit occurs when the requested data can be found in a cache, while a cache miss occurs when it cannot. Cache hits are served by reading data from the cache, which is faster than recomputing a result or reading from a slower data store. [†](#)

Cache busting

A type of HTTP flood attack that uses query variations to get around caching. Instead of returning results from the cache, other servers must be contacted which increases their load to potentially overwhelm them.

Cache eviction

The automatically or manually requested removal of old, unused, or large data from a cache.

Cache partitioning

The dividing and assigning of cache space to different system or application tasks, in order to improve security (as with browser cache partitioning) or performance.

Cache poisoning

→ DNS spoofing

California Consumer Privacy Act

A state statute intended to enhance privacy rights and consumer protection for residents of California, United States. The bill was passed in 2018, amending the California Civil Code. The intentions of the CCPA are to provide California residents with the right to know what personal data is being collected about them; to know whether their personal data is sold or disclosed and to whom; to say no to the sale of personal data; to access their personal data; to request a business to delete personal information about a consumer collected from that consumer; and not to be discriminated against for exercising their privacy rights. [†](#)

Call stack

A mechanism for an interpreter (like the JavaScript interpreter in a web browser) to keep track of its place in a script that calls multiple functions—what function is currently being run and what functions are called from within that function, etc. [†](#)

Call to Action

A marketing term used extensively in advertising and selling. It refers to any device designed to prompt an immediate response or encourage an immediate sale. A CTA most often refers to the use of words or phrases that can be incorporated into sales scripts, advertising messages or web pages that encourage consumers to take prompt action. [†](#)

Callback

Executable code that is provided as an argument to other code that executes—calls back—that argument immediately (synchronous callback) or at a later time (asynchronous callback). [†](#)

Callback queue

A queue of messages (functions) that are processed in a “first in, first out” order (FIFO) by the JavaScript event loop.

Camel case

The practice of writing phrases such that each word or abbreviation in the middle of the phrase begins with a capital letter, with no intervening spaces or punctuation. Common examples include “iPhone” and “eBay.” Camel case is also sometimes used in online usernames such as “johnSmith.” In programming, camel case is often used for variable names. [†](#)

Camino

A discontinued GUI-based web browser based on Mozilla’s Gecko layout engine, specifically designed for the OS X operating system. In place of an XUL-based user interface used by most Mozilla-based applications, Camino used Mac-native Cocoa APIs. In 2013, the Camino Project stopped the development of the browser. [†](#)

Canary

Software that is only released to a small group of users, making it easy to roll it back in case of serious defects. The name comes from canaries that were once used in coal mines to warn of dangerous levels of carbon monoxide.

Candidate Recommendation

The specification-testing phase of a World Wide Web Consortium (W3C) specification (also known as a recommendation).

Canonical equivalence

The assuming of code point sequences to have the same appearance and meaning when printed or displayed. [†](#)

Canonical link

An HTML element marked `rel=canonical` that helps webmasters prevent duplicate content issues in search engine optimization by specifying the “canonical” or “preferred” version of a web page. [†](#)

Canonical Name

A type of resource record in the Domain Name System (DNS) which maps one domain name (an alias) to another (the canonical name). [†](#)

Canvas

A container, the HTML `canvas` element, that allows for dynamic, scriptable rendering of 2D and 3D shapes and bitmap images by providing an empty graphic zone on which specific JavaScript APIs can draw (such as Canvas 2D or WebGL). [‡](#)

CAP Theorem

A theoretical computer science theorem that states that it is impossible for a distributed data store to simultaneously provide more than two out of the following three guarantees: 1) Consistency: Every read receives the most recent write or an error. 2) Availability: Every request receives a (non-error) response, without the guarantee that it contains the most recent write. 3) Partition tolerance: The system continues to operate despite an arbitrary number

of messages being dropped (or delayed) by the network between nodes. The CAP Theorem implies that in the presence of a network partition, one has to choose between consistency and availability. [†]

CAPTCHA

A type of challenge-response test used in computing to determine whether the user is human. The term stands for “completely automated public Turing test to tell computers and humans apart” and was coined in 2003 by Luis von Ahn, Manuel Blum, Nicholas J. Hopper, and John Langford. [†]

Card sorting

A method that aids the design or evaluation of the information architecture of a website. Card sorting is usually performed with groups, with attendees organizing topics into categories or folksonomies.

Caret

A grapheme—“^”, “☒”, “☒”, or “☒”—with several uses, including as a proofreading mark, as a special character in programming languages, as an escape character, or for estimation. [†]

Carousel

A slideshow-like design element for web pages. A carousel allows focus on one unit of content and media while providing access to similar units (by some way of carousel navigation).

Cascade

The order by which declarations are applied in CSS: 1) per target media type; 2) per importance and origin (from user agent to important user declarations); 3) by specificity; and 4) by order in which the declaration was specified (with all having the same weight, origin, and specificity, the latest declaration prevails).

Cascading HTML Style Sheets

A style sheet language proposal drafted in 1994 by Håkon Wium Lie. [i w3.org/People/howcome/p/cascade](https://www.w3.org/People/howcome/p/cascade)

Cascading Style Sheets

A style sheet language that allows to manage the presentation of markup languages like HTML or XML. The first final specification of CSS was published in 1996 by Håkon Wium Lie and Bert Bos. [i w3.org/Style/CSS](https://www.w3.org/Style/CSS)

Case

In engineering, as *use case*, a list of actions or event steps typically defining the interactions between a role (known in UML as an actor) and a system to achieve a goal. The actor can be a human or other external system. In systems engineering, use cases are used at a higher level than within software engineering, often representing missions or stakeholder goals. [†]

In programming, a selection mechanism to allow a variable to change the flow of a program. [†]

In typography, as *letter case*, the distinction between the letters that are in larger upper case (also uppercase, capital letters, capitals, caps, large letters, or more formally majuscule) and smaller lower case (also lowercase, small letters, or more formally minuscule) in the written representation of certain languages. [†]

catch

→ try...catch

CBD

→ Component-Based Development

CBSE

→ Component-Based Software Engineering

CC/PP

→ Composite Capability/Preference Profiles

CCPA

→ California Consumer Privacy Act

CCT

→ Chrome Custom Tabs

ccTLD

→ Country code top-level domain

CD → Corporate Design

→ Continuous Delivery

→ Continuous Deployment

CDATA

→ Character Data

CDN

→ Content Delivery Network

CDP

→ Chrome DevTools Protocol

CERT

A certificate resource record in the Domain Name System (DNS). [†]

Certificate

An electronic document used to prove the ownership of a public key. The certificate includes information about the key, information about the identity of its owner (called the subject), and the digital signature of an entity that has verified the certificate's contents (called the issuer).

[†]

Certificate Authority

An entity that issues digital certificates. A digital certificate certifies the ownership of a public key by the named subject of the certificate. This allows others to rely upon signatures or on assertions made about the private key that corresponds to the certified public key. A CA acts as a trusted third party, trusted both by the subject (owner) of the certificate and by the party relying upon the certificate. The format of these certificates is specified by the X.509 standard. One particularly common use for certificate authorities is to sign certificates used in HTTPS, the secure browsing protocol for the World Wide Web. [†]

CES

→ Customer Effort Score

CFML

→ ColdFusion Markup Language

CGI

→ Common Gateway Interface

Chaining

The calling of several methods after another on an object.

Change list

The set of changes made in a single commit. This can also represent a sequential view of the source code, allowing the examination of source as of any particular changelist ID. [†](#)

Change set

→ Change list

Changeset

A method to handle multi-package changes and versions. [i `github.com/atlassian/changesets`](https://github.com/atlassian/changesets)

Channel messaging

An API described by the HTML specification that enables independent pieces of code (e.g., scripts in different browsing contexts) to communicate directly. Channel messaging works through two-way channels (or pipes) with a port at each end. [‡](#)

Chaos engineering

The discipline of experimenting on a software system in production in order to build confidence in the system's capability to withstand turbulent and unexpected conditions. Chaos engineering can be used to achieve resilience against infrastructure, network, and application failures.

[†](#)

Character

An encoded symbol that maps to a glyph.

Character Data

A concept used for distinct but related purposes in the markup languages SGML and XML. “CDATA” indicates that a certain portion of the document is general character data, rather than non-character data or character data with a more specific, limited structure. [†](#)

Character encoding

A mapping of code points to characters, like UTF-8.

Character entity reference

A character reference that refers to a character by the name of an entity which has the desired character as its replacement text. The entity must either be predefined (built into the markup language) or explicitly declared in a document type definition (DTD). The format is the same as for any entity reference: `&name;`, where “name” is the case-sensitive name of the entity. [†](#)

Character reference

→ Character entity reference

→ Numeric character reference

Character set

→ Character encoding

Charset

→ Character encoding

CheiRank

An eigenvector with a maximal real eigenvalue of the Google matrix G^* constructed for a directed network with the inverted directions of links. CheiRank is similar to the PageRank vector, which ranks the network nodes in average proportionally to a number of incoming

links being the maximal eigenvector of the Google matrix G with a given initial direction of links. Due to inversion of link directions the CheiRank ranks the network nodes in average proportionally to a number of outgoing links. [†]

Chrome

A cross-platform web browser, based on the Chromium browser project. Chrome was released in 2008 by Google. [i google.com/chrome](http://google.com/chrome)

The graphical elements of a web browser, like title, address, and status bar as well as navigation elements.

Chrome Custom Tabs

A Chrome feature that allows native apps to invoke the Chrome browser with customized actions, toolbars, and animations.

Chrome DevTools

A set of web developer tools built directly into the Chrome web browser. [i is.gd/TsOXbb](http://is.gd/TsOXbb)

Chrome DevTools Protocol

A protocol to “instrument, inspect, debug, and profile” Chromium, Chrome, and other Blink-based browsers. [i is.gd/a55qQ3](http://is.gd/a55qQ3)

Chrome OS

A Linux kernel-based operating system designed by Google. Chrome OS is derived from the free software Chromium OS and uses the Google Chrome web browser as its principal user interface. Google announced Chrome OS in 2009, conceiving it as an operating system in which both applications and user data reside in the cloud—hence Chrome OS primarily runs web applications. Chrome OS is only available pre-installed on hardware from Google manufacturing partners, but there are unofficial methods that allow it to be installed in other equipment. [†] [i google.com/chromebook/chrome-os](http://google.com/chromebook/chrome-os)

ChromeVox

A screen reader for Chrome OS as well as the Chrome web browser developed by Google. [i chromevox.com](http://chromevox.com)

Chromium

A Google-developed project whose source code can be compiled into a web browser. Google’s Chrome browser is based on the Chromium code, as are several other browsers, including Edge, Opera, and Silk. Other parties have compiled the code as-is, releasing their browsers under the Chromium name. [†] [i chromium.org](http://chromium.org)

CHSS

→ Cascading HTML Style Sheets

CI

→ Continuous Integration

→ Corporate Identity

CIDR

→ Classless Inter-Domain Routing

Cipher

An algorithm for encryption or decryption. To encipher or encode is to convert information into cipher or code. [†]

CircleCI

A continuous integration and delivery platform. CircleCI was founded in 2011. [i circleci.com](https://circleci.com)

CL → Change list

Class

An extensible program code template for creating objects, providing initial values for state (member variables), and implementations of behavior (member functions or methods). In many languages, the class name is used as the name for the class (the template itself), the name for the default constructor of the class (a subroutine that creates objects), and as the type of objects generated by instantiating the class. [†](#)

In web development, the (value of the) `class` attribute, usually used as a selector for styling purposes.

Class variable

Any variable declared with the `static` modifier of which a single copy exists, regardless of how many instances of the class there are. [†](#)

Classitis

In software development, a negative outcome of the disputed goal to work with many small classes.

In web development, the excessive use of `class` attributes and values.

Classless Inter-Domain Routing

A method for allocating IP addresses and for IP routing. The Internet Engineering Task Force (IETF) introduced CIDR in 1993 to replace the previous classful network addressing architecture on the Internet. The goal of CIDR was to slow the growth of routing tables on routers across the Internet, and to help slow the rapid exhaustion of IPv4 addresses. [†](#)

Clearfix

A name for a variety of float-clearing techniques that may (when CSS-only) or may not (as with relying on presentational helper classes) meet development best practices. [i is.gd/ywDpA3](https://is.gd/ywDpA3)

CLI → Command-Line Interface

Click

A physical or emulated interaction with a pointing device.

Click-through rate

The ratio of users who click on a specific link to the number of total users who view a page, email, or advertisement. It is commonly used to measure the success of an online advertising campaign for a particular website as well as the effectiveness of email campaigns. [†](#)

Clickjacking

A malicious technique of tricking a user into clicking on something different from what the user perceives, thus potentially revealing confidential information or allowing others to take control of the user's computer. [†](#)

Client

A piece of computer hardware or software that accesses a service made available by a server. The server is often (but not always) on another computer system, in which case the client accesses the service by way of a network. [†](#)

Client Hints

A set of HTTP request header fields for proactive content negotiation allowing clients to indicate a list of device and agent specific preferences. Client Hints enable automated delivery of optimized assets, like the automatic negotiation of image DPR resolution. [‡ i is.gd/NIdm5F](#)

Client side

Operations on the client as opposed to the server side in a client-server relationship. [†](#)

Client-Side Rendering

A technique in which a page is rendered on the client side, as opposed to the server side (as with SSR). On the first request, only a skeleton (a minimal HTML document) is returned by the server. It is then populated on the client side, usually via JavaScript, to turn it into a fully rendered page.

Cloaking

A search engine optimization (SEO) technique in which the content presented to the search engine spider is different from that presented to a user's browser. This can be done by delivering content based on the IP addresses or the User-Agent HTTP header of the user requesting the page. When a user is identified as a search engine spider, a server-side script delivers a different version of the web page, one that contains content not present on the visible page, or that is present but not searchable. The purpose of cloaking is to deceive search engines so they display the page when it would not otherwise be displayed (black hat SEO). However, it can also be a functional (though antiquated) technique for informing search engines of content they would not otherwise be able to locate. [†](#)

Clojure

A dynamic and functional dialect of the Lisp programming language on the Java platform. Like other Lisp dialects, Clojure treats code as data and has a Lisp macro system. The development process is community-driven, overseen by Rich Hickey as a "benevolent dictator for life" (BDFL). Clojure advocates immutability and immutable data structures and encourages programmers to be explicit about managing identity and its states. [† i clojure.org](#)

Clone detection

The automated process of finding duplication in source code. [†](#)

Closure

A technique for implementing lexically scoped name binding in a language with first-class functions. Operationally, a closure is a record storing a function together with an environment. The environment is a mapping associating each free variable of the function (variables that are used locally, but defined in an enclosing scope) with the value or reference to which the name was bound when the closure was created. Unlike a plain function, a closure allows the function to access those captured variables through the closure's copies of their values or references, even when the function is invoked outside their scope. [†](#)

Cloud

- Cloud computing
- Cloud storage

Cloud computing

The on-demand availability of computer system resources, especially data storage and computing power, without direct active management by the user. The term is generally used to describe

data centers available to many users over the Internet. Large clouds, predominant today, often have functions distributed over multiple locations from central servers. If the connection to the user is relatively close, it may be designated an edge server. [†]

Cloud storage

A model of computer data storage in which the digital data is stored in logical pools. The physical storage spans multiple servers (sometimes in multiple locations), and the physical environment is typically owned and managed by a hosting company. These cloud storage providers are responsible for keeping the data available and accessible, and the physical environment protected and running. [†]

CLS

→ Cumulative Layout Shift

Cluster

A set of loosely or tightly connected computers that work together so that, in many respects, they can be viewed as a single system. Unlike grid computers, computer clusters have each node set to perform the same task, controlled and scheduled by software. [†]

CMP

→ Consent Management Platform

CMS

→ Content Management System

CMYK

→ Cyan, Magenta, Yellow, and Key

CNAME

→ Canonical Name

CNAME cloaking

The disguising of third-party resources as first-party resources through the modification of domain CNAME entries. CNAME cloaking is used to get around tracking protections.

Coalescing

The merging of two adjacent free blocks of memory, which is relevant as when an application frees memory, gaps can fall in the memory segment that the application uses. [†]

A way to provide a default value if an operand is `null` or `undefined`. This so-called null or nullish coalescing allows a default value to be defined for cases where a more specific value is not available. [†]

CoC

→ Code of Conduct

→ Convention over Configuration

Code

The set of instructions forming a computer program which is executed by a computer. It is one of two components of the software which runs on computer hardware, the other being the data.

[†]

Code coverage

A measure used to describe the degree to which the source code of a program is executed when a particular test suite runs. A program with high test coverage, measured as a percentage, has

had more of its source code executed during testing, which suggests it has a lower chance of containing undetected software bugs compared to a program with low test coverage. Many different metrics can be used to calculate test coverage; some of the most basic are the percentage of program subroutines and the percentage of program statements called during execution of the test suite. [†]

Code debt

→ Technical debt

Code golf

A type of recreational computer programming competition in which participants strive to achieve the shortest possible source code that implements a certain algorithm. Playing code golf is known as “golf scripting.” Code golf tournaments may also be named with the programming language used (for example, Perl golf). [†]

Code of Conduct

A set of rules outlining the norms, rules, and responsibilities of, or proper practices for, an individual. [†]

Code point

Any of the numerical values that make up the code space for a character encoding. Many code points represent single characters but they can also have other meanings, such as for formatting. [†]

Code refactoring

→ Refactoring

Code review

A software quality assurance activity in which one or several people check a program mainly by viewing and reading parts of its source code, and they do so after implementation or as an interruption of implementation. At least one of the persons must not be the code’s author. The persons performing the checking, excluding the author, are called reviewers. [†]

Code smell

Any characteristic in the source code of a program that possibly indicates a deeper problem. Determining what is and is not a code smell is subjective, and varies by language, development methodology, and developer. The term “code smell” was popularized in the late 1990s by Kent Beck. [†]

Code splitting

The splitting of code into various bundles or components which can then be loaded on demand or in parallel. While the total amount of code is the same (and perhaps even a little larger), the amount of code needed during initial load can be reduced. [‡]

Codeline

→ Branch

CodePen

An online community for testing and showcasing user-created HTML, CSS, and JavaScript code snippets. It functions as a code editor and learning environment, where developers can create code snippets, called pens, test, and share them. CodePen was founded in 2012. [†] [i codepen.io](https://codepen.io)

Coding by Convention

→ Convention over Configuration

Coding guidelines

Rules for how code is to be designed and formatted. Coding guidelines are usually established in organizations with several developers and development teams.

COEP

→ Cross-Origin-Embedder-Policy

CoffeeScript

A programming language that compiles to JavaScript. It adds syntactic sugar inspired by Ruby, Python, and Haskell in an effort to enhance JavaScript's brevity and readability. Specific additional features include list comprehension and destructuring assignment. [† i coffeescript.org](#)

Cognitive disability

As disabilities affecting cognitive ability, a concept encompassing various intellectual or cognitive deficits, including intellectual disability (formerly called mental retardation), deficits too mild to properly qualify as intellectual disability, various specific conditions (such as specific learning disability), and problems acquired later in life through acquired brain injuries or neurodegenerative diseases like dementia. Many of these disabilities have an effect on memory, which is the ability to recall what has been learned over time. [†](#)

Cold data

Rarely accessed data.

ColdFusion

A commercial rapid web application development computing platform created in 1995 by J.J. Allaire. (The programming language used with the platform is also commonly called ColdFusion, though is more accurately known as CFML.) ColdFusion was originally designed to make it easier to connect simple HTML pages to a database. By version 2 (1996), it became a full platform that included an IDE in addition to a full scripting language. [† i is.gd/r6E53v](#)

ColdFusion Markup Language

A scripting language for web development that runs on the Java virtual machine, the .NET framework, and Google App Engine. Multiple implementations of CFML engines are available, including Adobe ColdFusion, Lucee, New Atlanta BlueDragon, Railo, and Open BlueDragon.

[†](#)

Collapsed margin

→ Margin collapsing

Color blindness

The decreased ability to see color or differences in color. 8% of men and 0.5% of women have some form of color blindness. The most common forms of color blindness are deutanomaly, deutanopia, protanomaly, and protanopia. [†](#)

Color circle

→ Color wheel

Color management

The controlled conversion between the color representations of various devices, such as image scanners, digital cameras, monitors, TV screens, film printers, computer printers, offset presses, and corresponding media. The primary goal of color management is to obtain a good match across color devices; for example, the colors of one frame of a video should appear the same on

a computer LCD monitor, on a plasma TV screen, and as a printed poster. Color management helps to achieve the same appearance on all of these devices, provided the devices are capable of delivering the needed color intensities. Color management cannot guarantee identical color reproduction, as this is rarely possible, but it can at least give more control over any changes which may occur. [†](#)

Color scheme

The choice of colors used in design to create style and appeal. Colors that create an aesthetic feeling when used together will commonly accompany each other in color schemes. [†](#)

Color wheel

An abstract illustrative organization of color hues around a circle, which shows the relationships between primary colors, secondary colors, tertiary colors, etc. Some sources use the terms “color wheel” and “color circle” interchangeably; however, one term or the other may be more prevalent in certain fields. [†](#)

Comma-Separated Values

As a CSV file, a delimited text file that uses a comma to separate values. Each line of the file is a data record. Each record consists of one or more fields, separated by commas. The use of the comma as a field separator is the source of the name for this file format. A CSV file typically stores tabular data (numbers and text) in plain-text, in which case each line will have the same number of fields. The CSV file format is not fully standardized. [†](#)

Command

A directive to a computer program to perform a specific task. It may be issued via a command-line interface, such as a shell, or as input to a network service as part of a network protocol, or as an event in a graphical user interface triggered by the user selecting an option in a menu. [†](#)

Command-Line Interface

An interface processing commands to a computer program in the form of lines of text. Operating systems implement command-line interfaces in a shell for interactive access to operating system functions or services. [†](#)

Command-Query Separation

A principle of imperative computer programming. CQS was devised by Bertrand Meyer as part of his pioneering work on the Eiffel programming language. The principle states that every method should either be a command that performs an action, or a query that returns data to the caller, but not both. In other words, “Asking a question should not change the answer.” More formally, methods should return a value only if they are referentially transparent and hence possess no side effects. [†](#)

Comment

A developer-readable explanation or annotation in the source code of a computer program. Comments are added with the purpose of making the source code easier for humans to understand, and are generally ignored by compilers and interpreters. The syntax of comments in various programming languages varies considerably. [†](#)

Common Gateway Interface

An interface specification for web servers to execute programs that execute like console applications (also called command-line interface programs) running on a server that generates web pages dynamically. Such programs are known as CGI scripts, or simply as CGIs. The

specifics of how the script is executed by the server are determined by the server. In the common case, a CGI script executes at the time a request is made and generates HTML. [†]

Common Vulnerabilities and Exposures

A system that provides a reference method for publicly known information security vulnerabilities and exposures. The United States' National Cybersecurity FFRDC, operated by The Mitre Corporation, maintains the system, with funding from the U.S. National Cyber Security Division of the U.S. Department of Homeland Security. The CVE system was officially launched for the public in 1999. [†] [i cve.mitre.org](http://cve.mitre.org)

Common Vulnerability Scoring System

An industry standard for assessing the severity of computer system security vulnerabilities. CVSS assigns severity scores to vulnerabilities, allowing responders to prioritize responses and resources according to threat. Scores are calculated based on a formula that depends on several metrics that approximate the ease and impact of an exploit. Scores range from 0 to 10, with 10 being the most severe. CVSS version 1 (CVSSv1) was released in 2005. [†] [i first.org/cvss](http://first.org/cvss)

CommonJS

A discontinued project with the goal to establish conventions on a module ecosystem for JavaScript outside of the web browser. The primary reason for its creation was a major lack of commonly accepted form of JavaScript scripts module units which could be reusable in environments different from that provided by a conventional web browser. CommonJS maintains specifications (including drafts) and a list of implementations. Work on CommonJS started in 2009, and ended in 2014. [†]

CommonMark

A plain-text format compatible with Markdown. CommonMark was started as a standardization effort in 2012. [i commonmark.org](http://commonmark.org)

Community of Practice

A group of people who share a craft or a profession. The concept was first proposed in 1991 by Jean Lave and Etienne Wenger. A CoP can evolve naturally because of the members' common interest in a particular domain or area, or it can be created deliberately with the goal of gaining knowledge related to a specific field. It is through the process of sharing information and experiences with the group that members learn from each other, and have an opportunity to develop personally and professionally. CoPs can exist in physical settings, for example, a lunchroom at work, a field setting, a factory floor, or elsewhere in the environment, but members of CoPs do not have to be co-located. [†]

Compared to what?

A question data graphics must be able to answer, according to distinguished information design expert Erward Tufte.

Compass

A CSS authoring framework. [i compass-style.org](http://compass-style.org)

Compatibility

The ability of software to run on a particular architecture or operating system, and the ability of hardware to work with a particular CPU architecture, bus, motherboard, or operating system. Compatible software and hardware may not always run at its highest stated performance. [†]

Compatibility equivalence

The assuming of code point sequences to have possibly distinct appearances, but the same meaning in some contexts. [†]

Compatibility mode

A software mechanism in which a software either emulates an older version of software, or mimics another operating system in order to allow older or incompatible software or files to remain compatible with the computer's newer hardware or software. Examples of software using this mode are operating systems and Internet Explorer. [†]

Compiler

A computer program that translates computer code written in one programming language (the source language) into another language (the target language). The name "compiler" is primarily used for programs that translate source code from a high-level programming language to a lower level language (e.g., assembly language, object code, or machine code) to create an executable program. [†]

Compiling

The translating of computer code written in one programming language into another language. [†]

Complementary colors

Pairs of colors which, when combined or mixed, cancel each other out (lose hue) by producing a grayscale color like white or black. When placed next to each other, they create the strongest contrast for those two colors. Complementary colors may also be called opposite colors. Modern color theory uses either the RGB additive color model or the CMY subtractive color model, and in these, the complementary pairs are red-cyan, green-magenta, and blue-yellow. In the traditional RYB color model, the complementary color pairs are red-green, yellow-purple, and blue-orange. Opponent process theory suggests that the most contrasting color pairs are red-green and blue-yellow. [†]

Component

A software package, a web service, a web resource, or a module that encapsulates a set of related functions or data. All system processes are placed into separate components so that all of the data and functions inside each component are semantically related (just as with the contents of classes). Because of this principle, it is often said that components are modular and cohesive. [†]

Component library

→ Pattern library

Component-Based Development

→ Component-Based Software Engineering

Component-Based Software Engineering

A branch of software engineering that emphasizes the separation of concerns with respect to the wide-ranging functionality available throughout a given software system. It is a reuse-based approach to defining, implementing, and composing loosely coupled independent components into systems. [†]

Composite Capability/Preference Profiles

A specification for defining capabilities and preferences of user agents, establishing a delivery

context that can be used to guide the process of tailoring content. CC/PP is a vocabulary extension of the Resource Description Framework (RDF). [† i](https://www.w3.org/TR/CCPP-struct-vocab2) [w3.org/TR/CCPP-struct-vocab2](https://www.w3.org/TR/CCPP-struct-vocab2)

Compression

The process of encoding information using fewer bits than the original representation. Any particular compression is either lossy or lossless. Lossless compression reduces bits by identifying and eliminating statistical redundancy. No information is lost in lossless compression. Lossy compression reduces bits by removing unnecessary or less important information. Typically, a device that performs data compression is referred to as an encoder, and one that performs the reversal of the process (decompression) as a decoder. [†](#)

Computer programming

→ Programming

Concurrency

The ability of different parts or units of a program, algorithm, or problem to be executed out-of-order or in partial order, without affecting the final outcome. This allows for parallel execution of the concurrent units, which can significantly improve overall speed of the execution in multi-processor and multi-core systems. [†](#)

Concurrent Versioning System

→ Concurrent Versions System

Concurrent Versions System

A client-server version control system. CVS was developed in 1986 by Dick Grune. [† i](https://savannah.nongnu.org/projects/cvs) savannah.nongnu.org/projects/cvs

Conditional

A feature of a programming language which perform different computations or actions depending on whether a programmer-specified Boolean condition evaluates to true or false. Apart from the case of branch predication, this is achieved by selectively altering the control flow based on some condition. In imperative programming languages, the term “conditional statement” is usually used, whereas in functional programming, “conditional expression” or “conditional construct” are preferred. [†](#)

Conditional Comments

Conditional statements in HTML, interpreted by Microsoft Internet Explorer 5–9. Conditional comments can be used to provide and hide code to and from Internet Explorer. Conditional comments are no longer supported in Internet Explorer 10 and 11. [†](#)

Cone of Uncertainty

A model for the evolution of the amount of best case uncertainty during a project. At the beginning of a project, comparatively little is known about the product or work results, and so estimates are subject to large uncertainty. As more research and development is done, more information is learned about the project, and the uncertainty then tends to decrease. The change in uncertainty makes for the shape of a cone. [†](#)

Confidence testing

→ Smoke testing

Confidentiality Agreement

→ Non-Disclosure Agreement

Conflict of interest

A situation in which a person or organization is involved in multiple interests, financial or otherwise, and serving one interest could involve working against another. Typically, this relates to situations in which the personal interest of an individual or organization might adversely affect a duty owed to make decisions for the benefit of a third party. [†](#)

Connection draining

In load balancing, the allowing of existing requests (in-progress, in-flight) to complete while no new requests are being sent to the respective machine.

Consent Management Platform

A platform that requests, stores, and manages user consent. A CMP helps ensure the privacy of user data in compliance with regulation like the European Union's GDPR or California's CCPA/CPRA.

Consistency

In logic, a theory that does not entail a contradiction. [†](#)

Console

A computer program designed to be used via a text-only computer interface, such as a text terminal, the command-line interface of some operating systems (Unix, DOS, etc.), or the text-based interface included with most graphical user interface (GUI) operating systems, such as the Win32 console in Microsoft Windows, the Terminal in macOS, and xterm in Unix. A user typically interacts with a console application using only a keyboard and display screen. [†](#)

Constant

A value that cannot be altered by the program during normal execution, i.e., the value is constant. When associated with an identifier, a constant is said to be "named," although the terms "constant" and "named constant" are often used interchangeably. This is contrasted with a variable. [†](#)

Constructor

A special type of subroutine called to create an object. It prepares the new object for use, often accepting arguments that the constructor uses to set required member variables. [†](#)

Container

An HTML element that contains other elements.

Containerization

An operating system paradigm in which the kernel allows the existence of multiple isolated user space instances. Such instances, called containers (Solaris, Docker), zones (Solaris), virtual private servers (OpenVZ), partitions, virtual environments (VEs), virtual kernels (DragonFly BSD), or jails (FreeBSD jail or chroot jail) may look like actual computers from the point of view of programs running in them. A computer program running on an ordinary operating system can see all resources (connected devices, files and folders, network shares, CPU power, quantifiable hardware capabilities) of that computer. However, programs running inside of a container can only see the container's contents and devices assigned to the container. Containerization is used to securely allocate finite hardware resources among a large number of mutually-distrusting users, to consolidate server hardware by moving services on separate hosts into containers on the one server, or to separate several programs to separate containers for improved security, hardware independence, and added resource management features. [†](#)

Containing block

The block (element) in which a box resides.

Content

The information and experiences that are directed toward an end user or audience. Content is “something that is to be expressed through some medium, as speech, writing, or any of various arts.” Content can be delivered via many different media including the Internet, cinema, television, radio, smartphones, audio CDs, books, ebooks, magazines, and live events, such as speeches, conferences, and stage performances. [†](#)

→ Content box

Content box

→ Box

Content category

A category that HTML puts elements in. The main categories are metadata content, flow content, sectioning content, heading content, phrasing content, embedded content, and interactive content.

Content Delivery Network

A geographically distributed network of proxy servers and their data centers that has the goal to provide high availability and high performance by distributing the service spatially relative to end users. CDNs came into existence in the late 1990s as a means for alleviating performance bottlenecks of the Internet. They are a layer in the Internet ecosystem. [†](#)

Content Management System

A software application that can be used to manage the creation and modification of digital content. CMSs are typically used for Enterprise Content Management (ECM) and Web Content Management (WCM). ECM typically supports multiple users in a collaborative environment by integrating document management, digital asset management and record retention. Alternatively, WCM is the collaborative authoring for websites and may include text and embed graphics, photos, video, audio, maps, and program code that display content and interact with the user. [†](#)

Content negotiation

Server- or agent-driven mechanisms that allow to serve different versions of a document (or more generally, representations of a resource) at the same URL, so that user agents can specify which version fits their capabilities the best. Examples include requesting and receiving documents in a preferred language, or media files in a particular format. [†](#)

Content network

A network of websites that uses and is accessible through a particular advertising platform, that is, that can be advertised on through the respective ad platform.

Content optimization

The process of improving content, making it as interesting as possible for users and search engines, and increasing its reach.

Content Security Policy

A computer security standard introduced to prevent cross-site scripting (XSS), clickjacking, and other code injection attacks resulting from execution of malicious content in the trusted

web page context. CSP provides a standard method for website owners to declare approved origins of content that browsers should be allowed to load on that website—covered types are JavaScript, CSS, HTML frames, web workers, fonts, images, embeddable objects such as Java applets, ActiveX, audio and video files, and other HTML features. [† i w3.org/TR/CSP](https://w3.org/TR/CSP)

Content sniffing

→ MIME sniffing

Context switch

The process of storing the state of a process or thread, so that it can be restored and resume execution at a later point. Context switching allows multiple processes to share a single CPU, and is an essential feature of a multi-tasking operating system. The precise meaning of the phrase “context switch” varies. In the multi-tasking context, it refers to the process of storing the system state for one task, so that task can be paused and another task resumed. A context switch can also occur as the result of an interrupt, such as when a task needs to access disk storage, freeing up CPU time for other tasks. Some operating systems also require a context switch to move between user mode and kernel mode tasks. The process of context switching can have a negative impact on system performance. [†](#)

Continuous Delivery

A software engineering approach in which teams produce software in short cycles, ensuring that the software can be reliably released at any time and, when releasing the software, doing so manually. CD aims at building, testing, and releasing software with greater speed and frequency, and helps reduce the cost, time, and risk of delivering changes by allowing for more incremental updates to applications in production. A straightforward and repeatable deployment process is important for continuous delivery. [†](#)

Continuous Deployment

A software engineering approach in which software functionalities are delivered frequently through automated deployments. [†](#)

Continuous Integration

The practice of merging all developers’ working copies to a shared mainline (version control) several times a day. [†](#)

Continuous Media

Data for which there is a timing relationship between source and destination. The most common examples of continuous media are audio and motion video. Continuous media can be real-time (interactive), where there is a “tight” timing relationship between source and sink, or streaming (playback), where the relationship is less strict. [‡](#)

Contrast

The difference in appearance of two or more parts of a field seen simultaneously or successively (hence: brightness contrast, lightness contrast, color contrast, simultaneous contrast, successive contrast, etc.). Visual information is always contained in some kind of visual contrast, thus contrast is an essential performance (and accessibility) feature of electronic visual displays. [†](#)

Control flow

The order in which individual statements, instructions, or function calls of an imperative program are executed or evaluated. [†](#)

Convention over Configuration

A software design paradigm used by software frameworks that attempts to decrease the number of decisions that a developer using the framework is required to make without necessarily losing flexibility. The concept was introduced by David Heinemeier Hansson to describe the philosophy of the Ruby on Rails web framework, but is related to earlier ideas like the concept of “sensible defaults” and the principle of least astonishment in user interface design. The phrase essentially means a developer only needs to specify unconventional aspects of the application.

†

Conversion

In engineering, the converting of data from one format to another.

In marketing, the converting of visitors to customers (or to visitors who meet another conversion goal).

Conway's Law

The adage that organizations design systems that mirror their own communication structure. Conway's Law is named after computer programmer Melvin Conway, who introduced the idea in 1967. His original wording was: “Any organization that designs a system (defined broadly) will produce a design whose structure is a copy of the organization's communication structure.”

†

Cookie

A small piece of data sent from a website and stored on a user's computer by the user's web browser while the user is browsing. Cookies were designed to be a reliable mechanism for websites to remember stateful information or to record the user's browsing activity. They can also be used to remember arbitrary pieces of information that the user previously entered. Cookies perform essential functions in the modern Web. Perhaps most importantly, authentication cookies are the most common method used by web servers to know whether a user is logged in or not, and which account they are logged in with. †

Cookie banner

A web page notification alerting and informing about the respective site's use of cookies. Cookie banners are common on European websites because of European cookie regulations.

Cookie consent

The agreement to but also a term for the requirement for informing about the use of cookies (also known as a cookie consent form, or cookie banner).

Cookie hijacking

→ Session hijacking

CoP

→ Community of Practice

CORB

→ Cross-Origin Read Blocking

Core Web Vitals

→ Web Vitals

CORP

→ Cross-Origin Resource Policy

Corporate Design

The official graphical design of the logo and name of a company or institution (or government) used on letterheads, envelopes, forms, folders, brochures, etc. [†](#)

Corporate Identity

The manner in which a corporation, firm, or business enterprise presents itself to the public. The corporate identity is typically visualized by branding and with the use of trademarks, but it can also include things like product design, advertising, public relations, etc. Corporate identity is a primary goal of corporate communications, in order to maintain and build the identity to accord with and facilitate the corporate business objectives. [†](#)

CORS

→ Cross-Origin Resource Sharing

Cost-per-click

→ Pay-per-click

Country code top-level domain

An Internet top-level domain generally used or reserved for a country, sovereign state, or dependent territory identified with a country code. All ASCII ccTLD identifiers are two letters long, and all two-letter top-level domains are ccTLDs. There are 312 ccTLDs in active use totally. .cn, .tk, .de and .uk contain the highest number of domains. [†](#)

Coupling

A state in which one object uses a function of another object. Coupling also describes the degree of interdependence between software modules, as a measure of how closely connected two routines or modules are, and the strength of the relationships between modules. Coupling is usually contrasted with cohesion. Low coupling often correlates with high cohesion, and vice versa. Low coupling is often a sign of a well-structured computer system and a good design, and when combined with high cohesion, supports the general goals of high readability and maintainability. [†](#)

CPA

→ Critical path analysis

CPC

→ Cost-per-click

CPM

→ Critical path method

CQS

→ Command-Query Separation

CR → Candidate Recommendation**Craft**

A pastime or a profession that requires particular skills and knowledge of skilled work. [†](#)

CRAP

→ Create, Replicate, Append, Process

Crawler

An Internet bot that systematically browses the World Wide Web, typically for the purpose of Web indexing (web spidering). Web search engines and some other sites use Web crawling or spidering software to update their web content or indices of others sites' web content. [†](#)

Crawling

The systematic browsing of the World Wide Web for the purpose of indexing. [†](#)

Create, Read, Update, Delete

The four basic functions of persistent storage. [†](#)

Create, Replicate, Append, Process

A variation of CRUD. [†](#)

Critical CSS

The minimum of CSS needed to show a styled web page. Focus is usually on the immediately visible part of a page sitting at the top or “above the fold.” The respective CSS rules are then inlined, that is, embedded in a `style` element within the page’s `head` element.

Critical path

The longest stretch of dependent project activities and the time required to complete them from start to finish. [†](#)

Critical path analysis

→ Critical path

Critical path method

→ Critical path

Critical rendering path

A model for the steps needed to render a web page, and optimize its rendering. The critical rendering path includes the building of DOM (Document Object Model) and CSSOM (CSS Object Model), changes to both through the execution of JavaScript, the construction of the render tree, layout, and paint.

CRM

→ Customer Relationship Management

cron

A time-based job scheduler on Unix-like computer operating systems. Users that set up and maintain software environments use cron to schedule jobs (commands or shell scripts) to run periodically at fixed times, dates, or intervals. cron is most suitable for scheduling repetitive tasks. Scheduling one-time tasks can be accomplished using the associated at utility. cron was first released in 1975. [†](#)

Cron job

A job (command) to be executed by cron.

Crontab

A configuration file that specifies shell commands to run periodically on a given schedule. The crontab files are stored where the lists of jobs and other instructions to the cron daemon are kept. Users can have their own individual crontab files and often there is a system-wide crontab file (usually in /etc or a subdirectory of /etc) that only system administrators can edit. [†](#)

Cross-Origin Read Blocking

A security feature that helps mitigate side-channel attacks. CORB prevents the browser from delivering certain cross-origin responses to a web page, for example, when these responses would contain sensitive information.

Cross-Origin Resource Sharing

A mechanism that allows restricted resources on a web page to be requested from another

domain outside the domain from which the first resource was served. A web page may freely embed cross-origin images, style sheets, scripts, iframes, and videos. Certain “cross-domain” requests are forbidden by default by the same-origin security policy. CORS defines a way in which a browser and server can interact to determine whether it is safe to allow the cross-origin request. [†]

Cross-Origin Resource Policy

A policy set by the `Cross-Origin-Resource-Policy` HTTP header that lets websites and applications opt into protection against certain requests from other origins (such as those issued with elements like `<script>` and ``), to mitigate speculative side-channel as well as cross-site script inclusion attacks. CORP is an additional layer of protection beyond the default same-origin policy. [‡]

Cross-Origin-Embedder-Policy

An HTTP response header preventing a document from loading cross-origin resources that do not explicitly grant the document permission (using CORP or CORS). [‡]

Cross-Site Request Forgery

A type of malicious exploit of a website where unauthorized commands are transmitted from a user that the web application trusts. There are many ways in which a malicious website can transmit such commands; specially-crafted image elements, hidden forms, and JavaScript XMLHttpRequests, for example, can all work without the user’s interaction or even knowledge. Unlike cross-site scripting (XSS), which exploits the trust a user has for a particular site, CSRF exploits the trust that a site has in a user’s browser. [†]

Cross-Site Script Inclusion

A vulnerability which uses the circumstance that a script referenced through a `script` element is exempt from the same-origin policy, as scripts need to work across domains. An attacker may access and use what is being loaded using the respective script, and thus leaked across origins.

Cross-Site Scripting

A type of computer security vulnerability typically found in web applications. XSS enables attackers to inject client-side scripts into web pages viewed by other users. A cross-site scripting vulnerability may be used by attackers to bypass access controls such as the same-origin policy.

[†]

Cross-Site WebSocket Hijacking

An attack similar to Cross-Site Request Forgery (CSRF), on a WebSocket handshake, which may allow read/write communication on the respective WebSocket connection. is.gd/cGQ4bj

CRP

→ Critical rendering path

CRUD

→ Create, Read, Update, Delete

CSCS

→ Customized Scripting in C#

CSP

→ Content Security Policy

CSR

→ Client-Side Rendering

CSRF

→ Cross-Site Request Forgery

CSS → Cascading Style Sheets**CSS framework**

→ HTML/CSS framework

CSS lock

CSS code that results in a lower and an upper bound for a particular styling, like a minimum and maximum font size that is otherwise fluid. CSS locks can rely on a single declaration but may include both more declarations as well as media queries. The term “CSS lock” may have first been coined in 2016 by Tim Brown. [i is.gd/FjK3B8](https://is.gd/FjK3B8)

CSS Modules

As a CSS Module, a CSS file in which all class and animation names are by default scoped locally. [i github.com/css-modules/css-modules](https://github.com/css-modules/css-modules)

CSS Object Model

A map of all CSS selectors and relevant properties for each selector in the form of tree, with root node, sibling, descendant, child, and other relationships. The CSSOM is similar to the Document Object Model (DOM). Both of them are part of the critical rendering path which is a series of steps that must happen to properly render a website. [‡](#)

CSS preprocessor

A program that allows to generate CSS from the preprocessor’s own unique syntax. There are many CSS preprocessors to choose from, however most CSS preprocessors add features that do not exist in pure CSS, such as mixins, selector nesting, or inheritance selectors. These features make the CSS structure more readable and easier to maintain. [‡](#)

CSS Zen Garden

A web development resource “built to demonstrate what can be accomplished visually through CSS-based design.” Style sheets contributed by web designers and developers from around the world are used to change the visual presentation of a single HTML file, producing hundreds of different designs. Aside from reference to an external CSS file, the HTML markup itself never changes. All visual differences are the result of the CSS (and supporting imagery). CSS Zen Garden is a poster child for CSS-only redesigning. It was created in 2003 by Dave Shea. [† i csszengarden.com](https://csszengarden.com)

CSS-in-JS

A styling technique in which JavaScript is used to style components. When this JavaScript is parsed, CSS is generated (usually as a `style` element) and attached to the DOM. CSS-in-JS allows to abstract CSS to the component level itself, using JavaScript to describe styles in a declarative and maintainable way. There are multiple implementations of this concept such as styled components or JSS. [† i cssinjs.org](https://cssinjs.org)

CSS-Tricks

A popular web development online magazine and CSS resource. CSS-Tricks was founded in 2007 by Chris Coyier. [i css-tricks.com](https://css-tricks.com)

CSSOM

→ CSS Object Model

CSV

→ Comma-Separated Values

CSWSH

→ Cross-Site WebSocket Hijacking

CTA

→ Call to Action

CTR

→ Click-through rate

Cumulative Layout Shift

A metric, the so-called layout shift score, for measuring visual stability. The layout shift score is based on a multiplication of impact fraction and distance fraction. [i web.dev/cls](#)

curl

A computer software project providing a library (libcurl) and command-line tool (curl) for transferring data using various network protocols. The name stands for “Client URL,” which was first released in 1997. [† i curl.se](#)

Currying

The technique of converting a function that takes multiple arguments into a sequence of functions that each take a single argument. [†](#)

Custom data attribute

An attribute in no namespace whose name starts with the string `data-`, has at least one character after the hyphen, is XML-compatible, and contains no ASCII upper alphas. Custom data attributes are intended to store custom data, state, annotations, and similar, private to the page or application, for which there are no more appropriate attributes or elements. [§](#)

Custom element

→ Autonomous custom element

→ Customized built-in element

Custom property

A CSS property that is prefixed with `--`, like `--example-name`, and whose value can be used in other declarations using the `var()` function. Custom properties are scoped to the element(s) they are declared on, and participate in the cascade: The value of a custom property is that from the declaration decided by the cascading algorithm. Custom properties are also known as CSS variables. [† i w3.org/TR/css-variables-1](#)

Customer Effort Score

A customer service metric that measures the experience with a product or service. Customers document their experience on a 7-point Likert scale ranging from “Very Difficult” to “Very Easy.” The result can be used to assess how much effort is needed to use the respective product or service, and to predict further use.

Customer Relationship Management

An approach to manage a company’s interaction with current and potential customers. It uses data analysis about customers’ history with a company to improve business relationships with customers, specifically focusing on customer retention and ultimately driving sales growth. [†](#)

Customized built-in element

A type of custom element for a web component. Customized built-in elements inherit from basic HTML elements. To create a customized built-in element one has to specify which element it extends, and to use it one writes out the basic element but specifies the name of the custom element through an `is` property. [†](#)

Customized Scripting in C#

A basic scripting language based on C#. CSCS features no functions, methods, and Boolean values. It was presented in 2016 by Vassili Kaplan. [i `github.com/vassilych/cscs`](https://github.com/vassilych/cscs)

Cutting the mustard

The succeeding under difficult circumstances, an expression attributed to BBC developers in the context of user agent detection.

CVE

→ Common Vulnerabilities and Exposures

CVS

→ Concurrent Versions System

CVSS

→ Common Vulnerability Scoring System

Cyan, Magenta, Yellow, and Key

As the CMYK color model, a subtractive color model used in color printing, and also used to describe the printing process itself. CMYK refers to the four ink plates used in some color printing: cyan, magenta, yellow, and key (black). The CMYK model works by partially or entirely masking colors on a lighter, usually white, background. The ink reduces the light that would otherwise be reflected. Such a model is called subtractive because inks “subtract” the colors red, green, and blue from white light. White light minus red leaves cyan, white light minus green leaves magenta, and white light minus blue leaves yellow. [†](#)

Cycle time

The amount of time between the start of work on a task to the time it is delivered.

Cyclomatic complexity

A software metric used to indicate the complexity of a program. It is a quantitative measure of the number of linearly independent paths through a program’s source code, and is computed using the control-flow graph of the program. The nodes of the graph correspond to indivisible groups of commands of a program, and a directed edge connects two nodes if the second command might be executed immediately after the first command. Cyclomatic complexity may also be applied to individual functions, modules, methods, or classes. It was developed in 1976 by Thomas J. McCabe, Sr. [†](#)



Is something important missing, or did you find a mistake? Please [share your feedback!](#)

D

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

E

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

F

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

G

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

H

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

|

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

J

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

K

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

L

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

M

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

N

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

O

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

P

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

Q

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

R

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

S

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

T

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

U

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

V

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

W

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

X

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

Y

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

Z

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

Appendix

Wikipedia Contributions

This book uses material from the following Wikipedia articles:

- [.htaccess](#)
- [.htpasswd](#)
- [.NET Framework](#)
- [8.3 filename](#)
- [A/B testing](#)
- [Abstract data type](#)
- [Accelerated Mobile Pages](#)
- [Acceptance test-driven development](#)
- [Acceptance testing](#)
- [Access control](#)
- [Access key](#)
- [Access token](#)
- [Access-control list](#)
- [Accessibility](#)
- [ACID](#)
- [Acknowledgement \(data networks\)](#)
- [Acqui-hiring](#)
- [ActionScript](#)
- [Active redundancy](#)
- [Active Server Pages](#)
- [Active users](#)
- [Address Resolution Protocol](#)
- [Adobe ColdFusion](#)
- [Adobe Dreamweaver](#)
- [Adobe Flash](#)
- [Adobe Flash Player](#)
- [Adobe Photoshop](#)
- [ads.txt](#)
- [Advanced Encryption Standard](#)
- [Advanced persistent threat](#)

- [Affordance](#)
- [Agile software development](#)
- [AirMosaic](#)
- [Ajax \(programming\)](#)
- [ALGOL](#)
- [Algorithm](#)
- [Aliasing](#)
- [Amazon Route 53](#)
- [Amazon S3](#)
- [Amazon Simple Queue Service](#)
- [Amazon Virtual Private Cloud](#)
- [Amazon Web Services](#)
- [Angular \(web framework\)](#)
- [AngularJS](#)
- [Animation](#)
- [Anonymous function](#)
- [Anti-pattern](#)
- [Apache Maven](#)
- [Apache Subversion](#)
- [Apache Tomcat](#)
- [Applet](#)
- [Application programming interface](#)
- [Application software](#)
- [APT \(software\)](#)
- [Arena \(web browser\)](#)
- [Array data structure](#)
- [ASP.NET](#)
- [Aspect ratio \(image\)](#)
- [AssemblyScript](#)
- [Assignment \(computer science\)](#)
- [Assistive technology](#)
- [Assistive Technology Service Provider Interface](#)
- [Association for Computing Machinery](#)
- [Asynchronous module definition](#)
- [Asynchrony \(computer programming\)](#)
- [at \(command\)](#)
- [Attribute \(computing\)](#)
- [Augmented reality](#)
- [Authentication](#)
- [Authorization](#)
- [Automation](#)
- [AV1](#)

- Babel (transpiler)
- Backlink
- Backup
- Backward compatibility
- Bada
- Bandwidth (computing)
- Base64
- Baseline (typography)
- Bash (Unix shell)
- Basic access authentication
- BBCode
- Behavior-driven development
- Best practice
- Bézier curve
- Bidirectional text
- Big O notation
- Binary large object
- Binary number
- Binary search algorithm
- Bitbucket
- Black hat (computer security)
- Black-box testing
- Blacklist (computing)
- Blink (browser engine)
- Blog
- Blogosphere
- BMP file format
- Bookmark (digital)
- Bookmarklet
- Boolean data type
- Border Gateway Protocol
- Bounce rate
- Boundary value problem
- Bourne shell
- Branching (version control)
- Braille
- Breadcrumb navigation
- Breakpoint
- Brotli
- Browser engine
- Browser extension
- Browser Helper Object

- Browser sniffing
- Browsing
- Bug tracking system
- Bugzilla
- Bushnell's Law
- Byte order mark
- Bytecode
- Cache (computing)
- California Consumer Privacy Act
- Call to action (marketing)
- Callback (computer programming)
- Camel case
- Camino (web browser)
- Canonical link element
- CAP theorem
- CAPTCHA
- Caret
- Cascading Style Sheets
- CDATA
- Certificate authority
- Chaos engineering
- CheiRank
- Chrome OS
- Chromium (web browser)
- Cipher
- Class (computer programming)
- Class variable
- Classless Inter-Domain Routing
- Clean URL
- Click-through rate
- Clickjacking
- Client (computing)
- Client-side
- Cloaking
- Clojure
- Closure (computer programming)
- Cloud computing
- Cloud storage
- CMYK color model
- CNAME record
- Coalescing (computer science)
- Code coverage

- Code golf
- Code point
- Code of conduct
- Code refactoring
- Code review
- Code smell
- CodePen
- CoffeeScript
- ColdFusion Markup Language
- Color blindness
- Color management
- Color scheme
- Color wheel
- Comma-separated values
- Command (computing)
- Command-line interface
- Command-query separation
- Comment (computer programming)
- Common Gateway Interface
- Common Vulnerabilities and Exposures
- Common Vulnerability Scoring System
- CommonJS
- Communication protocol
- Community of practice
- Compatibility mode
- Compiler
- Complementary colors
- Component-based software engineering
- Composite Capability/Preference Profiles
- Computer cluster
- Computer code
- Computer compatibility
- Computer file
- Computer network
- Computer programming
- Concurrency (computer science)
- Concurrent Versions System
- Conditional (computer programming)
- Conditional comment
- Cone of Uncertainty
- Conflict of interest
- Consistency

- Console application
- Constant (computer programming)
- Constructor (object-oriented programming)
- Content (media)
- Content delivery network
- Content management system
- Content negotiation
- Content Security Policy
- Content sniffing
- Context switch
- Continuous delivery
- Continuous deployment
- Continuous integration
- Control flow
- Convention over configuration
- Conway's law
- Corporate design
- Corporate identity
- Country code top-level domain
- Coupling (computer programming)
- Craft
- Create, read, update and delete
- Critical path method
- cron
- Cross-origin resource sharing
- Cross-site request forgery
- Cross-site scripting
- Cryptographic nonce
- Cryptography
- CSS box model
- CSS framework
- CSS image replacement
- CSS Zen Garden
- CSS-in-JS
- cURL
- Currying
- Customer relationship management
- Cyclomatic complexity
- D3.js
- Daemon (computing)
- Dark pattern
- Darknet

- Dart (programming language)
- Data
- Data center
- Data compression
- Data control language
- Data definition language
- Data lake
- Data manipulation language
- Data storage
- Data stream management system
- Data type
- Data validation
- Data visualization
- Data warehouse
- Database
- Database engine
- Database index
- Database normalization
- Database server
- Dead code elimination
- Debugging
- Deep web
- Denial-of-service attack
- Deno (software)
- Dependency injection
- Dependency inversion principle
- Deployment environment
- Deprecation
- Descender
- Design
- Design by contract
- Design pattern
- Device fingerprint
- DevOps
- Dialog box
- Digital display advertising
- Digital rights management
- Disabilities affecting intellectual abilities
- Disability Discrimination Act 1995
- Disciplined agile delivery
- Display contrast
- Display resolution

- Distributed Concurrent Versions System
- Distributed object communication
- Distributed version control
- Dither
- Django
- DMARC
- DMZ (computing)
- DNS over HTTPS
- DNS root zone
- DNS spoofing
- DocBook
- Docker (software)
- Document Object Model
- Document Style Semantics and Specification Language
- Document type declaration
- Document type definition
- Documentation
- Dojo Toolkit
- Domain name
- Domain name registrar
- Domain Name System
- Domain Name System Security Extensions
- Domain-driven design
- DomainKeys Identified Mail
- Don't repeat yourself
- Doorway page
- Dots per inch
- Downtime
- Duck typing
- Duplicate code
- Dynamic Host Configuration Protocol
- Dynamic HTML
- Dynamic Language Runtime
- Dynamic web page
- Dyslexia
- E-commerce
- EBCDIC
- Eclipse (software)
- Ecma International
- ECMAScript
- Effectiveness
- Efficiency

- Electron (software framework)
- Electronic Frontier Foundation
- Em (typography)
- Emacs
- Email
- Email spoofing
- Email address
- Empty string
- Encapsulation (computer programming)
- End-of-file
- Environment variable
- Equality Act 2010
- Error
- Ethics
- Etiquette
- European Accessibility Act
- Event (computing)
- Event loop
- Event-driven architecture
- Eventual consistency
- Exception handling
- Exception handling syntax
- Exit status
- Express.js
- Extensible Application Markup Language
- Extract, transform, load
- Extreme programming
- Eye tracking
- Facade pattern
- Facebook Instant Articles
- Facebook Platform
- Fagan inspection
- Failover
- Fallback
- False positives and false negatives
- Favicon
- Feature creep
- Feature detection (web development)
- Feature phone
- Federal Information Processing Standards
- Federated Learning of Cohorts
- Federation (information technology)

- FIFO (computing and electronics)
- Figma (software)
- File locking
- File manager
- File system
- File Transfer Protocol
- Filler text
- Fingerprint (computing)
- Fitts's law
- Flash of unstyled content
- Flat design
- Flock (web browser)
- Fluent Design System
- FOAF (ontology)
- Folksonomy
- Font
- Foobar
- Foreign key
- Fork (software development)
- Form (HTML)
- Formatting Output Specification Instance
- Forward compatibility
- Forward secrecy
- Fragment identifier
- Frame (World Wide Web)
- Frame rate
- Framekiller
- Free and open-source software
- Free Software Foundation
- Free variables and bound variables
- Front and back ends
- FTPS
- Fully qualified domain name
- Function as a service
- Functional programming
- Functional testing
- Fuzzing
- Gamma correction
- Garbage collection (computer science)
- Garbage in, garbage out
- Gateway (telecommunications)
- Gecko (software)

- General Data Protection Regulation
- Generic top-level domain
- Geo-fence
- GIF
- Git
- GitHub
- GitHub Copilot
- GitLab
- GNU
- GNU General Public License
- GNU Project
- Go (programming language)
- Goanna (software)
- Golden ratio
- Google Cloud Platform
- Google Lighthouse
- Google PageSpeed Tools
- Google TalkBack
- Google Web Server
- Gopher (protocol)
- Grapheme
- Graphical user interface
- Graphics processing unit
- GraphQL
- GRASP (object-oriented design)
- Greasemonkey
- Greenfield project
- Grid (graphic design)
- Grid computing
- Guetzli
- gulp.js
- Gutter
- gzip
- Hackathon
- Hacker
- Haml
- Hardware security module
- Hash function
- Hash table
- Hashtag
- Head-of-line blocking
- Headless software

- Helper class
- Hexadecimal
- High Efficiency Image File Format
- Higher-order function
- Hick's law
- Hidden file and hidden directory
- Hit (Internet)
- HITS algorithm
- HMAC
- HMAC-based One-Time Password
- Home page
- Home screen
- Hooking
- Host (network)
- Host Identity Protocol
- Hostname
- HSL and HSV
- HTML
- HTML element
- HTML5 Boilerplate
- HTTP cookie
- HTTP Flood
- HTTP Strict Transport Security
- HTTP/2
- HTTP/3
- HTTPS
- HTTPS Everywhere
- Human-computer interaction
- Hungarian notation
- Hype cycle
- Hypertext
- Hypertext Transfer Protocol
- Hypervisor
- IBM Home Page Reader
- IBM WebExplorer
- ICANN
- Icon (computing)
- Identifier
- IDL (programming language)
- Image
- Image map
- Immutable object

- Indexed color
- Indexed Database API
- Industrial design
- Information architecture
- Information design
- Information foraging
- Information overload
- Information retrieval
- Information security
- Information security operations center
- Infrastructure as a service
- Infrastructure as code
- Inheritance (object-oriented programming)
- Initiative for Open Authentication
- Inline linking
- Input/output
- Instance variable
- Institute of Electrical and Electronics Engineers
- Integer
- Integer (computer science)
- Integrated development environment
- Intellectual property
- IntelliJ IDEA
- Interaction design
- Interactive Advertising Bureau
- Interface (computing)
- Interface description language
- Interface segregation principle
- International Organization for Standardization
- International Telecommunication Union
- Internationalization and localization
- Internationalized Resource Identifier
- Internet
- Internet Architecture Board
- Internet Assigned Numbers Authority
- Internet Engineering Task Force
- Internet Explorer
- Internet Information Services
- Internet Message Access Protocol
- Internet Protocol
- Internet Relay Chat
- Internet service provider

- Internet Society
- InterNIC
- Interoperability
- InterPlanetary File System
- Interpolation
- Interstitial webpage
- Intranet
- Inversion of control
- IOPS
- iOS
- IP address
- iptables
- IPv4
- IPv6
- JAR (file format)
- Jasmine (JavaScript testing framework)
- Java (programming language)
- Java Database Connectivity
- Java Development Kit
- Java servlet
- Java virtual machine
- JavaFX
- JavaScript framework
- JavaScript library
- JavaScript Style Sheets
- JavaServer Pages
- JAWS (screen reader)
- Jenkins (software)
- Jetty (web server)
- Jinja (template engine)
- Jira (software)
- Joint Photographic Experts Group
- Joomla
- JPEG
- jQuery
- JScript
- JSLint
- JSON
- JSON Feed
- JSON Web Encryption
- JSON Web Signature
- JSON Web Token

- JSON-LD
- JSONP
- Just-in-time compilation
- Just-in-time manufacturing
- K-Meleon
- Kanban (development)
- Kerberos (protocol)
- Kerning
- Key (cryptography)
- Key frame
- Key-value database
- Knowledge Graph
- Kubernetes
- LAMP (software bundle)
- Landing page
- Laravel
- Latency (engineering)
- LaTeX
- Law of conservation of complexity
- Lazy loading
- Lead programmer
- Lead time
- Leading
- Lean thinking
- Legibility
- Less (stylesheet language)
- Let's Encrypt
- Letter case
- Letter-spacing
- libwww
- Light-on-dark color scheme
- Lightweight Directory Access Protocol
- Lightweight markup language
- Likert scale
- Link farm
- Link rot
- Linked data
- lint (software)
- Linux
- Linux Standard Base
- Liskov substitution principle
- Lisp (programming language)

- List of DNS record types
- List of HTTP status codes
- List of XML and HTML character entity references
- Literal (computer programming)
- Little's law
- Load balancing (computing)
- Local area network
- Local variable
- Locale (computer software)
- Location information server
- Log file
- Login
- Long-term support
- Look and feel
- Lossless compression
- Lossy compression
- Lynx (web browser)
- MAC address
- Machine learning
- macOS
- Macromedia HomeSite
- MacWWW
- Magic (programming)
- Maintainability
- Maintenance (technical)
- Makefile
- MAMP
- Man-in-the-middle attack
- Markdown
- Marketing
- Markup language
- Massively parallel
- Masthead (American publishing)
- Material Design
- Mathematical markup language
- Mathematical optimization
- MathML
- MD2 (hash function)
- MD4
- MD5
- MD6
- MEAN (software bundle)

- Media (communication)
- Media queries
- Media type
- Memoization
- Menu (computing)
- Merge (version control)
- Message authentication code
- Meta element
- Metadata
- Method (computer programming)
- Method stub
- Metro (design language)
- Microformat
- Microservices
- Microsite
- Microsoft Active Accessibility
- Microsoft Edge
- Microsoft FrontPage
- Microsoft Silverlight
- Microsoft Windows
- Middleware
- MIME
- Minification (programming)
- Minimum viable product
- Mixin
- Mobile computing
- Mobilegeddon
- Modal window
- Model-view-controller
- Model-view-viewmodel
- Modernizr
- Modular design
- Monolithic application
- Monorepo
- Mosaic (web browser)
- Moving Picture Experts Group
- Multi-factor authentication
- Multimedia
- Multiple inheritance
- Muphry's law
- Murphy's law
- Mustache (template system)

- Mutual authentication
- MySQL
- Name binding
- Name server
- Namespace
- NaN
- National Institute of Standards and Technology
- Native (computing)
- NativeScript
- Natural key
- Natural user interface
- Negative space
- Nesting (computing)
- Net Promoter
- Netscape Navigator
- Network address translation
- Network domain
- Network packet
- Newbie
- Newline
- News aggregator
- Next.js
- Nginx
- Ninety-ninety rule
- Nmap
- Node (computer science)
- Node.js
- nofollow
- Non-disclosure agreement
- NonVisual Desktop Access
- Normative
- NoSQL
- npm (software)
- Null coalescing operator
- Null device
- Null pointer
- Number sign
- Numerical digit
- Nuxt.js
- OAuth
- Obfuscation (software)
- Object (computer science)

- Object-oriented programming
- Observer pattern
- OCSP stapling
- OKR
- One-time password
- Online analytical processing
- Online Certificate Status Protocol
- Online transaction processing
- OOCSS
- Open source
- Open-closed principle
- OpenID
- OpenType
- Opera Mini
- Operand
- Operating system
- Operator (computer programming)
- Operator (mathematics)
- Orca (assistive technology)
- Orthogonality (programming)
- Orthographic ligature
- OS-level virtualization
- OSI model
- Out of memory
- Over-the-air programming
- OWASP
- Page layout
- PageRank
- Pageview
- Pair programming
- Paper prototyping
- Paradigm
- Parallax scrolling
- Parameter (computer programming)
- Pareto principle
- Parkinson's law
- Parsing
- Patch (computing)
- Path (computing)
- PATH (variable)
- Pay-per-click
- Payload (computing)

- Paywall
- PCDATA
- PDF
- Penetration test
- Perceived performance
- Percent-encoding
- Performance indicator
- Perl
- Permalink
- Persona (user experience)
- Personal data
- PhantomJS
- Phishing
- PHP
- PhpStorm
- ping (networking utility)
- pip (package manager)
- Pixel
- Plain text
- Plane (Unicode)
- Platform as a service
- Plug-in (computing)
- Pointer (computer programming)
- Pointing device
- Polyfill (programming)
- Polymer (library)
- Pop-up ad
- Port (computer networking)
- Portable Network Graphics
- Post Office Protocol
- PostCSS
- Posting style
- Postmortem documentation
- PowerShell
- Predication (computer architecture)
- Prefetching
- Presto (browser engine)
- Primary key
- Primitive data type
- Privacy
- Program optimization
- Programming language

- Progressive enhancement
- Progressive web application
- Property (programming)
- Proxy server
- Public key certificate
- Punycode
- Puppet (software)
- Push technology
- Python (programming language)
- qooxdoo
- Quality (business)
- Quality assurance
- Quality control
- Queries per second
- Query
- Query language
- QUIC
- Quirks mode
- Race condition
- RADIUS
- Raku (programming language)
- Random variable
- Random-access memory
- Ranking
- Raster graphics
- Rate limiting
- React (web framework)
- React Native
- Reactive programming
- Read-eval-print loop
- Readability
- README
- Real user monitoring
- RealAudio
- RealVideo
- Recursion (computer science)
- Redundancy (engineering)
- Redux (JavaScript library)
- Reed-Solomon error correction
- Referential transparency
- Regular expression
- Relational data stream management system

- Relational database
- Relational model
- Remote Desktop Protocol
- Remote procedure call
- Replay attack
- Request for Comments
- Reserved word
- Resource Description Framework
- Responsibility assignment matrix
- Responsive web design
- Reverse proxy
- Revision tag
- RGB color model
- Rich Text Format
- Rich web application
- Right-to-left
- Robots exclusion standard
- Robustness principle
- Root directory
- Root element
- Root name server
- Rooting (Android)
- Round-trip delay time
- Router (computing)
- Routing
- Routing table
- RPM Package Manager
- RSS
- RTFM
- Rubber duck debugging
- Ruby (programming language)
- Ruby on Rails
- Runbook
- Safari (web browser)
- Same-origin policy
- Sandbox (computer security)
- Sandbox (software development)
- Sass (stylesheet language)
- Scaled agile framework
- Scope (computer science)
- Screen magnifier
- Screen reader

- Scripting language
- Scrolling
- Scrum (software development)
- SeaMonkey
- Search engine indexing
- Search engine marketing
- Secure Shell
- Security Assertion Markup Language
- Security hacker
- Security operations center
- security.txt
- Search engine optimization
- Selenium (software)
- Semantic Web
- Semantics (computer science)
- Sender Policy Framework
- Separation of concerns
- Serialization
- Serif
- Server (computing)
- Server farm
- Server Name Indication
- Server-side
- Serverless computing
- Service discovery
- Service-oriented architecture
- Service-level agreement
- Session (computer science)
- Session hijacking
- Set (abstract data type)
- SGML entity
- Shebang (Unix)
- Shell (computing)
- Shim (computing)
- Simple Mail Transfer Protocol
- Single point of failure
- Single responsibility principle
- Single-page application
- Site map
- Sitemaps
- Slowloris (computer security)
- Smoke testing (software)

- Snake case
- SOA record
- SOAP
- Soft launch
- Software
- Software as a service
- Software bug
- Software crisis
- Software deployment
- Software development
- Software development kit
- Software framework
- Software modernization
- Software prototyping
- Software testing
- Software versioning
- SOLID
- Solution stack
- Source lines of code
- Source-code editor
- Source-to-source compiler
- Spaghetti code
- Spam
- Spamdexing
- Spamming
- SPDY
- Specification (technical standard)
- Spectre (security vulnerability)
- Speech synthesis
- Spike (software development)
- Spinner (computing)
- Splash screen
- Spoofing attack
- SQL
- SQL injection
- Squarespace
- sRGB
- SSH File Transfer Protocol
- Stack (abstract data type)
- Stack Overflow
- Stand-up meeting
- Standard Generalized Markup Language

- State (computer science)
- Statement (computer science)
- Static web page
- Storage area network
- Strategic design
- Stream (computing)
- Streaming media
- String (computer science)
- Structural similarity
- Style sheet (web development)
- Stylus (stylesheet language)
- Subject Alternative Name
- Subject-matter expert
- Subnetwork
- Subresource Integrity
- Subroutine
- Superkey
- Superuser
- Surface web
- Surrogate key
- Switch statement
- Symbol (programming)
- Symfony
- Synchronized Multimedia Integration Language
- Syntactic sugar
- Syntax (programming languages)
- syslog
- Tabnabbing
- Tag management system
- Tag soup
- tar (computing)
- Tcl
- Technical debt
- Technical standard
- Technology roadmap
- Telnet
- Template processor
- Ternary operation
- Test-driven development
- TeX
- Textile (markup language)
- The Open Group Architecture Framework

- Theme (computing)
- Third-party source
- Thread (computing)
- Three-click rule
- Time to first byte
- Time to live
- Time-based One-Time Password
- Timed text
- Timestamp
- Tizen
- Tokenization (data security)
- TOML
- Top-level domain
- TOP500
- Tor (anonymity network)
- Tracing (software)
- Transclusion
- Transcreation
- Transmission Control Protocol
- Transport Layer Security
- Travis CI
- Tree (data structure)
- Tree shaking
- Trident (software)
- TrueType
- Trust on first use
- TrustRank
- Turing completeness
- Type conversion
- Type design
- Type system
- Typeface
- TypeScript
- TYPO3
- Typography
- UDP flood attack
- Unicode
- Unicode Consortium
- Unicode equivalence
- Unified Modeling Language
- Uniform Resource Characteristic
- Uniform Resource Identifier

- Uniform Resource Name
- Uninitialized variable
- Unique selling proposition
- Unit testing
- Universal Access
- Universal design
- Universally unique identifier
- Uniwidth typeface
- Unix
- Unix philosophy
- URL
- URL redirection
- Usability
- Usability inspection
- Usability testing
- Use case
- Usenet
- User (computing)
- User agent
- User Datagram Protocol
- User experience
- User interface
- User interface markup language
- User story
- User-centered design
- Userscript
- UTF-8
- UTF-16
- UTF-32
- UTM parameters
- Validator
- Value (computer science)
- Value-driven design
- Variable (computer science)
- Variable fonts
- Vector graphics
- Velocity (software development)
- Verification and validation
- Version control
- vi
- Viewport
- Vim (text editor)

- Virtual inheritance
- Virtual LAN
- Virtual machine
- Virtual private cloud
- Virtual private network
- Virtual reality
- Virtualization
- Visual Basic for Applications
- Visual impairment
- Visual Studio Code
- Voice over IP
- Voice phishing
- VoiceOver
- VoiceXML
- Vue.js
- W3C Geolocation API
- WAR (file format)
- Waterfall model
- Web 2.0
- Web Accessibility Initiative
- Web analytics
- Web application
- Web application firewall
- Web beacon
- Web browser
- Web colors
- Web Components
- Web content
- Web Content Accessibility Guidelines
- Web crawler
- Web design
- Web development
- Web development tools
- Web feed
- Web framework
- Web IDL
- Web indexing
- Web navigation
- Web Open Font Format
- Web page
- Web performance
- Web platform

- Web portal
- Web resource
- Web service
- Web standards
- Web Standards Project
- Web storage
- Web syndication
- Web template system
- Web tracking
- Web typography
- Web worker
- WebAssembly
- WebAuthn
- WebDAV
- WebGL
- WebKit
- WebM
- Webmaster
- Webmention
- WebP
- Webpack
- Website
- Website wireframe
- WebSocket
- WebVTT
- Well-formed document
- Wget
- WHATWG
- White-box testing
- Whitelisting
- Whitespace character
- WHOIS
- Wide area network
- Widows and orphans
- Wiki
- Window-Eyes
- Windows Aero
- Wireless Application Protocol
- Wireless Markup Language
- Wix.com
- WordPress
- Workaround

- World Wide Web
- World Wide Web Consortium
- WorldWideWeb
- Wrapper function
- Write once, run anywhere
- WYSIWYG
- X.509
- x-height
- XForms
- XHP
- XHTML
- XLink
- XML
- XML Schema (W3C)
- XML-RPC
- XMLHttpRequest
- XPath
- XPointer
- XQuery
- XSL
- XUL
- Yahoo! Query Language
- YAML
- Yandex Browser
- Year 2000 problem
- You aren't gonna need it
- YUI Library
- Z shell
- Zero-based numbering
- Zero-configuration networking
- Zip (file format)
- Zombie cookie
- Zone file

The original works, which have been released under a [CC BY-SA 3.0 license](#), have been shortened and edited.

MDN Web Docs Contributions

This book uses material from the following articles by Mozilla contributors:

- [About MDN Web Docs](#)
- [Abstraction](#)
- [Accept-CH](#)
- [ALPN](#)
- [Application Context](#)
- [Arrow function expressions](#)
- [Blob](#)
- [Block](#)
- [Bounding Box](#)
- [Browsing context](#)
- [Buffer](#)
- [Call stack](#)
- [Canvas](#)
- [Channel Messaging API](#)
- [Client hints](#)
- [Code splitting](#)
- [Continuous Media](#)
- [Cross-Origin Resource Policy \(COPR\)](#)
- [Cross-Origin-Embedder-Policy](#)
- [CSS Logical Properties and Values](#)
- [CSS Object Model \(CSSOM\)](#)
- [CSS preprocessor](#)
- [CSS Scroll Snap](#)
- [CSS selectors](#)
- [Custom properties: CSS variables](#)
- [Destructuring assignment](#)
- [Document directive](#)
- [DOM onevent handlers](#)
- [Domain sharding](#)
- [Dynamic typing](#)
- [Effective connection type](#)
- [Empty element](#)
- [Exception](#)
- [Falsy](#)
- [Fetch API](#)
- [First contentful paint](#)

- First CPU idle
- First input delay
- First Meaningful Paint
- First paint
- First-class Function
- Flex
- Flexbox
- font-display
- Function
- function
- Global object
- Global scope
- Global variable
- Graceful degradation
- Grid
- Grid Tracks
- Hoisting
- Houdini
- HTTP request methods
- IIFE
- Inheritance and the prototype chain
- Intersection Observer API
- Intrinsic Size
- Jank
- Local scope
- Long Tasks API
- Main thread
- Mobile First
- Null
- Number
- Origin
- Page load time
- Page prediction
- prerender
- Promise
- Pseudo-class
- Pseudo-element
- Pseudocode
- Quirks Mode and Standards Mode
- ReferenceError
- Reflow
- Replaced element

- Request header
- Response header
- Responsive design
- REST
- Routers
- Scrollport
- Secure contexts
- Shadow tree
- SharedWorker
- Shorthand properties
- Snap positions
- Speed index
- Spread syntax
- Strict mode
- Synchronous
- The stacking context
- this
- Time to interactive
- try...catch
- undefined
- User-Agent
- Using custom elements
- Vendor Prefix
- Visual formatting model
- Web fonts
- XSLT
- yield

The original works, which have been licensed under [CC BY-SA 2.5](#), have been edited.

Feedback

This content is not available in the sample book. The book can be purchased on Leanpub at <http://leanpub.com/web-development-glossary>.

About *The Web Development Glossary*

Written and compiled by [Jens Oliver Meiert](#).

Published by [Frontend Dogma](#), c/o Jens Oliver Meiert, Apartado de correos 3, 36070 Pontevedra, Spain.

Editor: Gabriele Kretzschmar

Consultants: Ganesh Subramanian, Yaroslav Kiyenko

The Web Development Glossary is licensed under a [CC BY-SA 4.0 \(Attribution–ShareAlike 4.0 International\) license](#).



Material from [Wikipedia](#) is licensed under a [CC BY-SA 3.0 license](#).

Material from [MDN Web Docs](#) is licensed under a [CC BY-SA 2.5 license](#).

Material from the [HTML Living Standard](#) is licensed under a [CC BY 4.0 license](#).

While this book has been produced with great care, the author, publisher, and contributors assume no liability for the up-to-dateness, correctness, and completeness of the information provided. Liability claims based on the use or non-use of this information are excluded, unless author, publisher, or contributors can be proven to have acted with intent or gross negligence. Use of the information in this book is on your own responsibility. When using code or content subject to open-source licenses or the rights of others, it is on you to ensure compliance with the respective licenses and rights.

Contact +34-610859489 or info@frontenddogma.com for questions and more information.

Follow [Frontend Dogma on Mastodon \(or other networks\)](#).

[1.4.85]