

Running commands during the autonomous period

Running commands during the autonomous period

Once commands are defined they can run in either the teleop or autonomous part of the program. In fact, the power of the command based programming approach is that you can reuse the same commands in either place. If the robot has a command that can shoot Frisbees during autonomous with camera aiming and accurate shooting, there is no reason not to use it to help the drivers during the teleop period of the game.

Creating a command to use for Autonomous

```
22 public class SodaDelivery extends CommandGroup {  
23     public SodaDelivery() {  
24         addSequential(new PrepareToGrab());  
25         addSequential(new Grab());  
26         addSequential(new DriveToDistance(.11));  
27         addSequential(new PlaceSoda());  
28         addSequential(new DriveToDistance(.2));  
29         addSequential(new Stow());  
30     }  
31 }  
32
```

Our robot must do the following tasks during the autonomous period: pick up a soda can off the floor then drive a set distance from a table and deliver the can there. The process consists of:

1. Prepare to grab (move elevator, wrist, and gripper into position)
2. Grab the soda can
3. Drive to a distance from the table indicated by an ultrasonic rangefinder
4. Place the soda
5. Back off to a distance from the rangefinder
6. Re-stow the gripper

To do these tasks there are 6 command groups that are executed sequentially as shown in this example.

Running commands during the autonomous period

Setting that command to run as the autonomous behavior

```
49  L  */
50  public class GearsBot extends IterativeRobot {
51
52      Command autonomousCommand;
53
54      /**
55       * This function is run when the robot is first started up and should be
56       * used for any initialization code.
57       */
58      1 public void robotInit() {
59          // Initialize the CommandBase so that everything is ready to run
60          CommandBase.init();
61
62          // instantiate the command used for the autonomous period
63          // Set it so that it runs the SodaDelivery command automatically during
64          // the autonomous period.
65          autonomousCommand = new SodaDelivery();
66      }
67
68      2 public void autonomousInit() {
69          // schedule the autonomous command (example)
70          autonomousCommand.start();
71      }
72
73      /**
74       * This function is called periodically during autonomous
75       */
76      3 public void autonomousPeriodic() {
77          Scheduler.getInstance().run();
78      }
79  }
```

To get the SodaDelivery command to run as the Autonomous program, (1) simply instantiate it in the robotInit() method, (2) start it during the autonomousPeriodic() method, and (3) be sure the scheduler is called repeatedly during the teleopPeriodic() method. RobotInit() is called only once when the robot starts so it is a good time to create the command instance. AutonomousPeriodic() is called once at the start of the autonomous period so we schedule the command there. AutonomousPeriodic() is called every 20ms so that is a good time to run the scheduler which makes a pass through all the currently scheduled commands.