

Converting the Stock Program

1 Conversion


1.1	Original UI	4
1.2	Create the Data Grid Table	5
1.3	Customize Column Templates	10
1.4	The End Result	19

Conversion

Original UI

These lessons you will show you how Karen Hughes' stock program was converted to use the data grid.

This is what the original UI looks like. We are going to convert the the list of stocks from a field to a data grid table.



The screenshot shows a window titled "Stock Portfolio" with a toolbar containing icons for Add, Edit, Delete, Browse, Show Info, Refresh, Portfolios, and Print. Below the toolbar is a table with the following data:


Stock	Ticker	Price	Change	Day High	Day Low
Advanced Micro Devices	AMD	2.14	-0.02	2.22	2.09
Amazon.com Inc.	AMZN	61.69	-3.08	65.50	59.82
Apple Computer Inc.	AAPL	85.30	-3.54	88.40	82.33
Barclays	BARC.L	64.80	-0.70	71.00	61.70
Dow Jones Industrial Average Index	^DJI	6626.94	32.50	6755.17	6469.95
FTSE 100	^FTSE	3530.73	0.87	3590.22	3492.10
Intel	INTC	12.41	0.10	12.92	12.07
Lloyds Banking Group	LLOY.L	42.00	1.70	43.80	40.50
Microsoft	MSFT	15.28	0.01	15.62	14.87
Royal Bank of Scotland	RBS.L	19.80	-1.00	21.60	18.50
Standard Life	SL.L	133.30	-5.20	148.10	128.10
Tesco	TSCO.L	308.00	1.80	311.40	305.00

Last updated on 07/03/2009 at 10:44

Create the Data Grid Table

We will begin by creating a data grid table and configuring it.

Add Data Grid to Card



Add a data grid to a card by dragging from the Tools palette onto your stack.

Turn Off Text Editing

The image shows a property inspector for a table component. The table in the background has a header row with a triangle icon and the text "Day High". The data rows contain numerical values. The property inspector is titled "group 'stock_List', ID 5205" and has a "Basic Properties" tab. The "Name" property is set to "stock_List". The "disabled" checkbox is unchecked. The "showBorder" checkbox is checked, with a "borderWidth" property set to "1". The "visible" checkbox is checked. The "Data Grid" property is empty. The "Style" property is set to "Table". There are buttons for "Row Template...", "Row Behavior...", and "Allow Text Editing". The "Allow Text Editing" checkbox is highlighted with a red circle. Other checkboxes include "Alternate Row Colors" (checked), "Auto-Hilite Rows" (checked), and "Multi-Row Hilites" (unchecked).

▲	Day High
-3.54	88
-3.08	65
-0.70	71
-0.02	2
0.00	15
32.50	6755

group "stock_List", ID 5205

Basic Properties

Name

disabled

showBorder borderWidth

visible

Data Grid: _____

Style

Row Template...

Row Behavior...

Allow Text Editing


Alternate Row Colors

Auto-Hilite Rows

Multi-Row Hilites

Since this table will only display data turn off **Allow Text Editing** in the Basic Properties pane of the property inspector.

Resize and Add Columns




Resize the data grid to the size you want it to be and then open the property inspector. Switch to the **Columns** pane (1) and use the + button (2) to add columns. You can then set the name (3) and width (4).

What You Have So Far

Stock	Ticker	Price	Change	Day High	Day Low
Advanced Micro Devices	AMD	2.14	-0.02	2.22	2.09
Amazon.com Inc.	AMZN	61.69	-3.08	65.50	59.82
Apple Computer Inc.	APPL	85.30	-3.54	88.40	82.33

If you set the uText or uData property at this point you will see something like this.

Set Column Properties



Now you can change the alignment and sort type of the columns. For all numeric columns set the alignment to *Right* (1) and the sort type to *Numeric* (2).

What We Have So Far


	Price ▼	Change	Day I
	85.30	-3.54	
	61.69	-3.08	
	2.14	-0.02	

If you refresh the data in the data grid table you will see the new alignment and if you sort then the column will be sorted numerically.

Customize Column Templates


Now that you have created and configured the data grid table you can customize any columns that need to display data in a special way.

Create a Column Template




With the data grid selected, switch to the Columns pane (1) of the property inspector and select the column that you want to customize (2) and click the "Add custom column behavior" button (3).

Edit the Row Template




Now switch back to the Basic Properties pane (1) and click the Row Template button (2) to open the card with the template on it.



When the card opens up you will see a group named *Change* (1). This is the custom template for the *Change* column. You will also see a button named *Change Behavior* (2). This script of this button defines the behavior for the *Change* group.


Add Images



The *Change* column needs to images in order to visually represent the change in stock price as having gone up or down. Import those two images and note their ids.

Note: When a control has a behavior property and the control (or a child of the control if the control is a group) references an image id the Revolution engine first looks for a matching id on the card where the behavior button resides. For this reason you don't have to worry if the ids of the images you just imported are unique for the card where your data grid resides.

Edit "Change" Group Properties












Editing template for group "stock_List" of card "card"


New Button

Change Behavior


Application Browser

Num				Layer	Control
		✓	✓	1	Record Template
		✓	✓	2	Background
		✓	✓	3	Label
1		✓	✓	4	Change
		✓	✓	5	New Button
			✓	6	Behavior Script
		✓	✓	7	Change Behavior

As of Revolution 3.5 dp-7 you need to change some of the *Change* group properties before you do anything else. Select the *Change* group in the Application Browser and open the property inspector.




From the Basic Properties pane (1) set showname, opaque and showBorder to false and set borderWidth to 0 (2).



Switch to the Text Formatting pane (1) and set the margins to 0 (2).


Edit the Change Group




Now you need to edit the *Change* group contents using the Edit Group button in the toolbar.

Add a label field and set the width to 100 (the width of the column is 100). Set the `textAlign` of the field to "right".

Rename the existing button "ChangeIndicator" and set the height and width to 15.




Edit the properties of the button. From the Basic Properties pane change the button style to *transparent* and set `showName` and `opaque` to false (1).



Switch to the Icons & Border pane (1) and set threeD, showBorder and hiliteBorder to false and set the borderWidth to 0 (2).

What We Have So Far



If you select both the field and the button they should be positioned as seen above.

Edit "Change" Column Behavior

The screenshot displays the 'Application Browser' on the left and the 'Property Inspector' on the right for the 'group "stock_List", ID 5205'.

Application Browser:

			Layer	Control
	✓	✓	1	Record Template
	✓	✓	2	Background
	✓	✓	3	Label
	✓	✓	4	Change
	✓	✓	5	Label Field
	✓	✓	6	ChangeIndicator
		✓	7	Behavior Script
	✓	✓	8	Change Behavior
	✓	✓	9	image id 1050
	✓	✓	10	image id 1051

Property Inspector (Columns pane):

- Columns: Show column headers
- Columns list: Stock, Ticker, Price, **Change**, Day High, Day Low
- Column name:
- Visible
- Width:
- Align:
- Sort by column
- Direction:
- Type:
- Case sensitive
-

Now we need to write the script that will determine how data will appear in the *Change* column. You can do this by editing the script of button **Change Behavior** (1) or you can select the data grid, open the property inspector, switch to the Columns pane and click on the **Column Behavior** button (2).


FillInData

```
on FillInData pData
-- This message is sent when the Data Grid needs to populate
-- this template with the column data. pData is the value to be disp
-- You do not need to reposition any of your template's controls (if y
-- in this message. Any repositioning should be handled in resizeCor

-- Example:
1 set the text of field 1 of of me to pData
  if pData > 0 then set the icon of button 1 of me to 1051
  else if pData < 0 then set the icon of button 1 of me to 1050 2
  else set the icon of button 1 of me to 0
end FillInData
```

All you need to do in FillInData is set the text of the field and determine which image to display in the button. The first parameter passed to FillInData is the column value. Assign that to the field (1) and then determine the image (2).

Assign the Row Hilite Color



As of Revolution 3.5 dp-7 here is no UI for assigning the row hilite color. You can do this from the message box however using the above script.

What We Have So Far

	Price ▼	Change	Day High	D
	85.30	▼ -3.54	88.40	
	61.69	▼ -3.08	65.50	
	2.14	▼ -0.02	2.22	

If you preview some data you will see that we have no right-aligned numbers with the appropriate arrow showing and up or down change.

The End Result

Stock	Ticker	Price	Change ▲	Day High	Day Low	
Apple Computer Inc.	APPL	85.30	-3.54	88.40	82.33	
Amazon.com Inc.	AMZN	61.69	-3.08	65.50	59.82	
Barclays	BARC.L	64.80	-0.70	71.00	61.70	
Advanced Micro Devices	AMD	2.14	-0.02	2.22	2.09	
Microsoft	MSFT	15.28	0.00	15.62	14.87	
Dow Jones Industrial Average Index	^DJI	6626.94	32.50	6755.17	6469.95	