

Midway Independent School District HACC PPlan

Midway I.S.D. Child Nutrition Department
12142 ST. HWY. 148 South
Henrietta, TX 76365
Cafeteria: 940-476-2233
School: 940-476-2215
Fax: 940-476-2226

Midway I.S.D. Child Nutrition Department

Overview of the School District's Foodservice Operation

School District Overview

Midway Independent School District is located in Clay County in North-central Texas. The enrollment in the school district is 135 students. All students are served in one cafeteria on the school campus.

Food Service Employees

One director 2 assistants staff the Midway I.S.D. Cafeteria.

Cami Franke- Child Nutrition Director

LeAnn Peden- Assistant

Lianna Biehl- Assistant

Menu Cycle

Midway ISO utilizes a cycle menu created by ESC Child Nutrition Specialist.

Purchasing

Midway I.S.D. is a member of the West Texas Regional Food Purchasing Cooperative which conducts all bidding for the district. As a member of this cooperative, the district has agreed to use Labatt Food Service as its primary vendor. Examples of product from the prime vendor are frozen (precooked) entrees, frozen potato products, canned fruits and vegetables, frozen cookies and bread products. Some additional supplies for cleaning are purchased through this vendor. Deliveries are made on Wednesday of each week.

All milk is purchased from Oak Farms and is delivered on Tuesday of each week.

Commodities come from Forte Foods and are delivered on the second Monday of the month.

Table of Contents

Contents

Title Page

Overview

Table of Contents

Cleaning and Sanitizing Food Contact Surfaces

Controlling Time and Temp during Prep

Cooking PHF's

Cooling PHF's

Date Marking PHF's

Handling a Food Recall

Holding Hot and Cold PHF's

Personal Hygiene

Preventing Cross Contamination during Storage and Prep

Receiving Deliveries

Reheating PHF

Serving Food

Storing and Using Poisonous or Toxic Chemicals

Using and Calibrating Thermometers

Using suitable Utensils When Handling Ready-to-Eat Foods

Washing Fruits and Vegetables

Washing Hands

HACCP-Based SOPs

Cleaning and Sanitizing Contact Surfaces Midway ISD

PURPOSE: To prevent foodborne illness by ensuring that all food contact surfaces are properly cleaned and sanitized.

SCOPE: This procedure applies to foodservice employees involved in cleaning and sanitizing food contact surfaces.

KEY WORDS: Food Contact Surface, Cleaning, Sanitizing

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP.
2. Follow State or local health department requirements.
3. Follow manufacturer's instructions regarding the use and maintenance of equipment and use of chemicals for cleaning and sanitizing food contact surfaces. Refer to Storing and Using Poisonous or Toxic Chemicals SOP.
4. If State or local requirements are based on the *2017FDA Food Code*, wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment:
 - Before each use
 - Between uses when preparing different types of raw animal foods, such as eggs, fish, meat, and poultry
 - Between uses when preparing ready-to-eat foods and raw animal foods, such as eggs, fish, meat, and poultry
 - Any time contamination occurs or is suspected
5. Wash, rinse, and sanitize food contact surfaces of sinks, tables, equipment, utensils, thermometers, carts, and equipment using the following procedure:
 - Wash surface with detergent solution.
 - Rinse surface with clean water.
 - Sanitize surface using a sanitizing solution mixed at a concentration specified on the manufacturer's label.
 - Place wet items in a manner to allow air drying.

Cleaning and Sanitizing Food Contact Surfaces, continued

Midway ISD

INSTRUCTIONS, continued:

6. If a 3-compartment sink is used, setup and use the sink in the following manner:
 - In the first compartment, wash with a clean detergent solution at or above 110 °F or at the temperature specified by the detergent manufacturer.
 - In the second compartment, rinse with clean water.
 - In the third compartment, sanitize with a sanitizing solution mixed at a concentration specified on the manufacturer's label or by immersing in hot water at or above 171 °F for 30 seconds. Test the chemical sanitizer concentration by using an appropriate test kit.
7. If a dish-machine is used:
 - Check with the dish-machine manufacturer to verify that the information on the data plate is correct.
 - Refer to the information on the data plate for determining wash, rinse, and sanitization (final) rinse temperatures; sanitizing solution concentrations; and water pressures, if applicable.
 - Follow manufacturer's instructions for use.
 - Ensure that food contact surfaces reach a surface temperature of 160 °F or above if using hot water to sanitize.

MONITORING:

Foodservice employees will:

1. During all hours of operation, visually and physically inspect food contact surfaces of equipment and utensils to ensure that the surfaces are clean.
2. In a 3-compartment sink, on a daily basis:
 - Visually monitor that the water in each compartment is clean.
 - Take the water temperature in the first compartment of the sink by using a calibrated thermometer.
 - If using chemicals to sanitize, test the sanitizer concentration by using the appropriate test kit for the chemical.
 - If using hot water to sanitize, use a calibrated thermometer to measure the water temperature. Refer to Using and Calibrating Thermometers SOPs.

Cleaning and Sanitizing Food Contact Surfaces, continued

Midway ISD

MONITORING, continued:

3. In a dish-machine, on a daily basis:
 - Visually monitor that the water and the interior parts of the machine are clean and free of debris.
 - Continually monitor the temperature and pressure gauges, if applicable, to ensure that the machine is operating according to the data plate.
 - For hot water sanitizing dish-machine, ensure that food contact surfaces are reaching the appropriate temperature by placing a piece of heat sensitive tape on a small ware item or a maximum registering thermometer on a rack and running the item or rack through the dish-machine.
 - For chemical sanitizing dish-machine, check the sanitizer concentration on a recently washed food-contact surface using an appropriate test kit.

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Wash, rinse, and sanitize dirty food contact surfaces. Sanitize food contact surfaces if it is discovered that the surfaces were not properly sanitized. Discard food that comes in contact with food contact surfaces that have not been sanitized properly.
3. In a 3-compartment sink:
 - Drain and refill compartments periodically and as needed to keep the water clean.
 - Adjust the water temperature by adding hot water until the desired temperature is reached.
 - Add more sanitizer or water, as appropriate, until the proper concentration is achieved.
4. In a dish-machine:
 - Drain and refill the machine periodically and as needed to keep the water clean.
 - Contact the appropriate individual(s) to have the machine repaired if the machine is not reaching the proper wash temperature indicated on the data plate.
 - For a hot water sanitizing dish-machine, retest by running the machine again. If the appropriate surface temperature is still not achieved on the second run, contact the appropriate individual(s) to have the machine repaired. Wash, rinse, and sanitize in the 3-compartment sink until the machine is repaired or use disposable single service/single-use items if a 3-compartment sink is not available.
 - For a chemical sanitizing dish-machine, check the level of sanitizer remaining in bulk container. Fill, if needed. "Prime" the machine according to the manufacturer's instructions to ensure that the sanitizer is being pumped through

HACCP-Based SOPs

Cleaning and Sanitizing Food Contact Surfaces, continued Midway ISD

CORRECTIVE ACTION, continued:

the machine. Retest. If the proper sanitizer concentration level is not achieved, stop using the machine and contact the appropriate individual(s) to have it repaired. Use a 3-compartment sink to wash, rinse, and sanitize until the machine is repaired.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will verify that foodservice employees have taken the required temperatures and tested the sanitizer concentration by visually monitoring foodservice employees.

DATE IMPLEMENTED: August 4, 2020

BY: 

DATE REVIEWED: July 27, 2021

BY: 

DATE REVISED: August 10, 2022

BY: 

Controlling Time and Temperature During Preparation

Midway ISD

PURPOSE: To prevent foodborne illness by limiting the amount of time that potentially hazardous foods are held in the temperature danger zone during preparation.

SCOPE: This procedure applies to foodservice employees who prepare food.

KEY WORDS: Cross-Contamination, Time and Temperature Control, Food Preparation, Temperature Danger Zone

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
2. Follow State or local health department requirements.
3. Wash hands prior to preparing foods. Refer to the Washing Hands SOP.
4. Use clean and sanitized equipment and utensils while preparing food.
5. Separate raw foods from ready-to-eat foods by keeping them in separate containers until ready to use and by using separate dispensing utensils. Refer to the Preventing Cross-Contamination During Storage and Preparation SOP.
6. Pre-chill ingredients for cold foods, such as sandwiches, salads, and cut melons, to 41 2F or below before combining with other ingredients.
7. Prepare foods as close to serving times as the menu will allow.
8. Prepare food in small batches.
9. Limit the time for preparation of any batches of food so that ingredients are not at room temperature for more than 30 minutes before cooking, serving, or being returned to the refrigerator.
10. If potentially hazardous foods are not cooked or served immediately after preparation, quickly chill. Refer to the Cooling Potentially Hazardous Foods SOP.

MONITORING:

1. Use a clean, sanitized, and calibrated probe thermometer, preferably a thermocouple.
2. Take at least two internal temperatures from each pan of food at various stages of preparation.
3. Monitor the amount of time that food is in the temperature danger zone. It should not exceed 4 hours.

HACCP-Based SOPs

Controlling Time and Temperature During Preparation, continued Midway ISD

CORRECTIVE ACTIONS:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Begin the cooking process immediately after preparation is complete for any foods that will be served hot.
3. Rapidly cool ready-to-eat foods or foods that will be cooked at a later time.
4. Immediately return ingredients to the refrigerator if the anticipated preparation completion time is expected to exceed 30 minutes.
5. Discard food held in the temperature danger zone for more than 4 hours.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record the date, product name, start and end times of production, the two temperature measurements taken, any corrective actions taken, and the amount of food prepared on the Production Log. The foodservice manager will verify that foodservice employees are taking the required temperatures and following the proper preparation procedure by visually monitoring foodservice employees during the shift and reviewing, initialing, and dating the Production Log daily. Maintain the Production Log as directed by your State Agency.

DATE IMPLEMENTED: August 4, 2020

BY: 

DATE REVIEWED:

July 27, 2021

BY: 

DATE REVISED: August 10, 2022

BY: 

HACCP-Based SOPs

Cooking Potentially Hazardous Foods

Midway ISD

PURPOSE: To prevent foodborne illness by ensuring that all foods are cooked to the appropriate internal temperature.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Cross-Contamination, Temperatures, Cooking

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
2. Follow State or local health department requirements.
3. If a recipe contains a combination of meat products, cook the product to the highest required temperature.
4. If State or local health department requirements are based on the *2021 FDA Food Code*, cook products to the following temperatures:
 - a. 145 QF for 15 seconds
 - Seafood, beef, and pork
 - Eggs cooked to order that are placed onto a plate and immediately served
 - b. 155 QF for 15 seconds
 - Ground products containing beef, pork, or fish
 - Fish nuggets or sticks
 - Eggs held on a steam table
 - Cubed or Salisbury steaks
 - c. 165 QF for 15 seconds
 - Poultry
 - Stuffed fish, pork, or beef
 - Pasta stuffed with eggs, fish, pork, or beef (such as lasagna or manicotti)
 - d. 135 QF for 15 seconds
 - Fresh, frozen, or canned fruits and vegetables that are going to be held on a steam table or in a hot box

Cooking Potentially Hazardous Foods, continued

Midway ISD

MONITORING:

1. Use a clean, sanitized, and calibrated probe thermometer, preferably a thermocouple.
2. Avoid inserting the thermometer into pockets of fat or near bones when taking internal cooking temperatures.
3. Take at least two internal temperatures from each batch of food by inserting the thermometer into the thickest part of the product which usually is in the center.
4. Take at least two internal temperatures of each large food item, such as a turkey, to ensure that all parts of the product reach the required cooking temperature.

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Continue cooking food until the internal temperature reaches the required temperature.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record product name, time, the two temperatures/times, and any corrective action taken on the Cooking and Reheating Temperature Log.

Foodservice manager will verify that foodservice employees has taken the required cooking temperatures by visually monitoring foodservice employees and preparation procedures during the shift and reviewing, initialing, and dating the temperature log at the close of each day. The Cooking and Reheating Temperature Log is to be kept on file for a minimum of 1 year.

HACCP-Based SOPs

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

DATE REVISED: August 10,2022

BY: 

Cooling Potentially Hazardous Foods

Midway ISD

PURPOSE: To prevent foodborne illness by ensuring that all potentially hazardous foods are cooled properly.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Cross-Contamination, Temperatures, Cooling, Holding

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
2. Follow State or local health department requirements.
3. Modify menus, production schedules, and staff work hours to allow for implementation of proper cooling procedures.
4. Prepare and cool food in small batches.
5. Chill food rapidly using an appropriate cooling method:
 - Place food in shallow containers no more than 4 inches deep and uncovered on the top shelf in the back of the walk-in or reach-in cooler.
 - Use a quick-chill unit such as a blast chiller.
 - Stir the food in a container placed in an ice water bath.
 - Add ice as an ingredient.
 - Separate food into smaller or thinner portions.
 - Pre-chill ingredients and containers used for making bulk items such as salads.
6. If State or local requirements are based on the *2001 FDA Food Code*, chill cooked, hot food from:
 - 135 2F to 70 2F within 2 hours. Take corrective action immediately if food is not chilled from 135 QF to 70 QF within 2 hours.
 - 70 QF to 41 QF or below in remaining time. The total cooling process from 135 QF to 41 QF may not exceed 6 hours. Take corrective action immediately if food is not chilled from 135 QF to 41 2F within the 6 hour cooling process.
7. Chill prepared, ready-to-eat foods such as tuna salad and cut melons from 70 2F to 41 2F or below within 4 hours. Take corrective action immediately if ready-to-eat food is not chilled from 70 QF to 41 2F within 4 hours.

Cooling Potentially Hazardous Foods, continued

Midway ISD

MONITORING:

1. Use a clean, sanitized, and calibrated probe thermometer to measure the internal temperature of the food during the cooling process.
2. Monitor temperatures of products every hour throughout the cooling process by inserting a probe thermometer into the center of the food and at various locations in the product.

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Reheat cooked, hot food to 165 QF for 15 seconds and start the cooling process again using a different cooling method when the food is:
 - Above 70 QF and 2 hours or less into the cooling process; and
 - Above 41 QF and 6 hours or less into the cooling process.
3. Discard cooked, hot food immediately when the food is:
 - Above 70 QF and more than 2 hours into the cooling process; or
 - Above 41 QF and more than 6 hours into the cooling process.
3. Use a different cooling method for prepared ready-to-eat foods when the food is above 41 QF and less than 4 hours into the cooling process.
4. Discard prepared ready-to-eat foods when the food is above 41 QF and more than 4 hours into the cooling process.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record temperatures and corrective actions taken on the Cooling Temperature Log. Foodservice employees will record if there are no foods cooled on any working day by indicating "No Foods Cooled" on the Cooling Temperature Log. The foodservice manager will verify that foodservice employees are cooling food properly by visually monitoring foodservice employees during the shift and reviewing, initialing, and dating the temperature log each working day. The Cooling Temperature Logs are to be kept on file for a minimum of 1 year.

HACCP-Based SOPs

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

DATE REVISED: August 10,2022

BY: 



HACCP-Based SOPs

Date Marking Ready-to-Eat, Potentially Hazardous Food

Midway ISD

PURPOSE: To ensure appropriate rotation of ready-to-eat food to prevent or reduce foodborne illness from *Listeria monocytogenes*.

SCOPE: This procedure applies to foodservice employees who prepare, store, or serve food.

KEY WORDS: Ready-to-Eat Food, Potentially Hazardous Food, Date Marking, Cross-Contamination

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP. The best practice for a date marking system would be to include a label with the product name, the day or date, and time it is prepared or opened. Examples of how to indicate when the food is prepared or opened include:
 - Labeling food with a calendar date, such as "cut cantaloupe, 5/26/05, 8:00 a.m.,"
 - Identifying the day of the week, such as "cut cantaloupe, Monday, 8:00 a.m.," or
 - Using color-coded marks or tags, such as cut cantaloupe, blue dot, 8:00 a.m. means "cut on Monday at 8:00 a.m."
2. Follow State or local health department requirements.
3. Label ready-to-eat, potentially hazardous foods that are prepared on-site and held for more than 24 hours.
4. Label any processed, ready-to-eat, potentially hazardous foods when opened, if they are to be held for more than 24 hours.
5. Refrigerate all ready-to-eat, potentially hazardous foods at 41 QF or below.
6. Serve or discard refrigerated, ready-to-eat, potentially hazardous foods within 7 days.
7. Indicate with a separate label the date prepared, the date frozen, and the date thawed of any refrigerated, ready-to-eat, potentially hazardous foods.
8. Calculate the 7-day time period by counting only the days that the food is under refrigeration. For example:
 - On Monday, 8/1/05, lasagna is cooked, properly cooled, and refrigerated with a label that reads, "Lasagna, Cooked, 8/1/05."
 - On Tuesday, 8/2/05, the lasagna is frozen with a second label that reads, "Frozen, 8/2/05." Two labels now appear on the lasagna. Since the lasagna was held under refrigeration from Monday, 8/1/05 - Tuesday, 8/2/05, only 1 day is counted towards the 7-day time period.

??::Zii

J..lmlillml..l.

Date Marking Ready-to-Eat, Potentially Hazardous Food, continued

Midway ISD

INSTRUCTIONS, continued:

- On Tuesday 8/16/05 the lasagna is pulled out of the freezer. A third label is placed on the lasagna that reads, "Thawed, 8/16/05." All three labels now appear on the lasagna. The lasagna must be served or discarded within 6 days.

MONITORING:

A designated employee will check refrigerators daily to verify that foods are date marked and that foods exceeding the 7-day time period are not being used or stored.

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Foods that are not date marked or that exceed the 7-day time period will be discarded.

HACCP-Based SOPs

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

DATE REVISED: August 10,2022

BY: 



Handling a Food Recall

Midway ISD

PURPOSE: To prevent foodborne illness in the event of a product recall.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Food Recalls

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP.
2. Follow State or local health department requirements.
3. Review the food recall notice and specific instructions that have been identified in the notice.
4. Communicate the food recall notice to feeding sites.
5. Hold the recalled product using the following steps:
 - Physically segregate the product, including any open containers, leftover product, and food items in current production that items contain the recalled product.
 - If an item is suspected to contain the recalled product, but label information is not available, follow the district's procedure for disposal.
6. Mark recalled product "Do Not Use" and "Do Not Discard." Inform the entire staff not to use the product.
7. Do not destroy any USDA commodity food without official written notification from the State Distributing Agency, USDA Food Safety Inspection Services (FSIS), or State or local health department.
8. Inform the school district's public relations coordinator of the recalled product.
9. Identify and record whether any of the product was received in the district, locate the food recall product by feeding site, and verify that the food items bear the product identification code(s) and production date(s) listed in the recall notice.
10. Obtain accurate inventory counts of the recalled products from every feeding site, including the amount in inventory and amount used.
11. Account for all recalled product by verifying inventory counts against records of food received at the feeding site.

MONITORING:

Foodservice employees and foodservice manager will visually observe that school sites have segregated and secured all recalled products.

Handling a Food Recall, continued

Midway ISD

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Determine if the recalled product is to be returned and to whom, or destroyed and by whom.
3. Notify feeding site staff of procedures, dates, and other specific directions to be followed for the collection or destruction of the recalled product.
4. Consolidate the recall product as quickly as possible, but no later than 30 days after the recall notification.
5. Conform to the recall notice using the following steps:
 - Report quantity and site where product is located to manufacturer, distributor, or State agency for collection. The quantity and location of the affected USDA commodity food must be submitted to the State Distributing Agency within 10 calendars days of the recall.
 - Obtain the necessary documents from the State Distributing Agency for USDA commodity foods. Submit necessary documentation for reimbursement of food costs.
 - Complete and maintain all required documentation related to the recall including:
 - Recall notice
 - Records of how food product was returned or destroyed
 - Reimbursable costs
 - Public notice and media communications
 - Correspondence to and from the public health department and State agency

VERIFICATION AND RECORD KEEPING

Foodservice employees will record the name of the contaminated food, date, time, and the reason why the food was discarded on the Damaged or Discarded Product Log. The foodservice manager will verify that appropriate corrective actions are being taken by reviewing, initialing, and dating the Damaged or Discarded Product Log each day. Maintain the Damaged or Discarded Product Logs for a minimum of 1 year.

Handling a Food Recall, continued

*Peanut butter was recalled and we boxed all of ours up and sent it back to Labatt.
Spring of 2021

HACCP-Based SOPs

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

DATE REVISED: August 10,2022

BY: 

Holding Hot and Cold Potentially Hazardous Foods

Midway ISD

PURPOSE: To prevent foodborne illness by ensuring that all potentially hazardous foods are held under the proper temperature.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Cross-Contamination, Temperatures, Holding, Hot Holding, Cold Holding, Storage

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
2. Follow State or local health department requirements.
3. If State or local health department requirements are based on the *2001 FDA Food Code*:
 - Hold hot foods at 135 2F or above
 - Hold cold foods at 41 2F or below
4. Preheat steam tables and hot boxes.

MONITORING:

1. Use a clean, sanitized, and calibrated probe thermometer to measure the temperature of the food.
2. Take temperatures of foods by inserting the thermometer near the surface of the product, at the thickest part, and at other various locations.
3. Take temperatures of holding units by placing a calibrated thermometer in the coolest part of a hot holding unit or warmest part of a cold holding unit.
4. For hot foods held for service:
 - Verify that the air/water temperature of any unit is at 135 2F or above before use.
 - Reheat foods in accordance with the Reheating for Hot Holding SOP.
 - All hot potentially hazardous foods should be 135 QF or above before placing the food out for display or service.
 - Take the internal temperature of food before placing it on a steam table or in a hot holding unit and at least every 2 hours thereafter.

Holding Hot and Cold Potentially Hazardous Foods, continued

Midway ISD

MONITORING, continued:

5. For cold foods held for service:
 - Verify that the air/water temperature of any unit is at 41 QF or below before use.
 - Chill foods, if applicable, in accordance with the Cooling Potentially Hazardous Foods SOP.
 - All cold potentially hazardous foods should be 41 QF or below before placing the food out for display or service.
 - Take the internal temperature of the food before placing it onto any salad bar, display cooler, or cold serving line and at least every 2 hours thereafter.
6. For cold foods in storage:
 - Take the internal temperature of the food before placing it into any walk-in cooler or reach-in cold holding unit.
 - Chill food in accordance with the Cooling Potentially Hazardous Foods SOP if the food is not 41 QF or below.
 - Verify that the air temperature of any cold holding unit is at 41 QF or below before use and at least every 4 hours thereafter during all hours of operation.

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. For hot foods:
 - Reheat the food to 165 QF for 15 seconds if the temperature is found to be below 135 QF and the last temperature measurement was 135 QF or higher and taken within the last 2 hours. Repair or reset holding equipment before returning the food to the unit, if applicable.
 - Discard the food if it cannot be determined how long the food temperature was below 135 QF.
3. For cold foods:
 - Rapidly chill the food using an appropriate cooling method if the temperature is found to be above 41 QF and the last temperature measurement was 41 QF or below and taken within the last 2 hours:
 - Place food in shallow containers (no more than 4 inches deep) and uncovered on the top shelf in the back of the walk-in or reach-in cooler.
 - Use a quick-chill unit like a blast chiller.
 - Stir the food in a container placed in an ice water bath.
 - Add ice as an ingredient.
 - Separate food into smaller or thinner portions.

Holding Hot and Cold Potentially Hazardous Foods, continued

Midway ISD

CORRECTIVE ACTION, continued:

4. Repair or reset holding equipment before returning the food to the unit, if applicable.
5. Discard the food if it cannot be determined how long the food temperature was above 41 QF.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record temperatures of food items and document corrective actions taken on the Hot and Cold Holding Temperature Log. A designated foodservice employee will record air temperatures of coolers and cold holding units on the Refrigeration Logs. The foodservice manager will verify that foodservice employees have taken the required holding temperatures by visually monitoring foodservice employees during the shift and reviewing the temperature logs at the close of each day. The temperature logs are to be kept on file for a minimum of 1 year.

HACCP-Based SOPs

DATE IMPLEMENTED: August 4,2020

BY: CFranke

DATE REVIEWED:

July 27,2021

BY: CFranke

DATE REVISED: August 10,2022

BY: CFranke

Personal Hygiene

Midway ISD

PURPOSE: To prevent contamination of food by foodservice employees.

SCOPE: This procedure applies to foodservice employees who handle, prepare, or serve food.

KEY WORDS: Personal Hygiene, Cross-Contamination, Contamination

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP.
2. Follow State or local health department requirements.
3. Follow the Employee Health Policy. (Employee health policy is not included in this resource.)
4. Report to work in good health, clean, and dressed in clean attire.
5. Change apron when it becomes soiled.
6. Wash hands properly, frequently, and at the appropriate times.
7. Keep fingernails trimmed, filed, and maintained so that the edges are cleanable and not rough.
8. Avoid wearing artificial fingernails and fingernail polish.
9. Wear single-use gloves if artificial fingernails or fingernail polish are worn.
10. Do not wear any jewelry except for a plain ring such as a wedding band.
11. Treat and bandage wounds and sores immediately. When hands are bandaged, single-use gloves must be worn.
12. Cover a lesion containing pus with a bandage. If the lesion is on a hand or wrist, cover with an impermeable cover such as a finger cot or stall and a single-use glove.
13. Eat, drink, use tobacco, or chew gum only in designated break areas where food or food contact surfaces may not become contaminated.
14. Taste food the correct way:
 - Place a small amount of food into a separate container.
 - Step away from exposed food and food contact surfaces.
 - Use a teaspoon to taste the food. Remove the used teaspoon and container to the dish room. Never reuse a spoon that has already been used for tasting.
 - Wash hands immediately.
15. Wear suitable and effective hair restraints while in the kitchen.

Midway ISD

- A designated foodservice employee will inspect employees when they report to work to be sure that each employee is following this SOP.
- The designated foodservice employee will monitor that all foodservice employees are adhering to the personal hygiene policy during all hours of operation.

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Discard affected food.

The foodservice manager will verify that foodservice employees are following this SOP by visually observing the employees during all hours of operation. Foodservice employees will record any discarded food on the Damaged or Discarded Product Log. Damaged or Discarded Product Logs are to be kept on file for a minimum of 1 year.

HACCP-Based SOPs

DATE IMPLEMENTED: August 4,2020

BY: CFranke

DATE REVIEWED:

July 27,2021

BY: CFranke

DATE REVISED: August 10,2022

BY: CFranke

Preventing Cross-Contamination During Storage and Preparation

Midway ISD

PURPOSE: To reduce foodborne illness by preventing unintentional contamination of food.

SCOPE: This procedure applies to anyone who is responsible for receiving, storing, preparing, and serving food.

KEY WORDS: Cross-Contamination, Preparation, Contamination, Storage, Receiving

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP.
2. Follow State or local health department requirements.
3. Wash hands properly. Refer to the Washing Hands SOP.
4. Avoid touching ready-to-eat food with bare hands. Refer to Using Suitable Utensils When Handling Ready-To-Eat Foods SOP.
5. Separate raw animal foods, such as eggs, fish, meat, and poultry, from ready-to-eat foods, such as lettuce, cut melons, and lunch meats during receiving, storage, and preparation.
6. Separate different types of raw animal foods, such as eggs, fish, meat, and poultry, from each other, except when combined in recipes.
7. Store raw animal foods in refrigerators or walk-in coolers by placing the raw animal foods on shelves in order of cooking temperatures with the raw animal food requiring the highest cooking temperature, such as chicken, on the lowest shelf.
8. Separate unwashed fruits and vegetables from washed fruits and vegetables and other ready-to-eat foods.
9. Use only dry, cleaned, and sanitized equipment and utensils. Refer to Cleaning and Sanitizing Food Contact Surfaces SOP for proper cleaning and sanitizing procedure.
10. Touch only those surfaces of equipment and utensils that will not come in direct contact with food.
11. Place food in covered containers or packages, except during cooling, and store in the walk-in refrigerator or cooler.
12. Designate an upper shelf of a refrigerator or walk-in cooler as the "cooling" shelf. Uncover containers of food during the initial quick cool-down phase to facilitate cooling.

Preventing Cross-Contamination During Storage and Preparation, continued

Midway ISD

INSTRUCTIONS, continued:

13. Clean the exterior surfaces of food containers, such as cans and jars, of visible soil before opening.
14. Store damaged goods in a separate location. Refer to Segregating Damaged Goods SOP.

MONITORING:

A designated foodservice employee will continually monitor food storage and preparation to ensure that food is not cross-contaminated.

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Separate foods found improperly stored.
3. Discard ready-to-eat foods that are contaminated by raw eggs, raw fish, raw meat, or raw poultry.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will visually observe that employees are following these procedures and taking all necessary corrective actions during all hours of operation. The foodservice manager will periodically check the storage of foods during hours of operation. Foodservice employees will document any discarded food on the Damaged and Discarded Product Log. The foodservice manager will verify that appropriate corrective actions are being taken by reviewing, initialing, and dating the Damaged and Discarded Product Log each day. The Damaged and Discarded Product Log is to be kept on file for a minimum of 1 year.

HACCP-Based SOPs

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

DATE REVISED: August 10,2022

BY: 

Receiving Deliveries

Midway ISD

PURPOSE: To ensure that all food is received fresh and safe when it enters the foodservice operation and to transfer food to proper storage as quickly as possible.

SCOPE: This procedure applies to foodservice employees who handle, prepare, or serve food.

KEY WORDS: Cross-Contamination, Temperatures, Receiving, Holding, Frozen Goods, Delivery

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP.
2. Follow State or local health department requirements.
3. Schedule deliveries to arrive at designated times during operational hours.
4. Post the delivery schedule, including the names of vendors, days and times of deliveries, and drivers' names.
5. Establish a rejection policy to ensure accurate, timely, consistent, and effective refusal and return of rejected goods.
6. Organize freezer and refrigeration space, loading docks, and store rooms before deliveries.
7. Gather product specification lists and purchase orders, temperature logs, calibrated thermometers, pens, flashlights, and clean loading carts before deliveries. Refer to the Using and Calibrating Thermometers SOP.
8. Keep receiving area clean and well lighted.
9. Do not touch ready-to-eat foods with bare hands.
10. Determine whether foods will be marked with the date arrival or the "use by" date and mark accordingly upon receipt.
11. Compare delivery invoice against products ordered and products delivered.
12. Transfer foods to their appropriate locations as quickly as possible.

Receiving Deliveries, continued

Midway ISD

MONITORING:

1. Inspect the delivery truck when it arrives to ensure that it is clean, free of putrid odors, and organized to prevent cross-contamination. Be sure refrigerated foods are delivered on a refrigerated truck.
2. Check the interior temperature of refrigerated trucks.
3. Confirm vendor name, day and time of delivery, as well as driver's identification before accepting delivery. If driver's name is different from what is indicated on the delivery schedule, contact the vendor immediately.
4. Check frozen foods to ensure that they are all frozen solid and show no signs of thawing and refreezing, such as the presence of large ice crystals or liquids on the bottom of cartons.
5. Check the temperature of refrigerated foods.
 - a. For fresh meat, fish, and poultry products, insert a clean and sanitized thermometer into the center of the product to ensure a temperature of 41 2F or below. The temperature of milk should be 45 2F or below.
 - b. For packaged products, insert a food thermometer between two packages being careful not to puncture the wrapper. If the temperature exceeds 41 2F, it may be necessary to take the internal temperature before accepting the product.
 - c. For eggs, the interior temperature of the truck should be 45 2F or below.
6. Check dates of milk, eggs, and other perishable goods to ensure safety and quality.
7. Check the integrity of food packaging.
8. Check the cleanliness of crates and other shipping containers before accepting products. Reject foods that are shipped in dirty crates.

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Reject the following:
 - Frozen foods with signs of previous thawing
 - Cans that have signs of deterioration, such as swollen sides or ends, flawed seals or seams, dents, or rust
 - Punctured packages
 - Foods with outdated expiration dates
 - Foods that are out of safe temperature zone or deemed unacceptable by the established rejection policy

HACCP-Based SOPs

Receiving Deliveries, continued

Midway ISD

VERIFICATION AND RECORD KEEPING:

Record the temperature and the corrective action on the delivery invoice or on the Receiving Log. The foodservice manager will verify that foodservice employees are receiving products using the proper procedure by visually monitoring receiving practices during the shift and reviewing the Receiving Log at the close of each day. Receiving Logs are kept on file for a minimum of 1 year.

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

DATE REVISED: August 10,2022

BY: 

Reheating Potentially Hazardous Foods

Midway ISD

PURPOSE: To prevent foodborne illness by ensuring that all foods are reheated to the appropriate internal temperature.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Cross-Contamination, Temperatures, Reheating, Holding, Hot Holding

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
2. Follow State or local health department requirements.
3. If State or local requirements are based on the *2001 FDA Food Code*, heat processed, ready-to-eat foods from a package or can, such as canned green beans or prepackaged breakfast burritos, to an internal temperature of at least 135 2F for 15 seconds for hot holding.
4. Reheat the following products to 165 2F for 15 seconds:
 - Any food that is cooked, cooled, and reheated for hot holding
 - Leftovers reheated for hot holding
 - Products made from leftovers, such as soup
 - Precooked, processed foods that have been previously cooled
5. Reheat food for hot holding in the following manner if using a microwave oven:
 - Heat processed, ready-to-eat foods from a package or can to at least 135 2F for 15 seconds
 - Heat leftovers to 165 2F for 15 seconds
 - Rotate (or stir) and cover foods while heating
 - Allow to sit for 2 minutes after heating
6. Reheat all foods rapidly. The total time the temperature of the food is between 41 * F and 165 * F may not exceed 2 hours.
7. Serve reheated food immediately or transfer to an appropriate hot holding unit.

MONITORING:

1. Use a clean, sanitized, and calibrated probe thermometer.
2. Take at least two internal temperatures from each pan of food.

HACCP-Based SOPs

Reheating Potentially Hazardous Foods, continued

Midway ISD

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Continue reheating and heating food if the internal temperature does not reach the required temperature.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record product name, time, the two temperatures/times, and any corrective action taken on the Cooking and Reheating Temperature Log. Foodservice manager will verify that foodservice employees have taken the required reheating temperatures by visually monitoring foodservice employees during the shift and reviewing, initialing, and dating the Cooking and Reheating Temperature Log at the close of each day. The temperature logs are kept on file for a minimum of 1 year.

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

HACCP-Based SOPs

DATE REVISED: August 10, 2022

BY:

C. Franke



Serving Food

Midway ISD

PURPOSE: To prevent foodborne illness by ensuring that all foods are served in a sanitary manner.

SCOPE: This procedure applies to foodservice employees who serve food.

KEY WORDS: Cross-Contamination, Service

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP. Refer to the Using and Calibrating Thermometers SOP.
2. Follow State or local health department requirements.
3. Follow the employee health policy. (Employee health policy is not included in this resource.)
4. Wash hands before putting on gloves, each time the gloves are changed, when changing tasks, and before serving food with utensils. Refer to the Washing Hands SOP.
5. Avoid touching ready-to-eat foods with bare hands. Refer to the Using Suitable Utensils when Handling Ready-To-Eat Foods SOP.
6. Handle plates by the edge or bottom; cups by the handle or bottom; and utensils by the handles.
7. Store utensils with the handles up or by other means to prevent contamination.
8. Hold potentially hazardous food at the proper temperature. Refer to the Holding Hot and Cold Potentially Hazardous Foods SOP.
9. Serve food with clean and sanitized utensils.
10. Store in-use utensils properly. Refer to the Storing In-Use Utensils SOP.
11. Date mark and cool potentially hazardous foods or discard leftovers. Refer to the Date Marking Ready-to-Eat, Potentially Hazardous Foods, and Cooling Potentially Hazardous Foods SOPs.

MONITORING:

A designated foodservice employee will visually observe that food is being served in a manner that prevents contamination during all hours of service.

HACCP-Based SOPs

Serving Food, continued

Midway ISD

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Replace improperly handled plates, cups, or utensils.
3. Discard ready-to-eat food that has been touched with bare hands.
4. Follow the corrective actions identified in the Washing Hands; Using Suitable Utensils When Handling Ready-To-Eat Foods; Date Marking Ready-to-Eat, Potentially Hazardous Foods; Cooling Potentially Hazardous Foods; and Holding Hot and Cold Potentially Hazardous Foods SOPs.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will periodically check the storage and use of utensils during service

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

HACCP-Based SOPs

DATE REVISED: August 10, 2022

BY:

C. Franke

Storing and Using Poisonous or Toxic Chemicals

Midway ISD

PURPOSE: To prevent foodborne illness by chemical contamination.

SCOPE: This procedure applies to foodservice employees who use chemicals in the kitchen.

KEY WORDS: Chemicals, Cross-Contamination, Contamination, Material Safety Data Sheet

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP.
2. Follow State or local health department requirements.
3. Designate a location for storing the Material Safety Data Sheets (MSDS).
4. Follow manufacturer's directions for specific mixing, storing, and first aid instructions on the chemical containers in the MSDS.
5. Label and date all poisonous or toxic chemicals with the common name of the substance.
6. Store all chemicals in a designated secured area away from food and food contact surfaces using spacing or partitioning.
7. Limit access to chemicals by use of locks, seals, or key cards.
8. Maintain an inventory of chemicals.
9. Store only chemicals that are necessary to the operation and maintenance of the kitchen.
10. **Mix**, test, and use sanitizing solutions as recommended by the manufacturer and the State or local health department.
11. Use the appropriate chemical test kit to measure the concentration of sanitizer each time a new batch of sanitizer is mixed.
12. Do not use chemical containers for storing food or water.
13. Use only hand sanitizers that comply with the *2001 FDA Food Code*. Confirm with the manufacturer that the hand sanitizers used meet the requirements of the *2001 FDA Food Code*.
14. Label and store first aid supplies in a container that is located away from food or food contact surfaces.
15. Label and store medicines for employee use in a designated area and away from food contact surfaces. Do not store medicines in food storage areas.
16. Store refrigerated medicines in a covered, leak proof container where they are not accessible to children and cannot contaminate food.

HACCP-Based SOPs

Storing and Using Poisonous or Toxic Chemicals, continued

Midway ISD

MONITORING:

Foodservice employees and foodservice manager will visually observe that chemicals are being stored, labeled, and used properly during all hours of operation.

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Discard any food contaminated by chemicals.
3. Label and properly store any unlabeled or misplaced chemicals.

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record the name of the contaminated food, date, time, and the reason why the food was discarded on the Damaged and Discarded Product Log. The foodservice manager will verify that appropriate corrective actions are being taken by reviewing, initialing, and dating the Damaged and Discarded Product Log each day. The Damaged and Discarded Product Logs are kept on file for a minimum of 1 year.

DATE IMPLEMENTED: August 4, 2020

BY: 

DATE REVIEWED:

July 27, 2021

BY: 

HACCP-Based SOPs

DATE REVISED: August 10, 2022

BY: C. Franke



Using and Calibrating Thermometers

Midway ISD

PURPOSE: To prevent foodborne illness by ensuring that the appropriate type of thermometer is used to measure internal product temperatures and that thermometers used are correctly calibrated for accuracy.

SCOPE: This procedure applies to foodservice employees who prepare, cook, and cool food.

KEY WORDS: Thermometers, Calibration

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP.
2. Follow State or local health department requirements.
3. Follow the food thermometer manufacturer's instructions for use. Use a food thermometer that measures temperatures from 0 QF (-18 QC) to 220 QF (104 QC) and is appropriate for the temperature being taken. For example:
 - Temperatures of thin products, such as hamburgers, chicken breasts, pizza, filets, nuggets, hot dogs, and sausage patties, must be taken using a thermistor or thermocouple with a thin probe.
 - Bimetallic, dial-faced stem thermometers are accurate only when measuring temperatures of thick foods. They may not be used to measure temperatures of thin foods. A dimple mark located on the stem of the thermometer indicates the maximum food thickness that can be accurately measured.
 - Use only oven-safe, bimetallic thermometers when measuring temperatures of food while cooking in an oven.
4. Have food thermometers easily-accessible to foodservice employees during all hours of operation.
5. Clean and sanitize food thermometers before each use. Refer to the Cleaning and Sanitizing Food Contact Surfaces SOP for the proper procedure to follow.
6. Store food thermometers in an area that is clean and where they are not subject to contamination.

Using and Calibrating Thermometers, continued

Midway ISD

MONITORING:

1. Foodservice employees will use either the ice-point method or boiling-point method to verify the accuracy of food thermometers. This is known as calibration of the thermometer.
2. To use ice-point method:
 - Insert the thermometer probe into a cup of crushed ice.
 - Add enough cold water to remove any air pockets that might remain.
 - Allow the temperature reading to stabilize before reading temperature.
 - Temperature measurement should be 32 QF (± 2 QF) [or 0 Q (± 1 QC)]. If not, adjust according to manufacturer's instructions.
3. To use boiling-point method:
 - Immerse at least the first two inches of the probe into boiling water.
 - Allow the temperature reading to stabilize before reading temperature.
 - Reading should be 212 QF (± 2 QF) [or 100 Q (± 1 QC)]. This reading may vary at higher altitudes. If adjustment is required, follow manufacturer's instructions.
4. Foodservice employees will check the accuracy of the food thermometers:
 - At regular intervals (at least once per week)
 - If dropped
 - If used to measure extreme temperatures, such as in an oven
 - Whenever accuracy is in question

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. For an inaccurate, bimetallic, dial-faced thermometer, adjust the temperature by turning the dial while securing the calibration nut (located just under or below the dial) with pliers or a wrench.
3. For an inaccurate, digital thermometer with a reset button, adjust the thermometer according to manufacturer's instructions.
4. If an inaccurate thermometer cannot be adjusted on-site, discontinue using it, and follow manufacturer's instructions for having the thermometer calibrated.
5. Retrain employees who are using or calibrating food thermometers improperly.

HACCP-Based SOPs

Using and Calibrating Thermometers, continued

Midway ISD

VERIFICATION AND RECORD KEEPING:

Foodservice employees will record the calibration temperature and any corrective action taken, if applicable, on the Thermometer Calibration Log each time a thermometer is calibrated. The foodservice manager will verify that foodservice employees are using and calibrating thermometers properly by making visual observations of the employees during the calibration process and all operating hours. The foodservice manager will review and initial the Calibration Log daily. The Calibration Log will be kept on file a minimum of 1 year.

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

DATE REVISED: August 10,2022

BY: 

Using Suitable Utensils When Handling Ready-to-Eat Foods

Midway ISD

PURPOSE: To prevent foodborne illness due to hand-to-food cross-contamination.

SCOPE: This procedure applies to foodservice employees who prepare, handle, or serve food.

KEY WORDS: Ready-to-Eat Food, Cross-Contamination

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP.
2. Follow State or local health department requirements.
3. Use proper handwashing procedures to wash hands and exposed arms prior to preparing or handling food or at any time when the hands may have become contaminated.
4. Do not use bare hands to handle ready-to-eat foods at any time unless washing fruits and vegetables.
5. Use suitable utensils when working with ready-to-eat food. Suitable utensils may include:
 - Single-use gloves
 - Deli tissue
 - Foil wrap
 - Tongs, spoodles, spoons, and spatulas
6. Wash hands and change gloves:
 - Before beginning food preparation
 - Before beginning a new task
 - After touching equipment such as refrigerator doors or utensils that have not been cleaned and sanitized
 - After contacting chemicals
 - When interruptions in food preparation occur, such as when answering the telephone or checking in a delivery
 - When handling money
 - Anytime a glove is torn, damaged, or soiled
 - Anytime contamination of a glove might have occurred

HACCP-Based SOPs

Using Suitable Utensils When Handling Ready-to-Eat Foods, continued

Midway ISD

MONITORING:

A designated foodservice employee will visually observe that gloves or suitable utensils are used and changed at the appropriate times during all hours of operation.

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Discard ready-to-eat food touched with bare hands.

VERIFICATION AND RECORD KEEPING:

The foodservice manager will verify that foodservice workers are using suitable utensils by visually monitoring foodservice employees during all hours of operation. The designated foodservice employee responsible for monitoring will record any discarded food on the Damaged and Discarded Product Log. The Damaged and Discarded Food Log are kept on file for a minimum of 1 year.

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

DATE REVISED: August 10,2022

BY: 

HACCP-Based SOPs

Washing Fruits and Vegetables

Midway ISD

PURPOSE: To prevent or reduce risk of foodborne illness or injury by contaminated fruits and vegetables.

SCOPE: This procedure applies to foodservice employees who prepare or serve food.

KEY WORDS: Fruits, Vegetables, Cross-Contamination, Washing

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP.
2. Follow State or local health department requirements.
3. Wash hands using the proper procedure.
4. Wash, rinse, sanitize, and air-dry all food-contact surfaces, equipment, and utensils that will be in contact with produce, such as cutting boards, knives, and sinks.
5. Follow manufacturer's instructions for proper use of chemicals.
6. Wash all raw fruits and vegetables thoroughly before combining with other ingredients, including:
 - Unpeeled fresh fruit and vegetables that are served whole or cut into pieces.
 - Fruits and vegetables that are peeled and cut to use in cooking or served ready-to-eat.
7. Wash fresh produce vigorously under cold running water or by using chemicals that comply with the *2001 FDA Food Code*. Packaged fruits and vegetables labeled as being previously washed and ready-to-eat are not required to be washed.
8. Scrub the surface of firm fruits or vegetables such as apples or potatoes using a clean and sanitized brush designated for this purpose.
9. Remove any damaged or bruised areas.
10. Label, date, and refrigerate fresh-cut items.
11. Serve cut melons within 7 days if held at 41°F or below. Refer to the Date Marking Ready-to-Eat, Potentially Hazardous Food SOP.
12. Do not serve raw seed sprouts to highly susceptible populations such as preschool-age children.

HACCP-Based SOPs

Washing Fruits and Vegetables, continued

Midway ISD

MONITORING:

1. The foodservice manager will visually monitor that fruits and vegetables are being properly washed, labeled, and dated during all hours of operation.
2. Foodservice employees will check daily the quality of fruits and vegetables in cold storage.

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Remove unwashed fruits and vegetables service and washed immediately before being served.
3. Label and date fresh cut fruits and vegetables.
4. Discard cut melons held after 7 days.

VERIFICATION AND RECORD KEEPING:

Monitoring is being conducted as specified in this SOP.

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

DATE REVISED: August 10,2022

BY: 

HACCP-Based SOPs

Washing Hands

Midway ISD

PURPOSE: To prevent foodborne illness by contaminated hands.

SCOPE: This procedure applies to anyone who handle, prepare, and serve food.

KEY WORDS: Handwashing, Cross-Contamination

INSTRUCTIONS:

1. Train foodservice employees on using the procedures in this SOP.
2. Follow State or local health department requirements.
3. Post handwashing signs or posters in a language understood by all foodservice staff near all handwashing sinks, in food preparation areas, and restrooms.
4. Use designated handwashing sinks for handwashing only. Do not use food preparation, utility, and dishwashing sinks for handwashing.
5. Provide warm running water, soap, and a means to dry hands. Provide a waste container at each handwashing sink or near the door in restrooms.
6. Keep handwashing sinks accessible anytime employees are present.
7. Wash hands:
 - Before starting work
 - During food preparation
 - When moving from one food preparation area to another
 - Before putting on or changing gloves
 - After using the toilet
 - After sneezing, coughing, or using a handkerchief or tissue
 - After touching hair, face, or body
 - After smoking, eating, drinking, or chewing gum or tobacco
 - After handling raw meats, poultry, or fish
 - After any clean up activity such as sweeping, mopping, or wiping counters
 - After touching dirty dishes, equipment, or utensils
 - After handling trash
 - After handling money
 - After any time, the hands may become contaminated

HACCP-Based SOPs

Washing Hands, continued

Midway ISD

INSTRUCTIONS, continued:

8. Follow proper handwashing procedures as indicated below:
 - Wet hands and forearms with warm, running water at least 100°F and apply soap.
 - Scrub lathered hands and forearms, under fingernails, and between fingers for at least 10-15 seconds. Rinse thoroughly under warm running water for 5-10 seconds.
 - Dry hands and forearms thoroughly with single-use paper towels.
 - Dry hands for at least 30 seconds if using a warm air hand dryer.
 - Turn off water using paper towels.
 - Use paper towel to open door when exiting the restroom.
9. Follow FDA recommendations when using hand sanitizers. These recommendations are as follows:
 - Use hand sanitizers only after hands have been properly washed and dried.
 - Use only hand sanitizers that comply with the *2001 FDA Food Code*. Confirm with the manufacturers that the hand sanitizers used meet these requirements.
 - Use hand sanitizers in the manner specified by the manufacturer.

MONITORING:

1. A designated employee will visually observe the handwashing practices of the foodservice staff during all hours of operation.
2. The designated employee will visually observe that handwashing sinks are properly supplied during all hours of operation.

CORRECTIVE ACTION:

1. Retrain any foodservice employee found not following the procedures in this SOP.
2. Ask employees that are observed not washing their hands at the appropriate times or using the proper procedure to wash their hands immediately.
3. Retrain employee to ensure proper handwashing procedure.

VERIFICATION AND RECORD KEEPING:

Monitoring is being conducted as specified in this SOP.

HACCP-Based SOPs

Washing Hands, continued

Midway ISD

DATE IMPLEMENTED: August 4,2020

BY: 

DATE REVIEWED:

July 27,2021

BY: 

DATE REVISED: August 10,2022

BY: 

