

August 2020 Positive Covid-19 Case Updates

The Camden Fairview School District Administration has been informed that an employee of the Camden Fairview Middle School has tested positive for Covid-19. The Administration followed the response protocol issued by The Division of Elementary and Secondary Education (DESE) and contacted the Arkansas Department of Health (ADH). We are currently in the process of notifying those who may have been in “close contact”. The district is taking active measures to deep clean and disinfect the facilities appropriately. For the privacy of our students and staff, the Camden Fairview School District cannot share personal information regarding this case. The school district has followed the procedures outlined by the Arkansas Department of Health and remains steadfast in our commitment to the safety of our students and staff.

Fred Lilly, Sr.
Superintendent
Camden Fairview School District

September 2020 Positive Covid-19 Case Updates

The Camden Fairview School District Administration has been informed that an employee of the Ivory Primary School has tested positive for Covid-19. The Administration followed the response protocol issued by The Division of Elementary and Secondary Education (DESE) and contacted the Arkansas Department of Health (ADH). All close contact has been informed. The district has taken active measures to deep clean and disinfect the facilities appropriately. For the privacy of our students and staff, the Camden Fairview School District cannot share personal information regarding this case. The school district has followed the procedures outlined by the Arkansas Department of Health and remains steadfast in our commitment to the safety of our students and staff.

Fred Lilly, Sr.
Superintendent
Camden Fairview School District

9/11/2020

The Camden Fairview School District Administration has been informed that an employee of the Camden Fairview Middle School has tested positive for Covid-19. The Administration followed the response protocol issued by The Division of Elementary and Secondary Education (DESE) and contacted the Arkansas Department of Health (ADH). All close contacts have been informed. The district is taking active measures to deep clean and disinfect the facilities appropriately. For the privacy of our students and staff, the Camden Fairview School District cannot share personal information regarding this case. The school district has followed the procedures outlined by the Arkansas Department of Health and remains steadfast in our commitment to the safety of our students and staff.

Fred Lilly, Sr.
Superintendent
Camden Fairview School District

9/18/20

The Camden Fairview School District Administration has been informed that a student on the ninth-grade volleyball team has tested positive for Covid-19. All ninth-grade volleyball games have been cancelled until further notice. The Administration followed the response protocol issued by The Division of Elementary and Secondary Education (DESE) and contacted the Arkansas Department of Health (ADH). All close contacts have been informed. The district has taken active measures to deep clean and disinfect the facilities appropriately. For the privacy of our students and staff, the Camden Fairview School District cannot share personal information regarding this case. The school district has followed the procedures outlined by the Arkansas Department of Health and remains steadfast in our commitment to the safety of our students and staff.

**Fred Lilly
Superintendent
Camden Fairview School District**