

7th Grade Mathematics

Missouri Learning Standards: Grade-Level Expectations for Mathematics (Adopted April 2016 for implementation in the 2016 – 2017 school year, assessed beginning in the 2017 – 2018 school year.)		Missouri Learning Standards: Mathematics (Adopted 2010, transitioning out, assessed through the 2016 – 2017 school year.)	
Code	Adopted Standards	Code	Current MLS
7.RP.A	Analyze proportional relationships and use them to solve problems.		
7.RP.A.1	Compute unit rates, including those that involve complex fractions, with like or different units.	7.RP.A.1	Compute unit rates associated with ratios of fractions, including ratios of lengths, areas and other quantities measured in like or different units. <i>For example, if a person walks 1/2 mile in each 1/4 hour, compute the unit rate as the complex fraction $\frac{1/2}{1/4}$ miles per hour, equivalently 2 miles per hour.</i>
7.RP.A.2	Recognize and represent proportional relationships between quantities. a. Determine when two quantities are in a proportional relationship. b. Identify and/or compute the constant of proportionality (unit rate). c. Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation. d. Recognize that the graph of any proportional relationship will pass through the origin.	7.RP.A.2	Recognize and represent proportional relationships between quantities. a. Decide whether two quantities are in a proportional relationship, e.g., by testing for equivalent ratios in a table or graphing on a coordinate plane and observing whether the graph is a straight line through the origin. b. Identify the constant of proportionality (unit rate) in tables, graphs, equations, diagrams, and verbal descriptions of proportional relationships. c. Represent proportional relationships by equations. <i>For example, if total cost t is proportional to the number n of items purchased at a constant price p, the relationship between the total cost and the number of items can be expressed as $t = pn$.</i> d. Explain what a point (x, y) on the graph of a proportional relationship means in terms of the situation, with special attention to the points $(0, 0)$ and $(1, r)$ where r is the unit rate.
7.RP.A.3	Solve problems involving ratios, rates, percentages and proportional relationships.	7.RP.3	Use proportional relationships to solve multistep ratio and percent problems. <i>Examples: simple interest, tax, markups and markdowns, gratuities and commissions, fees, percent increase and decrease, percent error.</i>
7.NS.A	Apply and extend previous understandings of operations to add, subtract, multiply and divide rational numbers.		

7th Grade Mathematics

Missouri Learning Standards: Grade-Level Expectations for Mathematics (Adopted April 2016 for implementation in the 2016 – 2017 school year, assessed beginning in the 2017 – 2018 school year.)		Missouri Learning Standards: Mathematics (Adopted 2010, transitioning out, assessed through the 2016 – 2017 school year.)	
Code	Adopted Standards	Code	Current MLS
7.NS.A.1	Apply and extend previous understandings of numbers to add and subtract rational numbers. <ol style="list-style-type: none"> Add and subtract rational numbers. Represent addition and subtraction on a horizontal or vertical number line. Describe situations and show that a number and its opposite have a sum of 0 (additive inverses). Understand subtraction of rational numbers as adding the additive inverse. Determine the distance between two rational numbers on the number line is the absolute value of their difference. Interpret sums and differences of rational numbers. 	7.NS.A.1	Apply and extend previous understandings of addition and subtraction to add and subtract rational numbers; represent addition and subtraction on a horizontal or vertical number line diagram. <ol style="list-style-type: none"> Describe situations in which opposite quantities combine to make 0. <i>For example, a hydrogen atom has 0 charge because its two constituents are oppositely charged.</i> Understand $p + q$ as the number located a distance q from p, in the positive or negative direction depending on whether q is positive or negative. Show that a number and its opposite have a sum of 0 (are additive inverses). Interpret sums of rational numbers by describing real-world contexts. Understand subtraction of rational numbers as adding the additive inverse, $p - q = p + (-q)$. Show that the distance between two rational numbers on the number line is the absolute value of their difference, and apply this principle in real-world contexts. Apply properties of operations as strategies to add and subtract rational numbers.
7.NS.A.2	Apply and extend previous understandings of numbers to multiply and divide rational numbers. <ol style="list-style-type: none"> Multiply and divide rational numbers. Determine that a number and its reciprocal have a product of 1 (multiplicative inverse). Understand that every quotient of integers (with non-zero divisor) is a rational number. Convert a rational number to a decimal. Understand that all rational numbers can be written as fractions or decimal numbers that terminate or repeat. Interpret products and quotients of rational numbers by describing real-world contexts. 	7.NS.A.2	Apply and extend previous understandings of multiplication and division and of fractions to multiply and divide rational numbers. <ol style="list-style-type: none"> Understand that multiplication is extended from fractions to rational numbers by requiring that operations continue to satisfy the properties of operations, particularly the distributive property, leading to products such as $(-1)(-1) = 1$ and the rules for multiplying signed numbers. Interpret products of rational numbers by describing real-world contexts. Understand that integers can be divided, provided that the divisor is not zero, and every quotient of integers (with non-zero divisor) is a rational number. If p and q are integers, then $-(p/q) = (-p)/q = p/(-q)$. Interpret quotients of rational numbers by describing real-world contexts. Apply properties of operations as strategies to multiply and divide rational numbers. Convert a rational number to a decimal using long division; know that the decimal form of a rational number terminates in 0s or eventually repeats.

7th Grade Mathematics

Missouri Learning Standards: Grade-Level Expectations for Mathematics		Missouri Learning Standards: Mathematics	
(Adopted April 2016 for implementation in the 2016 – 2017 school year, assessed beginning in the 2017 – 2018 school year.)		(Adopted 2010, transitioning out, assessed through the 2016 – 2017 school year.)	
Code	Adopted Standards	Code	Current MLS
7.NS.A.3	Solve problems involving the four arithmetic operations with rational numbers.	7.NS.A.3	Solve real-world and mathematical problems involving the four operations with rational numbers.
7.EE1.A	Use properties of operations to generate equivalent expressions.		
7.EE1.A.1	Apply properties of operations to simplify and to factor linear algebraic expressions with rational coefficients.	7.EE.A.1	Apply properties of operations as strategies to add, subtract, factor, and expand linear expressions with rational coefficients.
7.EE1.A.2	Understand how to use equivalent expressions to clarify quantities in a problem.	7.EE.A.2	Understand that rewriting an expression in different forms in a problem context can shed light on the problem and how the quantities in it are related. <i>For example, $a + 0.05a = 1.05a$ means that "increase by 5%" is the same as "multiply by 1.05."</i>
7.EE1.B	Solve problems using numerical and algebraic expressions and equations.		
7.EE1.B.3	Solve multi-step problems posed with rational numbers. a. Convert between equivalent forms of the same number. b. Assess the reasonableness of answers using mental computation and estimation strategies.	7.EE.B.3	Solve multi-step real-life and mathematical problems posed with positive and negative rational numbers in any form (whole numbers, fractions, and decimals), using tools strategically. Apply properties of operations to calculate with numbers in any form; convert between forms as appropriate; and assess the reasonableness of answers using mental computation and estimation strategies. <i>For example: If a woman making \$25 an hour gets a 10% raise, she will make an additional 1/10 of her salary an hour, or \$2.50, for a new salary of \$27.50. If you want to place a towel bar 9 3/4 inches long in the center of a door that is 27 1/2 inches wide, you will need to place the bar about 9 inches from each edge; this estimate can be used as a check on the exact computation.</i>

7th Grade Mathematics

Missouri Learning Standards: Grade-Level Expectations for Mathematics (Adopted April 2016 for implementation in the 2016 – 2017 school year, assessed beginning in the 2017 – 2018 school year.)		Missouri Learning Standards: Mathematics (Adopted 2010, transitioning out, assessed through the 2016 – 2017 school year.)	
Code	Adopted Standards	Code	Current MLS
7.EE1.B.4	Write and/or solve linear equations and inequalities in one variable. a. Write and/or solve equations of the form $x+p = q$ and $px = q$ in which p and q are rational numbers. b. Write and/or solve two-step equations of the form $px + q = r$ and $p(x + q) = r$, where p , q and r are rational numbers, and interpret the meaning of the solution in the context of the problem. c. Write, solve and/or graph inequalities of the form $px + q > r$ or $px + q < r$, where p , q and r are rational numbers.	7.EE.B.4	Use variables to represent quantities in a real-world or mathematical problem, and construct simple equations and inequalities to solve problems by reasoning about the quantities. a. Solve word problems leading to equations of the form $px + q = r$ and $p(x + q) = r$, where p , q , and r are specific rational numbers. Solve equations of these forms fluently. Compare an algebraic solution to an arithmetic solution, identifying the sequence of the operations used in each approach. <i>For example, the perimeter of a rectangle is 54 cm. Its length is 6 cm. What is its width?</i> b. Solve word problems leading to inequalities of the form $px + q > r$ or $px + q < r$, where p , q , and r are specific rational numbers. Graph the solution set of the inequality and interpret it in the context of the problem. <i>For example: As a salesperson, you are paid \$50 per week plus \$3 per sale. This week you want your pay to be at least \$100. Write an inequality for the number of sales you need to make, and describe the solutions.</i>
7.GM.A	Draw and describe geometrical figures and describe the relationships between them.		
7.GM.A.1	Solve problems involving scale drawings of real objects and geometric figures, including computing actual lengths and areas from a scale drawing and reproducing the drawing at a different scale.	7.G.A.1	Solve problems involving scale drawings of geometric figures, including computing actual lengths and areas from a scale drawing and reproducing a scale drawing at a different scale.
7.GM.A.2	Use a variety of tools to construct geometric shapes. a. Determine if provided constraints will create a unique triangle through construction. b. Construct special quadrilaterals given specific parameters.	7.G.A.2	Draw (freehand, with ruler and protractor, and with technology) geometric shapes with given conditions. Focus on constructing triangles from three measures of angles or sides, noticing when the conditions determine a unique triangle, more than one triangle, or no triangle.
7.GM.A.3	Describe two-dimensional cross sections of pyramids, prisms, cones and cylinders.	7.G.A.3	Describe the two-dimensional figures that result from slicing three-dimensional figures, as in plane sections of right rectangular prisms and right rectangular pyramids.
7.GM.A.4	Understand concepts of circles. a. Analyze the relationships among the circumference, the radius, the diameter, the area and Pi in a circle. b. Know and apply the formulas for circumference and area of circles to solve problems.	7.G.B.4	Know the formulas for the area and circumference of a circle and use them to solve problems; give an informal derivation of the relationship between the circumference and area of a circle.

7th Grade Mathematics

Missouri Learning Standards: Grade-Level Expectations for Mathematics		Missouri Learning Standards: Mathematics	
(Adopted April 2016 for implementation in the 2016 – 2017 school year, assessed beginning in the 2017 – 2018 school year.)		(Adopted 2010, transitioning out, assessed through the 2016 – 2017 school year.)	
Code	Adopted Standards	Code	Current MLS
7.GM.B	Apply and extend previous understanding of angle measure, area and volume.		
7.GM.B.5	Use angle properties to write and solve equations for an unknown angle.	7.G.B.5	Use facts about supplementary, complementary, vertical, and adjacent angles in a multi-step problem to write and solve simple equations for an unknown angle in a figure.
7.GM.B.6	Understand the relationship between area, surface area and volume. a. Find the area of triangles, quadrilaterals and other polygons composed of triangles and rectangles. b. Find the volume and surface area of prisms, pyramids and cylinders.	7.G.B.6	Solve real-world and mathematical problems involving area, volume and surface area of two- and three-dimensional objects composed of triangles, quadrilaterals, polygons, cubes, and right prisms.
7.DSP.A	Use random sampling to draw inferences about a population.		
7.DSP.A.1	Understand that statistics can be used to gain information about a population by examining a sample of the population. a. Understand that a sample is a subset of a population. b. Understand that generalizations from a sample are valid only if the sample is representative of the population. c. Understand that random sampling is used to produce representative samples and support valid inferences.	7.SP.A.1	Understand that statistics can be used to gain information about a population by examining a sample of the population; generalizations about a population from a sample are valid only if the sample is representative of that population. Understand that random sampling tends to produce representative samples and support valid inferences.
7.DSP.A.2	Use data from multiple samples to draw inferences about a population and investigate variability in estimates of the characteristic of interest.	7.SP.A.2	Use data from a random sample to draw inferences about a population with an unknown characteristic of interest. Generate multiple samples (or simulated samples) of the same size to gauge the variation in estimates or predictions. <i>For example, estimate the mean word length in a book by randomly sampling words from the book; predict the winner of a school election based on randomly sampled survey data. Gauge how far off the estimate or prediction might be.</i>
7.DSP.B	Draw informal comparative inferences about two populations.		
7.DSP.B.3	Analyze different data distributions using statistical measures.	7.SP.B.3	Informally assess the degree of visual overlap of two numerical data distributions with similar variabilities, measuring the difference between the centers by expressing it as a multiple of a measure of variability. <i>For example, the mean height of players on the basketball team is 10 cm greater than the mean height of players on the soccer team, about twice the variability (mean absolute deviation) on either team; on a dot plot, the separation between the two distributions of heights is noticeable.</i>

7th Grade Mathematics

Missouri Learning Standards: Grade-Level Expectations for Mathematics (Adopted April 2016 for implementation in the 2016 – 2017 school year, assessed beginning in the 2017 – 2018 school year.)		Missouri Learning Standards: Mathematics (Adopted 2010, transitioning out, assessed through the 2016 – 2017 school year.)	
Code	Adopted Standards	Code	Current MLS
7.DSP.B.4	Compare the numerical measures of center, measures of frequency and measures of variability from two random samples to draw inferences about the population.	7.SP.B.4	Use measures of center and measures of variability for numerical data from random samples to draw informal comparative inferences about two populations. <i>For example, decide whether the words in a chapter of a seventh-grade science book are generally longer than the words in a chapter of a fourth-grade science book.</i>
7.DSP.C	Develop, use and evaluate probability models.		
7.DSP.C.5	Investigate the probability of chance events. a. Determine probabilities of simple events. b. Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring.	7.SP.C.5	Understand that the probability of a chance event is a number between 0 and 1 that expresses the likelihood of the event occurring. Larger numbers indicate greater likelihood. A probability near 0 indicates an unlikely event, a probability around 1/2 indicates an event that is neither unlikely nor likely, and a probability near 1 indicates a likely event.
7.DSP.C.6	Investigate the relationship between theoretical and experimental probabilities for simple events. a. Predict outcomes using theoretical probability. b. Perform experiments that model theoretical probability. c. Compare theoretical and experimental probabilities.	7.SP.C.6	Approximate the probability of a chance event by collecting data on the chance process that produces it and observing its long-run relative frequency, and predict the approximate relative frequency given the probability. <i>For example, when rolling a number cube 600 times, predict that a 3 or 6 would be rolled roughly 200 times, but probably not exactly 200 times.</i>
7.DSP.C.7	Explain possible discrepancies between a developed probability model and observed frequencies. a. Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events. b. Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process.	7.SP.C.7	Develop a probability model and use it to find probabilities of events. Compare probabilities from a model to observed frequencies; if the agreement is not good, explain possible sources of the discrepancy. a. Develop a uniform probability model by assigning equal probability to all outcomes, and use the model to determine probabilities of events. <i>For example, if a student is selected at random from a class, find the probability that Jane will be selected and the probability that a girl will be selected.</i> b. Develop a probability model (which may not be uniform) by observing frequencies in data generated from a chance process. <i>For example, find the approximate probability that a spinning penny will land heads up or that a tossed paper cup will land open-end down. Do the outcomes for the spinning penny appear to be equally likely based on the observed frequencies?</i>

7th Grade Mathematics

Missouri Learning Standards: Grade-Level Expectations for Mathematics		Missouri Learning Standards: Mathematics	
(Adopted April 2016 for implementation in the 2016 – 2017 school year, assessed beginning in the 2017 – 2018 school year.)		(Adopted 2010, transitioning out, assessed through the 2016 – 2017 school year.)	
Code	Adopted Standards	Code	Current MLS
7.DSP.C.8	Find probabilities of compound events using organized lists, tables, tree diagrams and simulations. a. Represent the sample space of a compound event. b. Design and use a simulation to generate frequencies for compound events.	7.SP.C.8	Find probabilities of compound events using organized lists, tables, tree diagrams, and simulation. a. Understand that, just as with simple events, the probability of a compound event is the fraction of outcomes in the sample space for which the compound event occurs. b. Represent sample spaces for compound events using methods such as organized lists, tables and tree diagrams. For an event described in everyday language (e.g., "rolling double sixes"), identify the outcomes in the sample space which compose the event. c. Design and use a simulation to generate frequencies for compound events. <i>For example, use random digits as a simulation tool to approximate the answer to the question: If 40% of donors have type A blood, what is the probability that it will take at least 4 donors to find one with type A blood?</i>