
TEXAS SCHOOL SURVEY
OF
Drug and Alcohol Use
★
2018



**PAMPA ISD
DISTRICT REPORT**

Prepared by

The Public Policy Research Institute
Texas A&M University

Miner P. Marchbanks III

Shannon Peairson

Colin Baker

Stacy Rhodes

Aaron Williams

Table of Contents

Introduction	1
1 General Substance Use Tables	2
Tobacco	3
Alcohol	6
Drugs	12
Inhalants	24
Miscellaneous	28
2 Prevalence Tables	34
Table B-1: All Students	35
Table B-2: Male Students	38
Table B-3: Female Students	41
Table B-4: White Non-Hispanic Students	44
Table B-5: African American Non-Hispanic Students	47
Table B-6: Hispanic or Latino Students	49
Table B-7: Students Reporting A Grades on Average	52
Table B-8: Students Reporting Grades Lower Than an A on Average	55
Table B-9: Students Living with 2 Parents	58
Table B-10: Students Not Living with 2 Parents	61
Table B-11: Students Who Would Seek Help from Adults for Substance Abuse Problems	64
Table B-12: Students Who Would Not Seek Help from Adults for Substance Abuse Problems	67
3 Margin Tables	70
Appendix: Reporting Methods for Prevalence & Recency of Use	93

Introduction

The Texas School Survey is a collection of self-reported tobacco, alcohol, inhalant and substance use data gathered annually from students in public schools throughout the state of Texas. The survey, conducted by the Public Policy Research Institute (PPRI) in conjunction with the Texas Health and Human Services Commission (HHSC), is also administered in even numbered years to a representative state sample of Texas students in grades 7 through 12.

Data from the state sample is incorporated by HHSC into a larger database that includes historical data from previous Texas School Surveys. This data is then used to track trends in substance use, so that policymakers at the state level have up-to-date information on which to base decisions and establish prevention strategies. This state level data is also used by those at the campus/district/region level as a standard which they can compare their own data against - interpreting their local findings in the larger context of the state as a whole and planning appropriate action.

This report provides data on students in Pampa ISD. It is divided into three major sections. The first section, titled "General Substance Use Tables", focuses on information specific to each type of substance asked about in the survey - tobacco, alcohol, drugs, and inhalants. Each of these subsections examines the prevalence of use for the given substance type, as well as detailing environmental factors that are generally recognized as contributing to a students' likelihood to use. The second section, titled "Prevalence Tables", provides prevalence and recency of use data for numerous substances covered by the survey. In addition to providing usage information on the overall student body, this section also breaks-out the same data for specific groups within the population. The last major section titled, "Margin Tables", details the number and percentage of students providing each response across all questions in the survey. Finally, the report concludes with an appendix detailing the revised reporting methods for prevalence and recency of use values discussed below.

Prior to 2016, the reported values found in prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12 on the current survey) were based solely on students' answers to the questions that directly asked how recently, if ever, they had used each substance (Q14-18 on the current survey). Beginning in year 2016, the students' answers to other questions on the survey are also taken into account, such that if they indicated more recent usage for a substance on any other question, their reported prevalence and recency of use values for that substance are updated to reflect the most recent usage that the student has reported. For example, if a student responded on Q16a that the most recently they had used marijuana was "Since School Began in the Fall", but also reported on Q19d that they had used marijuana "1-2 Times" in the past 30 days, in prevalence and recency tables they would be classified as having used marijuana in the past month. Only tables found in the first two sections of this report will be affected, as the margin tables, found at the end of the report, retain the original responses for all questions on the survey - including those for Q14-18. Along with the introduction of electronic vapor products as a form of tobacco in the 2016 survey, these changes to reporting procedures may lead to increases in the reported prevalence and recency of use for numerous substances over what they had been in prior to 2016. These changes provide a more accurate representation of substance use among students covered by this report; however, they also limit the direct comparability of prevalence and recency values found in this report to those from reports in prior to 2016 - please use caution when making such comparisons.

1 General Substance Use Tables

Tobacco

Table T-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product?				
All	24.1%	27.7%	39.2%	60.8%
Grade 7	14.9%	16.3%	25.5%	74.5%
Grade 8	14.4%	16.9%	30.5%	69.5%
Grade 10	31.5%	38.8%	48.3%	51.7%
Grade 12	40.3%	44.4%	58.1%	41.9%
Cigarettes?				
All	6.2%	8.7%	19.4%	80.6%
Grade 7	2.1%	2.1%	14.3%	85.7%
Grade 8	3.4%	6.0%	9.4%	90.6%
Grade 10	10.2%	14.7%	24.9%	75.1%
Grade 12	10.6%	13.8%	33.3%	66.7%
Smokeless Tobacco?				
All	4.3%	6.1%	9.7%	90.3%
Grade 7	2.8%	2.8%	5.7%	94.3%
Grade 8	0.9%	1.7%	1.7%	98.3%
Grade 10	7.3%	9.6%	15.3%	84.7%
Grade 12	7.4%	12.3%	19.7%	80.3%
Electronic Vapor Products?				
All	21.0%	25.5%	35.5%	64.5%
Grade 7	11.3%	13.5%	20.6%	79.4%
Grade 8	13.7%	16.2%	29.9%	70.1%
Grade 10	27.7%	36.2%	43.5%	56.5%
Grade 12	35.8%	41.5%	52.8%	47.2%

Table T-2: How Often Do You Normally Use Tobacco?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once Month	About Once a Year	Less Than Once a Year
All	81.5%	3.9%	0.8%	1.8%	3.2%	2.5%	6.2%
Grade 7	90.7%	0.0%	0.7%	0.7%	0.7%	2.9%	4.3%
Grade 8	89.5%	0.9%	0.9%	0.9%	2.6%	0.9%	4.4%
Grade 10	76.6%	5.1%	1.7%	2.9%	4.6%	1.7%	7.4%
Grade 12	65.0%	11.4%	0.0%	3.3%	5.7%	4.9%	9.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 3 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table T-3: Average Age of First Use of Tobacco

	All	Grade 7	Grade 8	Grade 10	Grade 12
Any Tobacco	13.3	10.2	11.5	13.2	14.6

Table T-4: If You Wanted Some, How Difficult Would It Be to Get Tobacco?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	26.8%	20.6%	4.7%	7.2%	14.2%	26.5%
Grade 7	36.9%	27.7%	8.5%	5.7%	12.8%	8.5%
Grade 8	28.9%	33.3%	5.3%	5.3%	12.3%	14.9%
Grade 10	20.9%	12.4%	3.4%	13.0%	19.2%	31.1%
Grade 12	17.9%	4.1%	0.8%	5.7%	13.0%	58.5%

Table T-5: About How Many of Your Close Friends Use Tobacco?

	None	A Few	Some	Most	All
All	68.7%	17.1%	7.7%	5.3%	1.1%
Grade 7	82.1%	10.7%	4.3%	2.9%	0.0%
Grade 8	81.2%	11.1%	6.8%	0.9%	0.0%
Grade 10	50.9%	26.9%	8.6%	12.6%	1.1%
Grade 12	54.1%	23.0%	12.3%	6.6%	4.1%

Table T-6: How Do Your Parents Feel About Kids Your Age Using Tobacco?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.3%	6.6%	8.3%	1.4%	0.7%	5.5%
Grade 7	82.3%	2.8%	4.3%	1.4%	1.4%	7.8%
Grade 8	87.4%	0.9%	6.3%	0.9%	0.0%	4.5%
Grade 10	74.9%	12.0%	8.0%	1.1%	0.0%	4.0%
Grade 12	61.0%	13.0%	16.3%	2.4%	1.6%	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 4 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table T-7: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Tobacco?						
	All	66.8%	21.9%	7.2%	1.3%	2.9%
	Grade 7	71.6%	19.1%	3.5%	2.1%	3.5%
	Grade 8	82.5%	12.3%	3.5%	0.9%	0.9%
	Grade 10	56.0%	30.3%	9.7%	1.1%	2.9%
	Grade 12	51.6%	29.0%	13.7%	0.8%	4.8%
Electronic Vapor Products?						
	All	58.8%	11.1%	13.4%	12.1%	4.5%
	Grade 7	62.1%	13.6%	13.6%	6.4%	4.3%
	Grade 8	67.5%	12.3%	6.1%	11.4%	2.6%
	Grade 10	54.9%	8.0%	16.0%	16.6%	4.6%
	Grade 12	47.6%	9.7%	20.2%	15.3%	7.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Alcohol

Table A-1: How Recently, If Ever, Have You Used...

	Past Month	School Year	Ever Used	Never Used
Any Alcohol Product?				
All	38.3%	44.0%	62.4%	37.6%
Grade 7	29.1%	32.6%	55.3%	44.7%
Grade 8	33.1%	36.4%	55.9%	44.1%
Grade 10	46.1%	53.4%	67.4%	32.6%
Grade 12	48.4%	58.1%	74.2%	25.8%
Beer?				
All	19.2%	27.9%	52.4%	47.6%
Grade 7	8.5%	12.8%	42.6%	57.4%
Grade 8	12.9%	23.3%	47.4%	52.6%
Grade 10	27.5%	37.6%	56.7%	43.3%
Grade 12	31.5%	41.9%	66.1%	33.9%
Wine Coolers?				
All	13.2%	20.5%	39.9%	60.1%
Grade 7	7.1%	9.9%	29.1%	70.9%
Grade 8	8.6%	12.9%	29.3%	70.7%
Grade 10	20.2%	33.1%	47.8%	52.2%
Grade 12	19.4%	29.8%	58.9%	41.1%
Wine?				
All	12.3%	17.2%	39.3%	60.7%
Grade 7	13.5%	13.5%	31.9%	68.1%
Grade 8	6.8%	12.0%	33.3%	66.7%
Grade 10	13.5%	25.3%	44.4%	55.6%
Grade 12	16.9%	20.2%	50.8%	49.2%
Liquor?				
All	13.5%	23.0%	42.8%	57.2%
Grade 7	3.5%	7.8%	30.5%	69.5%
Grade 8	6.0%	12.0%	28.2%	71.8%
Grade 10	21.3%	36.5%	56.2%	43.8%
Grade 12	27.4%	41.9%	62.9%	37.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 6 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table A-2: How Often Do You Normally Use Alcohol?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	54.9%	0.2%	2.6%	9.9%	11.2%	11.7%	9.5%
Grade 7	69.5%	0.0%	0.7%	3.5%	6.4%	10.6%	9.2%
Grade 8	62.8%	0.0%	0.0%	5.3%	9.7%	11.5%	10.6%
Grade 10	45.5%	0.0%	2.8%	14.8%	13.6%	11.9%	11.4%
Grade 12	36.6%	0.8%	8.1%	18.7%	16.3%	13.0%	6.5%

Table A-3: When You Drink the Following Alcoholic Beverages, How Many Drinks Do You Usually Have at One Time on Average?

		Never Drink This Beverage	Ever Used	5 or More	1 to 4	Less Than 1
Beer						
	All	52.5%	47.5%	12.9%	22.6%	12.0%
	Grade 7	61.7%	38.3%	5.0%	19.9%	13.5%
	Grade 8	58.8%	41.2%	3.5%	23.7%	14.0%
	Grade 10	50.6%	49.4%	18.2%	20.5%	10.8%
	Grade 12	35.0%	65.0%	29.3%	26.8%	8.9%
Wine Coolers						
	All	63.3%	36.7%	8.9%	20.8%	7.0%
	Grade 7	76.6%	23.4%	2.8%	12.8%	7.8%
	Grade 8	72.6%	27.4%	4.4%	15.0%	8.0%
	Grade 10	55.4%	44.6%	13.1%	26.3%	5.1%
	Grade 12	43.1%	56.9%	17.9%	32.5%	6.5%
Wine						
	All	67.4%	32.6%	5.0%	17.1%	10.5%
	Grade 7	75.9%	24.1%	2.8%	11.3%	9.9%
	Grade 8	69.9%	30.1%	3.5%	16.8%	9.7%
	Grade 10	65.9%	34.1%	4.0%	18.8%	11.4%
	Grade 12	55.3%	44.7%	10.6%	22.8%	11.4%
Liquor						
	All	61.1%	38.9%	10.1%	19.9%	8.9%
	Grade 7	75.7%	24.3%	2.9%	11.4%	10.0%
	Grade 8	74.1%	25.9%	2.7%	14.3%	8.9%
	Grade 10	48.3%	51.7%	13.1%	27.8%	10.8%
	Grade 12	39.8%	60.2%	25.2%	29.3%	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table A-4: During the Past 30 Days, on How Many Days Have You Had Five or More Drinks of Alcohol in a Two Hour Period?

	Never/None	1 Day	2 Days	3 to 5 Days	6 to 9 Days	10+ Days
All	85.8%	5.5%	2.6%	3.5%	0.5%	2.2%
Grade 7	96.4%	1.4%	0.7%	0.7%	0.0%	0.7%
Grade 8	93.8%	3.5%	0.0%	0.9%	0.0%	1.8%
Grade 10	78.7%	8.6%	5.7%	4.6%	0.6%	1.7%
Grade 12	70.2%	9.7%	4.8%	8.9%	1.6%	4.8%

Table A-5: Average Age of First Use of Alcohol

	All	Grade 7	Grade 8	Grade 10	Grade 12
Any Alcohol	12.8	10.9	11.6	13.4	14.6

Table A-6: If You Wanted Some, How Difficult Would It Be to Get Alcohol?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	21.6%	14.0%	5.2%	10.5%	19.7%	29.0%
Grade 7	31.7%	20.1%	9.4%	10.1%	15.1%	13.7%
Grade 8	21.1%	22.8%	5.3%	9.6%	13.2%	28.1%
Grade 10	16.5%	6.8%	2.3%	11.4%	25.0%	38.1%
Grade 12	15.4%	2.4%	3.3%	11.4%	28.5%	39.0%

Table A-7: Since School Began In the Fall, on How Many Days (If Any) Have You Attended Class While Drunk on Alcohol

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	92.5%	5.1%	1.2%	1.2%
Grade 7	93.6%	4.3%	0.0%	2.1%
Grade 8	93.6%	4.5%	0.9%	0.9%
Grade 10	90.2%	8.6%	1.1%	0.0%
Grade 12	91.9%	3.2%	3.2%	1.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 8 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table A-8: School Year Absences and Conduct Problems by Alcohol Use

Average Days Absent Due to Illness or Other Reasons	
Alcohol Users	5.5
Alcohol Non-Users	4.3
Average Days Conduct Problems Reported	
Alcohol Users	3.4
Alcohol Non-Users	0.9

Table A-9: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Had a Good Bit to Drink?				
High School	89.5%	5.5%	3.8%	1.2%
Grade 10	94.2%	4.6%	1.2%	0.0%
Grade 12	84.7%	6.5%	6.5%	2.4%
Had Difficulties of Any Kind with Your Friends Because of Your Drinking?				
All	94.8%	4.2%	0.4%	0.6%
Grade 7	96.5%	1.4%	0.0%	2.1%
Grade 8	93.8%	5.4%	0.9%	0.0%
Grade 10	94.8%	4.6%	0.6%	0.0%
Grade 12	94.4%	5.6%	0.0%	0.0%

Table A-10: About How Many of Your Close Friends Use Alcohol?

	None	A Few	Some	Most	All
All	48.1%	23.8%	13.3%	11.7%	3.1%
Grade 7	64.7%	23.0%	10.1%	2.2%	0.0%
Grade 8	60.7%	20.5%	14.5%	3.4%	0.9%
Grade 10	28.7%	25.9%	15.5%	25.3%	4.6%
Grade 12	31.1%	27.0%	13.1%	20.5%	8.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 9 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table A-11: Thinking of Parties You Attended This School Year, How Often Was Alcohol Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	48.1%	8.5%	6.3%	6.3%	12.3%	0.6%	17.9%
Grade 7	56.7%	9.9%	5.0%	2.1%	7.1%	0.0%	19.1%
Grade 8	55.0%	12.6%	9.0%	2.7%	2.7%	0.9%	17.1%
Grade 10	42.0%	4.6%	6.9%	11.5%	15.5%	0.6%	19.0%
Grade 12	35.5%	5.6%	4.0%	10.5%	27.4%	0.8%	16.1%

Table A-12: How Often, If Ever, Do You Get Alcoholic Beverages From...

		Do Not Drink	Never	Seldom	Most of the Time	Always
Home?						
	All	58.5%	15.1%	16.3%	7.3%	2.7%
	Grade 7	67.9%	14.3%	12.1%	2.9%	2.9%
	Grade 8	62.8%	15.9%	15.0%	5.3%	0.9%
	Grade 10	55.4%	14.1%	18.1%	7.3%	5.1%
	Grade 12	45.2%	16.1%	21.0%	15.3%	2.4%
Friends?						
	All	56.9%	13.2%	16.9%	9.7%	3.4%
	Grade 7	68.6%	15.0%	14.3%	1.4%	0.7%
	Grade 8	66.4%	15.9%	10.6%	5.3%	1.8%
	Grade 10	47.5%	10.2%	23.7%	12.4%	6.2%
	Grade 12	40.3%	10.5%	21.0%	22.6%	5.6%
A Store?						
	All	62.5%	27.0%	5.5%	3.6%	1.5%
	Grade 7	73.4%	22.3%	2.9%	0.7%	0.7%
	Grade 8	69.9%	22.1%	4.4%	2.7%	0.9%
	Grade 10	56.8%	30.1%	8.0%	2.8%	2.3%
	Grade 12	46.0%	35.5%	7.3%	8.9%	2.4%
Parties?						
	All	55.8%	12.3%	12.3%	12.2%	7.5%
	Grade 7	68.6%	12.1%	10.7%	5.7%	2.9%
	Grade 8	65.2%	12.5%	8.0%	10.7%	3.6%
	Grade 10	49.2%	10.7%	12.4%	16.9%	10.7%
	Grade 12	35.5%	13.7%	19.4%	16.9%	14.5%
Other Sources?						
	All	61.4%	19.0%	7.9%	6.8%	5.0%
	Grade 7	72.3%	13.9%	8.8%	2.2%	2.9%
	Grade 8	66.4%	19.5%	3.5%	8.0%	2.7%
	Grade 10	58.0%	20.5%	9.7%	6.3%	5.7%
	Grade 12	45.5%	22.8%	10.6%	11.4%	9.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 10 of 108

Table A-13: How Do Your Parents Feel About Kids Your Age Drinking Alcohol?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	58.0%	15.6%	14.6%	4.5%	1.6%	5.7%
Grade 7	67.9%	12.9%	7.1%	0.7%	2.1%	9.3%
Grade 8	64.9%	13.5%	9.9%	5.4%	0.9%	5.4%
Grade 10	52.0%	16.0%	19.4%	7.4%	1.7%	3.4%
Grade 12	43.4%	21.3%	24.6%	4.9%	1.6%	4.1%

Table A-14: How Dangerous Do You Think It Is for Kids Your Age to Use Alcohol?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	51.1%	28.1%	15.8%	2.0%	3.0%
Grade 7	51.8%	31.2%	10.6%	2.1%	4.3%
Grade 8	60.5%	19.3%	18.4%	0.9%	0.9%
Grade 10	45.7%	31.4%	18.9%	2.3%	1.7%
Grade 12	43.5%	32.3%	15.3%	3.2%	5.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Drugs

Table D-1: How Recently, If Ever, Have You Used...

		Past Month	School Year	Ever Used	Never Used
Any Illicit Drug?					
	All	13.6%	18.5%	26.1%	73.9%
	Grade 7	13.5%	15.6%	18.4%	81.6%
	Grade 8	10.2%	13.6%	19.5%	80.5%
	Grade 10	14.0%	21.9%	29.8%	70.2%
	Grade 12	17.7%	25.0%	40.3%	59.7%
Marijuana?					
	All	12.8%	16.6%	24.9%	75.1%
	Grade 7	12.1%	14.9%	17.7%	82.3%
	Grade 8	10.2%	11.9%	17.8%	82.2%
	Grade 10	12.9%	19.1%	27.5%	72.5%
	Grade 12	16.9%	22.6%	40.3%	59.7%
Cocaine?					
	All	2.8%	3.4%	5.1%	94.9%
	Grade 7	3.5%	3.5%	3.5%	96.5%
	Grade 8	0.8%	1.7%	2.5%	97.5%
	Grade 10	1.7%	1.7%	3.4%	96.6%
	Grade 12	5.6%	7.3%	12.1%	87.9%
Crack?					
	All	0.9%	0.9%	1.4%	98.6%
	Grade 7	1.4%	1.4%	1.4%	98.6%
	Grade 8	1.7%	1.7%	2.5%	97.5%
	Grade 10	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.8%	99.2%
Hallucinogens?					
	All	1.1%	1.3%	2.6%	97.4%
	Grade 7	0.7%	0.7%	1.4%	98.6%
	Grade 8	0.9%	0.9%	2.6%	97.4%
	Grade 10	0.6%	0.6%	1.7%	98.3%
	Grade 12	2.4%	3.2%	4.8%	95.2%
Synthetic Cathinones?					
	All	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.9%	0.9%	1.7%	98.3%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids?					
	All	0.4%	0.7%	1.3%	98.7%
	Grade 7	0.0%	0.7%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 10	0.0%	0.6%	0.6%	99.4%
	Grade 12	1.6%	1.6%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 12 of 108

Table D-1: How Recently, If Ever, Have You Used...
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy?					
	All	0.1%	0.7%	1.7%	98.3%
	Grade 7	0.0%	0.0%	0.7%	99.3%
	Grade 8	0.0%	0.8%	1.7%	98.3%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.0%	1.6%	4.0%	96.0%
Heroin?					
	All	0.2%	0.2%	0.8%	99.2%
	Grade 7	0.7%	0.7%	0.7%	99.3%
	Grade 8	0.0%	0.0%	1.7%	98.3%
	Grade 10	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine?					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	1.4%	1.4%	2.1%	97.9%
	Grade 8	0.0%	0.0%	1.7%	98.3%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.0%	0.8%	0.8%	99.2%
Synthetic Marijuana?					
	All	1.6%	2.4%	4.1%	95.9%
	Grade 7	2.8%	2.8%	4.3%	95.7%
	Grade 8	1.7%	3.4%	4.3%	95.7%
	Grade 10	1.7%	2.8%	4.5%	95.5%
	Grade 12	0.0%	0.0%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Pampa ISD
District Report
2018

Table D-2: How Often Do You Normally Use...

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Marijuana?								
	All	81.3%	1.9%	2.2%	2.2%	2.9%	4.6%	4.9%
	Grade 7	88.6%	0.7%	1.4%	2.9%	2.1%	1.4%	2.9%
	Grade 8	85.0%	0.9%	1.8%	1.8%	0.9%	6.2%	3.5%
	Grade 10	78.5%	1.7%	3.4%	1.7%	3.4%	4.5%	6.8%
	Grade 12	70.7%	4.9%	2.4%	2.4%	5.7%	6.5%	7.3%
Cocaine?								
	All	96.6%	0.4%	0.4%	0.7%	0.5%	0.5%	0.9%
	Grade 7	97.9%	0.7%	0.7%	0.0%	0.0%	0.7%	0.0%
	Grade 8	98.2%	0.0%	0.0%	0.9%	0.0%	0.0%	0.9%
	Grade 10	97.7%	0.0%	0.0%	1.1%	0.0%	0.0%	1.1%
	Grade 12	91.8%	0.8%	0.8%	0.8%	2.5%	1.6%	1.6%
Crack?								
	All	99.1%	0.0%	0.2%	0.0%	0.3%	0.0%	0.4%
	Grade 7	99.3%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%
	Grade 8	98.2%	0.0%	0.0%	0.0%	0.9%	0.0%	0.9%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%
Steroids?								
	All	99.5%	0.0%	0.0%	0.0%	0.1%	0.2%	0.2%
	Grade 7	99.3%	0.0%	0.0%	0.0%	0.0%	0.0%	0.7%
	Grade 8	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 10	99.4%	0.0%	0.0%	0.0%	0.6%	0.0%	0.0%
	Grade 12	99.2%	0.0%	0.0%	0.0%	0.0%	0.8%	0.0%
Ecstasy?								
	All	98.8%	0.0%	0.0%	0.0%	0.0%	0.8%	0.4%
	Grade 7	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 8	98.2%	0.0%	0.0%	0.0%	0.0%	0.9%	0.9%
	Grade 10	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	96.7%	0.0%	0.0%	0.0%	0.0%	2.4%	0.8%
Heroin?								
	All	99.2%	0.0%	0.2%	0.0%	0.0%	0.0%	0.6%
	Grade 7	99.3%	0.0%	0.7%	0.0%	0.0%	0.0%	0.0%
	Grade 8	98.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%
	Grade 10	99.4%	0.0%	0.0%	0.0%	0.0%	0.0%	0.6%
	Grade 12	100.0%	0.0%	0.0%	0.0%	0.0%	0.0%	0.0%
Methamphetamine?								
	All	98.8%	0.1%	0.2%	0.0%	0.0%	0.0%	0.9%
	Grade 7	98.6%	0.0%	0.7%	0.0%	0.0%	0.0%	0.7%
	Grade 8	98.2%	0.0%	0.0%	0.0%	0.0%	0.0%	1.8%
	Grade 10	99.4%	0.6%	0.0%	0.0%	0.0%	0.0%	0.0%
	Grade 12	99.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 14 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table D-2: How Often Do You Normally Use...
(Continued)

		Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
Synthetic Marijuana?								
	All	97.1%	0.1%	0.4%	0.2%	0.8%	0.7%	0.6%
	Grade 7	97.1%	0.0%	0.7%	0.7%	0.7%	0.7%	0.0%
	Grade 8	96.4%	0.0%	0.9%	0.0%	1.8%	0.9%	0.0%
	Grade 10	96.6%	0.6%	0.0%	0.0%	0.6%	1.1%	1.1%
	Grade 12	98.3%	0.0%	0.0%	0.0%	0.0%	0.0%	1.7%

Table D-3: Average Age of First Use of...

	All	Grade 7	Grade 8	Grade 10	Grade 12
Marijuana	13.7	11.5	12.6	14.2	14.9
Cocaine	13.5	9.7	10.0	16.0	15.2
Crack	10.7	10.5	11.5	8.0	N/A
Steroids	11.0	11.0	N/A	N/A	N/A
Ecstasy	13.6	N/A	10.5	N/A	15.4
Heroin	12.0	10.0	12.0	15.0	N/A
Metham- phetamine	10.4	9.0	12.0	10.0	13.0
Synthetic Marijuana	13.0	12.2	12.8	14.4	12.7

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Pampa ISD
District Report
2018

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Marijuana?							
	All	31.3%	22.0%	6.0%	9.1%	12.1%	19.6%
	Grade 7	40.4%	28.4%	6.4%	7.8%	7.1%	9.9%
	Grade 8	31.6%	35.1%	6.1%	7.9%	6.1%	13.2%
	Grade 10	23.7%	14.7%	5.6%	11.3%	19.8%	24.9%
	Grade 12	27.6%	4.9%	5.7%	9.8%	17.9%	34.1%
Cocaine?							
	All	41.0%	30.5%	8.6%	9.0%	4.5%	6.3%
	Grade 7	48.9%	34.5%	8.6%	4.3%	0.7%	2.9%
	Grade 8	40.4%	41.2%	7.9%	7.0%	0.9%	2.6%
	Grade 10	34.7%	28.4%	9.1%	10.8%	8.5%	8.5%
	Grade 12	39.0%	13.8%	8.9%	15.4%	9.8%	13.0%
Crack?							
	All	43.3%	31.0%	10.7%	8.0%	2.1%	5.0%
	Grade 7	49.6%	34.5%	8.6%	3.6%	0.7%	2.9%
	Grade 8	41.2%	41.2%	9.6%	5.3%	0.0%	2.6%
	Grade 10	36.9%	29.0%	11.9%	10.8%	3.4%	8.0%
	Grade 12	45.0%	15.0%	13.3%	14.2%	5.0%	7.5%
Steroids?							
	All	46.1%	29.1%	9.7%	7.0%	3.9%	4.2%
	Grade 7	52.9%	32.9%	8.6%	1.4%	1.4%	2.9%
	Grade 8	44.7%	39.5%	9.6%	1.8%	1.8%	2.6%
	Grade 10	38.1%	29.5%	8.5%	11.4%	6.8%	5.7%
	Grade 12	48.0%	10.6%	12.2%	16.3%	6.5%	6.5%
Ecstasy?							
	All	50.4%	27.2%	7.8%	7.4%	2.8%	4.5%
	Grade 7	60.4%	28.8%	5.8%	2.9%	0.7%	1.4%
	Grade 8	50.9%	36.6%	7.1%	2.7%	0.9%	1.8%
	Grade 10	43.2%	30.1%	6.8%	9.7%	4.0%	6.3%
	Grade 12	45.1%	9.8%	12.3%	16.4%	6.6%	9.8%
Heroin?							
	All	48.6%	29.7%	9.3%	7.0%	2.0%	3.4%
	Grade 7	58.6%	30.7%	7.1%	0.7%	1.4%	1.4%
	Grade 8	45.6%	38.6%	9.6%	4.4%	0.9%	0.9%
	Grade 10	42.0%	29.3%	8.6%	10.3%	2.9%	6.9%
	Grade 12	47.2%	17.1%	12.2%	14.6%	3.3%	5.7%
Methamphetamine?							
	All	50.1%	28.2%	8.6%	6.1%	2.7%	4.3%
	Grade 7	58.2%	29.8%	7.1%	2.1%	1.4%	1.4%
	Grade 8	49.1%	36.8%	7.0%	4.4%	0.9%	1.8%
	Grade 10	42.4%	27.7%	9.0%	8.5%	5.1%	7.3%
	Grade 12	49.6%	15.4%	12.2%	10.6%	4.1%	8.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 16 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table D-4: If You Wanted Some, How Difficult Would It Be to Get...
(Continued)

		Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
Synthetic Marijuana?							
	All	48.6%	25.7%	8.5%	6.5%	4.3%	6.4%
	Grade 7	55.7%	28.6%	5.7%	4.3%	1.4%	4.3%
	Grade 8	49.1%	34.2%	7.0%	2.6%	2.6%	4.4%
	Grade 10	40.3%	26.1%	9.1%	8.5%	8.5%	7.4%
	Grade 12	48.0%	10.6%	13.0%	12.2%	5.7%	10.6%

Table D-5: Since School Began in The Fall, on How Many Days (If Any) Have You...

		None	1 to 3 Days	4 to 9 Days	10+ Days
Attended Class While High from Marijuana Use?					
	All	92.2%	3.8%	1.7%	2.2%
	Grade 7	92.2%	4.3%	1.4%	2.1%
	Grade 8	93.7%	3.6%	0.9%	1.8%
	Grade 10	93.1%	4.0%	1.7%	1.2%
	Grade 12	89.5%	3.2%	3.2%	4.0%
Attended Class While High from Use of Some Other Drug?					
	All	96.1%	1.6%	1.1%	1.2%
	Grade 7	97.2%	0.0%	0.7%	2.1%
	Grade 8	97.3%	1.8%	0.0%	0.9%
	Grade 10	96.0%	2.3%	1.7%	0.0%
	Grade 12	93.5%	2.4%	2.4%	1.6%

Table D-6: School Year Absences and Conduct Problems by Marijuana Use

Average Days Absent Due to Illness or Other Reasons	
Marijuana Users	6.8
Marijuana Non-Users	4.6
Average Days Conduct Problems Reported	
Marijuana Users	5.7
Marijuana Non-Users	1.4

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 17 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table D-7: During the Past Twelve Months, How Many Times (If Any) Have You...

	None	1-3 Times	4-9 Times	10+ Times
Driven a Car When You Have Felt High from Drugs?				
High School	93.1%	3.9%	1.1%	1.9%
Grade 10	94.2%	4.6%	0.6%	0.6%
Grade 12	91.9%	3.2%	1.6%	3.2%
Had Difficulties of Any Kind with Your Friends Because of Your Drug Use?				
All	96.3%	1.7%	0.6%	1.4%
Grade 7	95.0%	2.1%	0.0%	2.8%
Grade 8	97.3%	0.9%	0.0%	1.8%
Grade 10	97.7%	0.6%	1.7%	0.0%
Grade 12	95.2%	3.2%	0.8%	0.8%

Table D-8: About How Many of Your Close Friends Use Marijuana?

	None	A Few	Some	Most	All
All	61.1%	20.0%	9.9%	6.9%	2.0%
Grade 7	70.7%	15.7%	7.1%	5.0%	1.4%
Grade 8	71.8%	15.4%	7.7%	2.6%	2.6%
Grade 10	45.1%	25.1%	17.7%	9.7%	2.3%
Grade 12	51.6%	26.2%	8.2%	12.3%	1.6%

Table D-9: Thinking of Parties You Attended This School Year, How Often Were Marijuana and/or Other Drugs Used?

	Never	Seldom	Half the Time	Most of the Time	Always	Do Not Know	Did Not Attend
All	61.4%	6.3%	3.3%	3.8%	5.9%	1.4%	17.8%
Grade 7	67.9%	5.0%	0.7%	2.1%	2.9%	2.1%	19.3%
Grade 8	69.4%	5.4%	3.6%	1.8%	2.7%	0.0%	17.1%
Grade 10	55.2%	9.8%	4.6%	5.7%	5.2%	1.1%	18.4%
Grade 12	50.0%	5.6%	4.8%	6.5%	14.5%	2.4%	16.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-10: How Do Your Parents Feel About Kids Your Age Using Marijuana?

	Strongly Disapprove	Mildly Disapprove	Neither	Mildly Approve	Strongly Approve	Do Not Know
All	77.8%	6.7%	6.7%	1.9%	1.8%	5.0%
Grade 7	80.7%	2.9%	4.3%	2.1%	3.6%	6.4%
Grade 8	87.4%	4.5%	1.8%	1.8%	0.9%	3.6%
Grade 10	73.7%	8.6%	12.6%	0.6%	1.1%	3.4%
Grade 12	66.4%	12.3%	9.8%	3.3%	1.6%	6.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Marijuana?						
	All	61.2%	11.9%	12.3%	11.2%	3.3%
	Grade 7	70.9%	8.5%	10.6%	6.4%	3.5%
	Grade 8	73.7%	10.5%	7.9%	6.1%	1.8%
	Grade 10	49.7%	13.7%	17.7%	16.0%	2.9%
	Grade 12	45.2%	16.1%	14.5%	18.5%	5.6%
Cocaine?						
	All	87.7%	6.2%	0.9%	1.1%	4.1%
	Grade 7	85.7%	7.1%	0.0%	1.4%	5.7%
	Grade 8	91.2%	4.4%	1.8%	0.9%	1.8%
	Grade 10	88.0%	5.7%	1.7%	1.1%	3.4%
	Grade 12	85.5%	8.1%	0.0%	0.8%	5.6%
Crack?						
	All	88.9%	5.5%	0.1%	1.1%	4.4%
	Grade 7	84.4%	7.8%	0.0%	1.4%	6.4%
	Grade 8	92.1%	5.3%	0.0%	0.9%	1.8%
	Grade 10	89.7%	5.1%	0.6%	1.1%	3.4%
	Grade 12	89.5%	3.2%	0.0%	0.8%	6.5%
Ecstasy?						
	All	86.1%	6.2%	0.9%	0.9%	5.9%
	Grade 7	85.1%	5.7%	0.0%	0.7%	8.5%
	Grade 8	91.2%	4.4%	0.0%	0.9%	3.5%
	Grade 10	84.0%	8.0%	2.3%	1.1%	4.6%
	Grade 12	82.9%	7.3%	1.6%	0.8%	7.3%
Steroids?						
	All	84.2%	7.8%	1.2%	1.0%	5.7%
	Grade 7	81.6%	10.6%	0.7%	0.7%	6.4%
	Grade 8	89.5%	5.3%	0.0%	0.9%	4.4%
	Grade 10	82.8%	7.5%	2.9%	1.7%	5.2%
	Grade 12	82.1%	8.1%	1.6%	0.8%	7.3%
Heroin?						
	All	89.1%	3.5%	0.4%	1.1%	6.0%
	Grade 7	85.1%	5.7%	0.0%	1.4%	7.8%
	Grade 8	89.5%	3.5%	0.9%	0.9%	5.3%
	Grade 10	91.4%	3.4%	0.6%	1.1%	3.4%
	Grade 12	91.1%	0.8%	0.0%	0.8%	7.3%
Methamphetamine?						
	All	89.1%	3.6%	0.3%	1.1%	6.0%
	Grade 7	85.0%	5.7%	0.0%	1.4%	7.9%
	Grade 8	90.4%	4.4%	0.0%	0.9%	4.4%
	Grade 10	90.3%	2.9%	1.1%	1.1%	4.6%
	Grade 12	91.1%	0.8%	0.0%	0.8%	7.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 20 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table D-11: How Dangerous Do You Think It Is for Kids Your Age to Use...
(Continued)

		Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
Synthetic Marijuana?						
	All	84.1%	5.8%	2.7%	1.4%	5.9%
	Grade 7	82.9%	6.4%	2.9%	1.4%	6.4%
	Grade 8	87.7%	6.1%	1.8%	0.0%	4.4%
	Grade 10	78.2%	8.0%	5.7%	2.9%	5.2%
	Grade 12	87.0%	2.4%	0.8%	1.6%	8.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-12: How Recently, If Ever, Have You Used the Following Prescription Drugs Not Prescribed to You...

	Past Month	School Year	Ever Used	Never Used
Any Prescription Drug?				
All	7.0%	11.0%	18.4%	81.6%
Grade 7	7.8%	10.6%	18.4%	81.6%
Grade 8	9.4%	12.0%	19.7%	80.3%
Grade 10	6.8%	13.0%	18.1%	81.9%
Grade 12	3.2%	8.1%	16.9%	83.1%
Codeine Cough Syrup?				
All	3.5%	6.0%	12.3%	87.7%
Grade 7	5.0%	7.1%	13.5%	86.5%
Grade 8	3.4%	4.3%	11.1%	88.9%
Grade 10	2.8%	7.3%	11.9%	88.1%
Grade 12	2.4%	5.6%	12.9%	87.1%
OxyContin, Percodan, Percocet, Oxycodone, Vicodin, Lortab, Lorcet, or Hydrocodone?				
All	1.3%	1.8%	3.5%	96.5%
Grade 7	0.7%	0.7%	2.1%	97.9%
Grade 8	1.7%	1.7%	2.6%	97.4%
Grade 10	1.1%	1.7%	3.4%	96.6%
Grade 12	1.6%	3.2%	6.5%	93.5%
Valium, Diazepam, Xanax, or Other Benzodiazepines?				
All	1.7%	2.7%	5.4%	94.6%
Grade 7	2.1%	2.1%	5.0%	95.0%
Grade 8	1.7%	1.7%	5.1%	94.9%
Grade 10	2.3%	3.4%	6.2%	93.8%
Grade 12	0.8%	4.0%	5.6%	94.4%
Adderall, Ritalin, Dexedrine, Concerta, or Focalin?				
All	0.9%	1.2%	2.5%	97.5%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	0.9%	0.9%	1.7%	98.3%
Grade 10	1.1%	1.1%	1.7%	98.3%
Grade 12	1.6%	3.2%	5.6%	94.4%
Any Other Prescription Drug Not Listed Above?				
All	4.6%	6.8%	10.4%	89.6%
Grade 7	5.8%	7.9%	12.2%	87.8%
Grade 8	6.8%	10.3%	15.4%	84.6%
Grade 10	3.4%	4.5%	6.2%	93.8%
Grade 12	1.6%	3.3%	5.7%	94.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table D-13: How Recently, If Ever, Have You Used the Following Over-The-Counter Drugs...

	Past Month	School Year	Ever Used	Never Used
DXM, Triple Cs, or Coricidin?				
All	0.8%	1.9%	4.0%	96.0%
Grade 7	1.4%	2.9%	3.6%	96.4%
Grade 8	0.0%	0.9%	4.3%	95.7%
Grade 10	1.7%	2.3%	2.3%	97.7%
Grade 12	0.0%	1.6%	5.7%	94.3%

Table D-14: How Dangerous Do you Think It Is for Kids Your Age to Use Any Prescription Drug Not Prescribed to Them?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	81.5%	9.5%	1.8%	1.9%	5.2%
Grade 7	81.4%	10.7%	0.0%	2.1%	5.7%
Grade 8	84.2%	7.0%	1.8%	2.6%	4.4%
Grade 10	78.3%	12.6%	3.4%	1.1%	4.6%
Grade 12	81.3%	8.1%	2.4%	1.6%	6.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 23 of 108

Inhalants

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...

	Past Month	School Year	Ever Used	Never Used
Any Inhalant?				
All	5.4%	9.2%	17.5%	82.5%
Grade 7	8.5%	11.3%	19.1%	80.9%
Grade 8	4.2%	8.5%	20.3%	79.7%
Grade 10	7.9%	11.8%	18.0%	82.0%
Grade 12	0.8%	4.8%	11.2%	88.8%
Spray Paint?				
All	0.6%	1.1%	2.7%	97.3%
Grade 7	0.7%	1.4%	3.6%	96.4%
Grade 8	0.0%	0.9%	3.4%	96.6%
Grade 10	1.1%	1.1%	2.8%	97.2%
Grade 12	0.8%	0.8%	0.8%	99.2%
Whiteout, Correction Fluid, or Magic Markers?				
All	1.0%	1.2%	4.4%	95.6%
Grade 7	0.7%	0.7%	5.8%	94.2%
Grade 8	1.7%	2.6%	6.8%	93.2%
Grade 10	0.6%	0.6%	2.3%	97.7%
Grade 12	0.8%	0.8%	1.6%	98.4%
Computer Dusting Sprays?				
All	0.3%	0.4%	1.2%	98.8%
Grade 7	0.0%	0.0%	0.7%	99.3%
Grade 8	0.0%	0.0%	0.9%	99.1%
Grade 10	0.6%	1.1%	1.1%	98.9%
Grade 12	0.8%	0.8%	2.4%	97.6%
Helium, Butane, Propane, Whippets, or Freon?				
All	2.1%	3.6%	9.2%	90.8%
Grade 7	1.4%	1.4%	7.2%	92.8%
Grade 8	0.9%	4.3%	12.0%	88.0%
Grade 10	5.6%	7.9%	12.9%	87.1%
Grade 12	0.8%	0.8%	4.0%	96.0%
Glue?				
All	0.3%	0.6%	1.4%	98.6%
Grade 7	0.0%	0.0%	1.4%	98.6%
Grade 8	0.0%	0.9%	2.6%	97.4%
Grade 10	0.6%	0.6%	0.6%	99.4%
Grade 12	0.8%	0.8%	0.8%	99.2%
Toluene, Paint Thinner, or Other Solvents?				
All	0.4%	1.0%	1.2%	98.8%
Grade 7	0.0%	0.7%	0.7%	99.3%
Grade 8	0.9%	1.7%	2.6%	97.4%
Grade 10	0.0%	0.6%	0.6%	99.4%
Grade 12	0.8%	0.8%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 24 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table I-1: How Recently, If Ever, Have You Used the Following Inhalants to Get High...
(Continued)

	Past Month	School Year	Ever Used	Never Used
Gasoline, Octane Booster, or Carburetor Cleaner?				
All	0.7%	1.0%	3.3%	96.7%
Grade 7	0.7%	0.7%	3.6%	96.4%
Grade 8	0.9%	0.9%	4.3%	95.7%
Grade 10	0.6%	1.1%	1.7%	98.3%
Grade 12	0.8%	1.6%	3.2%	96.8%
Other Aerosols/Sprays?				
All	0.8%	1.1%	1.9%	98.1%
Grade 7	1.4%	1.4%	2.2%	97.8%
Grade 8	0.9%	1.7%	3.4%	96.6%
Grade 10	0.0%	0.0%	0.0%	100.0%
Grade 12	0.8%	0.8%	1.6%	98.4%

Table I-2: How Often Do You Normally Use Inhalants?

	Never Used	Every Day	Several Times a Week	Several Times a Month	About Once a Month	About Once a Year	Less Than Once a Year
All	96.3%	0.0%	0.2%	0.4%	0.6%	1.3%	1.1%
Grade 7	95.0%	0.0%	0.7%	0.7%	1.4%	0.7%	1.4%
Grade 8	95.6%	0.0%	0.0%	0.9%	0.9%	1.8%	0.9%
Grade 10	96.0%	0.0%	0.0%	0.0%	0.0%	2.8%	1.1%
Grade 12	99.2%	0.0%	0.0%	0.0%	0.0%	0.0%	0.8%

Table I-3: Number of Different Kinds of Inhalants Used

	None	1 Kind	2 or 3 Kinds	4+ Kinds
All	86.3%	8.9%	2.9%	1.9%
Grade 7	85.1%	9.9%	3.5%	1.4%
Grade 8	83.1%	9.3%	4.2%	3.4%
Grade 10	85.4%	11.2%	1.7%	1.7%
Grade 12	92.8%	4.8%	1.6%	0.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table I-4: Average Age of First Use of Inhalants

	All	Grade 7	Grade 8	Grade 10	Grade 12
Inhalants	11.5	10.5	11.1	12.4	16.0

Table I-5: Since School Began in the Fall, on How Many Days (If Any) Have You Attended Class While High from Inhalant Use?

	None	1 to 3 Days	4 to 9 Days	10+ Days
All	97.6%	0.8%	0.6%	1.0%
Grade 7	97.8%	0.7%	0.0%	1.4%
Grade 8	96.4%	1.8%	0.9%	0.9%
Grade 10	98.9%	0.6%	0.6%	0.0%
Grade 12	97.6%	0.0%	0.8%	1.6%

Table I-6: School Year Absences and Conduct Problems by Inhalant Use

Average Days Absent Due to Illness or Other Reasons	
Inhalant Users	4.2
Inhalant Non-Users	4.9
Average Days Conduct Problems Reported	
Inhalant Users	9.5
Inhalant Non-Users	1.8

Table I-7: About How Many of Your Close Friends Use Inhalants?

	None	A Few	Some	Most	All
All	91.1%	5.6%	2.4%	0.8%	0.1%
Grade 7	86.3%	9.4%	3.6%	0.7%	0.0%
Grade 8	93.1%	3.4%	2.6%	0.9%	0.0%
Grade 10	88.6%	6.3%	2.9%	1.7%	0.6%
Grade 12	96.7%	3.3%	0.0%	0.0%	0.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 26 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table I-8: How Dangerous Do You Think It Is for Kids Your Age to Use Inhalants?

	Very Dangerous	Somewhat Dangerous	Not Very Dangerous	Not at All Dangerous	Do Not Know
All	76.6%	12.2%	3.2%	1.6%	6.3%
Grade 7	70.9%	17.7%	3.5%	1.4%	6.4%
Grade 8	82.5%	6.1%	5.3%	1.8%	4.4%
Grade 10	76.0%	14.3%	1.7%	1.7%	6.3%
Grade 12	76.6%	11.3%	1.6%	1.6%	8.9%

Table I-9: If You Wanted Some, How Difficult Would It Be to Get Inhalants?

	Never Heard of It	Impossible	Very Difficult	Somewhat Difficult	Somewhat Easy	Very Easy
All	43.0%	18.4%	4.3%	5.4%	10.3%	18.6%
Grade 7	46.1%	23.4%	5.7%	2.8%	6.4%	15.6%
Grade 8	43.0%	28.1%	4.4%	2.6%	8.8%	13.2%
Grade 10	40.7%	14.1%	2.8%	6.8%	16.4%	19.2%
Grade 12	41.8%	4.1%	4.1%	10.7%	10.7%	28.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 27 of 108

Miscellaneous

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?

	Yes
A School Health Class	
All	50.8%
Grade 7	27.9%
Grade 8	88.9%
Grade 10	43.7%
Grade 12	38.5%
An Assembly Program	
All	38.1%
Grade 7	37.9%
Grade 8	37.0%
Grade 10	42.4%
Grade 12	35.2%
Guidance Counselor	
All	32.7%
Grade 7	42.9%
Grade 8	34.3%
Grade 10	21.8%
Grade 12	29.8%
School Nurse	
All	27.3%
Grade 7	35.3%
Grade 8	29.0%
Grade 10	17.6%
Grade 12	25.4%
Science or Social Studies Class	
All	33.8%
Grade 7	37.4%
Grade 8	38.9%
Grade 10	31.4%
Grade 12	25.4%
Student Group or Club Meeting at School	
All	20.0%
Grade 7	17.3%
Grade 8	20.4%
Grade 10	19.9%
Grade 12	23.0%
An Invited School Guest	
All	28.8%
Grade 7	27.7%
Grade 8	27.1%
Grade 10	29.9%
Grade 12	31.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 28 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table X-1: Since School Began in the Fall, Have You Gotten Any Information on Drugs or Alcohol from the Following Sources?
(Continued)

		Yes
Another Source at School		
	All	34.2%
	Grade 7	38.1%
	Grade 8	30.8%
	Grade 10	32.0%
	Grade 12	36.1%
Any School Source		
	All	69.8%
	Grade 7	67.4%
	Grade 8	90.7%
	Grade 10	63.2%
	Grade 12	53.3%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?

	Yes
Counselor/Program In-School	
All	35.4%
Grade 7	40.4%
Grade 8	42.1%
Grade 10	28.2%
Grade 12	28.5%
School Nurse	
All	21.9%
Grade 7	26.4%
Grade 8	23.6%
Grade 10	15.9%
Grade 12	20.3%
Another Adult In School	
All	41.8%
Grade 7	40.0%
Grade 8	42.1%
Grade 10	43.2%
Grade 12	42.3%
Counselor/Program Outside-School	
All	38.2%
Grade 7	37.4%
Grade 8	38.3%
Grade 10	36.7%
Grade 12	40.7%
Your Parents	
All	70.1%
Grade 7	71.4%
Grade 8	72.2%
Grade 10	65.1%
Grade 12	70.7%
A Medical Doctor	
All	55.5%
Grade 7	58.3%
Grade 8	57.9%
Grade 10	50.6%
Grade 12	54.1%
Your Friends	
All	61.7%
Grade 7	61.3%
Grade 8	58.3%
Grade 10	63.7%
Grade 12	64.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-2: If You Had a Drug or Alcohol Problem and Needed Help, Who Would You Go To?
(Continued)

		Yes
Another Adult	All	53.5%
	Grade 7	50.7%
	Grade 8	54.6%
	Grade 10	56.2%
	Grade 12	52.8%

Table X-3: Since School Began in the Fall, Have You Sought Help, Other Than from Family or Friends, for Problems in Any Way Connected with Your Use of Alcohol, Marijuana, or Other Drugs?

		Yes
	All	7.6%
	Grade 7	9.4%
	Grade 8	4.5%
	Grade 10	8.1%
	Grade 12	8.9%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table X-4: About How Many of Your Close Friends...

	None	A Few	Some	Most	All
Feel Close to Their Parents?					
All	6.1%	23.7%	19.2%	36.0%	15.0%
Grade 7	4.3%	28.6%	17.9%	32.1%	17.1%
Grade 8	9.4%	20.5%	18.8%	34.2%	17.1%
Grade 10	5.1%	22.0%	24.3%	39.5%	9.0%
Grade 12	4.8%	24.0%	16.0%	39.2%	16.0%
Sometimes Carry Weapons?					
All	70.4%	17.4%	7.1%	3.5%	1.6%
Grade 7	78.3%	14.5%	5.1%	1.4%	0.7%
Grade 8	82.2%	11.9%	5.1%	0.8%	0.0%
Grade 10	56.5%	23.7%	10.2%	7.9%	1.7%
Grade 12	60.0%	21.6%	8.8%	4.8%	4.8%
Care About Making Good Grades?					
All	2.7%	14.0%	26.1%	40.0%	17.1%
Grade 7	5.8%	18.0%	37.4%	30.2%	8.6%
Grade 8	2.6%	17.4%	20.0%	38.3%	21.7%
Grade 10	1.1%	10.8%	25.6%	45.5%	17.0%
Grade 12	0.8%	8.2%	21.3%	48.4%	21.3%
Belong/Want to Belong to a Gang?					
All	84.2%	9.6%	3.4%	0.9%	1.8%
Grade 7	84.7%	7.3%	5.1%	0.7%	2.2%
Grade 8	77.6%	15.5%	4.3%	1.7%	0.9%
Grade 10	86.0%	9.6%	2.8%	1.1%	0.6%
Grade 12	90.4%	4.8%	0.8%	0.0%	4.0%
Wish They Could Drop Out of School?					
All	47.1%	29.5%	14.5%	5.5%	3.4%
Grade 7	38.2%	33.1%	16.9%	7.4%	4.4%
Grade 8	54.7%	25.6%	12.8%	4.3%	2.6%
Grade 10	39.7%	35.6%	17.2%	6.3%	1.1%
Grade 12	54.8%	24.2%	11.3%	4.0%	5.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 32 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

**Pampa ISD
District Report
2018**

Table X-5: How Safe Do You Feel When You Are...

		Very Safe	Somewhat Safe	Not Very Safe	Not Safe at All	Do Not Know
In Your Home?						
	All	83.2%	14.5%	0.8%	0.6%	1.0%
	Grade 7	80.0%	15.7%	1.4%	0.7%	2.1%
	Grade 8	83.9%	14.4%	0.8%	0.8%	0.0%
	Grade 10	80.6%	17.7%	0.0%	0.6%	1.1%
	Grade 12	88.6%	9.8%	0.8%	0.0%	0.8%
Out In Your Neighborhood?						
	All	42.5%	47.6%	7.1%	0.6%	2.2%
	Grade 7	40.4%	44.1%	9.6%	0.0%	5.9%
	Grade 8	38.5%	53.8%	6.0%	0.9%	0.9%
	Grade 10	41.7%	48.0%	8.6%	0.6%	1.1%
	Grade 12	51.2%	43.1%	4.1%	0.8%	0.8%
At School?						
	All	29.1%	50.4%	12.1%	4.8%	3.6%
	Grade 7	31.4%	45.3%	13.9%	5.8%	3.6%
	Grade 8	30.8%	49.6%	12.8%	3.4%	3.4%
	Grade 10	25.7%	52.0%	16.0%	4.6%	1.7%
	Grade 12	27.6%	56.1%	4.9%	5.7%	5.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 33 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

2 Prevalence Tables

**Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	24.1%	27.7%	39.2%	60.8%
Grade 7	14.9%	16.3%	25.5%	74.5%
Grade 8	14.4%	16.9%	30.5%	69.5%
Grade 10	31.5%	38.8%	48.3%	51.7%
Grade 12	40.3%	44.4%	58.1%	41.9%
Any Alcohol Product				
All	38.3%	44.0%	62.4%	37.6%
Grade 7	29.1%	32.6%	55.3%	44.7%
Grade 8	33.1%	36.4%	55.9%	44.1%
Grade 10	46.1%	53.4%	67.4%	32.6%
Grade 12	48.4%	58.1%	74.2%	25.8%
Any Illicit Drug				
All	13.6%	18.5%	26.1%	73.9%
Grade 7	13.5%	15.6%	18.4%	81.6%
Grade 8	10.2%	13.6%	19.5%	80.5%
Grade 10	14.0%	21.9%	29.8%	70.2%
Grade 12	17.7%	25.0%	40.3%	59.7%
Any Prescription Drug				
All	7.0%	11.0%	18.4%	81.6%
Grade 7	7.8%	10.6%	18.4%	81.6%
Grade 8	9.4%	12.0%	19.7%	80.3%
Grade 10	6.8%	13.0%	18.1%	81.9%
Grade 12	3.2%	8.1%	16.9%	83.1%
Any Inhalant				
All	5.4%	9.2%	17.5%	82.5%
Grade 7	8.5%	11.3%	19.1%	80.9%
Grade 8	4.2%	8.5%	20.3%	79.7%
Grade 10	7.9%	11.8%	18.0%	82.0%
Grade 12	0.8%	4.8%	11.2%	88.8%
Electronic Vapor Products				
All	21.0%	25.5%	35.5%	64.5%
Grade 7	11.3%	13.5%	20.6%	79.4%
Grade 8	13.7%	16.2%	29.9%	70.1%
Grade 10	27.7%	36.2%	43.5%	56.5%
Grade 12	35.8%	41.5%	52.8%	47.2%
Marijuana				
All	12.8%	16.6%	24.9%	75.1%
Grade 7	12.1%	14.9%	17.7%	82.3%
Grade 8	10.2%	11.9%	17.8%	82.2%
Grade 10	12.9%	19.1%	27.5%	72.5%
Grade 12	16.9%	22.6%	40.3%	59.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 35 of 108

Pampa ISD
District Report
2018

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	7.2%	10.4%	16.4%	83.6%
	Grade 7	6.4%	8.5%	11.3%	88.7%
	Grade 8	5.1%	6.8%	11.0%	89.0%
	Grade 10	8.4%	14.0%	20.2%	79.8%
	Grade 12	9.6%	13.6%	25.6%	74.4%
Cocaine or Crack					
	All	3.0%	3.6%	5.4%	94.6%
	Grade 7	3.5%	3.5%	3.5%	96.5%
	Grade 8	1.7%	2.5%	3.4%	96.6%
	Grade 10	1.7%	1.7%	3.9%	96.1%
	Grade 12	5.6%	7.3%	12.1%	87.9%
Cocaine					
	All	2.8%	3.4%	5.1%	94.9%
	Grade 7	3.5%	3.5%	3.5%	96.5%
	Grade 8	0.8%	1.7%	2.5%	97.5%
	Grade 10	1.7%	1.7%	3.4%	96.6%
	Grade 12	5.6%	7.3%	12.1%	87.9%
Crack					
	All	0.9%	0.9%	1.4%	98.6%
	Grade 7	1.4%	1.4%	1.4%	98.6%
	Grade 8	1.7%	1.7%	2.5%	97.5%
	Grade 10	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.8%	99.2%
Hallucinogens					
	All	1.1%	1.3%	2.6%	97.4%
	Grade 7	0.7%	0.7%	1.4%	98.6%
	Grade 8	0.9%	0.9%	2.6%	97.4%
	Grade 10	0.6%	0.6%	1.7%	98.3%
	Grade 12	2.4%	3.2%	4.8%	95.2%
Synthetic Cathinones					
	All	0.2%	0.2%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.9%	0.9%	1.7%	98.3%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.4%	0.7%	1.3%	98.7%
	Grade 7	0.0%	0.7%	0.7%	99.3%
	Grade 8	0.0%	0.0%	0.8%	99.2%
	Grade 10	0.0%	0.6%	0.6%	99.4%
	Grade 12	1.6%	1.6%	3.2%	96.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 36 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Pampa ISD
District Report
2018

Table B-1: Prevalence and Recency of Use of Selected Substances by Grade
All Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy					
	All	0.1%	0.7%	1.7%	98.3%
	Grade 7	0.0%	0.0%	0.7%	99.3%
	Grade 8	0.0%	0.8%	1.7%	98.3%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.0%	1.6%	4.0%	96.0%
Heroin					
	All	0.2%	0.2%	0.8%	99.2%
	Grade 7	0.7%	0.7%	0.7%	99.3%
	Grade 8	0.0%	0.0%	1.7%	98.3%
	Grade 10	0.0%	0.0%	0.6%	99.4%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	1.6%	2.4%	4.1%	95.9%
	Grade 7	2.8%	2.8%	4.3%	95.7%
	Grade 8	1.7%	3.4%	4.3%	95.7%
	Grade 10	1.7%	2.8%	4.5%	95.5%
	Grade 12	0.0%	0.0%	3.2%	96.8%
Methamphetamine					
	All	0.5%	0.7%	1.4%	98.6%
	Grade 7	1.4%	1.4%	2.1%	97.9%
	Grade 8	0.0%	0.0%	1.7%	98.3%
	Grade 10	0.6%	0.6%	0.6%	99.4%
	Grade 12	0.0%	0.8%	0.8%	99.2%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 37 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade Male Students

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	25.7%	28.5%	37.2%	62.8%
	Grade 7	15.7%	16.9%	21.7%	78.3%
	Grade 8	13.5%	13.5%	25.0%	75.0%
	Grade 10	33.7%	37.2%	45.3%	54.7%
	Grade 12	43.7%	50.7%	62.0%	38.0%
Any Alcohol Product					
	All	33.0%	39.4%	56.7%	43.3%
	Grade 7	21.7%	24.1%	48.2%	51.8%
	Grade 8	25.0%	30.8%	48.1%	51.9%
	Grade 10	43.0%	48.8%	61.6%	38.4%
	Grade 12	46.5%	59.2%	71.8%	28.2%
Any Illicit Drug					
	All	11.6%	16.8%	22.5%	77.5%
	Grade 7	12.0%	12.0%	14.5%	85.5%
	Grade 8	5.8%	9.6%	11.5%	88.5%
	Grade 10	15.1%	25.6%	29.1%	70.9%
	Grade 12	14.1%	22.5%	38.0%	62.0%
Any Prescription Drug					
	All	7.7%	11.4%	17.6%	82.4%
	Grade 7	4.8%	9.6%	15.7%	84.3%
	Grade 8	15.7%	15.7%	17.6%	82.4%
	Grade 10	8.2%	14.1%	21.2%	78.8%
	Grade 12	2.8%	7.0%	16.9%	83.1%
Any Inhalant					
	All	5.8%	10.1%	17.0%	83.0%
	Grade 7	8.4%	12.0%	18.1%	81.9%
	Grade 8	3.8%	7.7%	15.4%	84.6%
	Grade 10	9.3%	14.0%	16.3%	83.7%
	Grade 12	1.4%	6.9%	18.1%	81.9%
Electronic Vapor Products					
	All	21.5%	25.5%	34.5%	65.5%
	Grade 7	9.6%	12.0%	18.1%	81.9%
	Grade 8	13.7%	13.7%	25.5%	74.5%
	Grade 10	27.9%	33.7%	39.5%	60.5%
	Grade 12	38.6%	47.1%	60.0%	40.0%
Marijuana					
	All	10.7%	14.9%	21.3%	78.7%
	Grade 7	10.8%	12.0%	14.5%	85.5%
	Grade 8	5.8%	7.7%	9.6%	90.4%
	Grade 10	14.0%	22.1%	25.6%	74.4%
	Grade 12	12.7%	19.7%	38.0%	62.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Pampa ISD
District Report
2018

Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	4.9%	8.1%	11.9%	88.1%
	Grade 7	3.6%	3.6%	6.0%	94.0%
	Grade 8	1.9%	3.8%	3.8%	96.2%
	Grade 10	9.3%	17.4%	20.9%	79.1%
	Grade 12	5.6%	9.7%	19.4%	80.6%
Cocaine or Crack					
	All	3.8%	5.0%	7.9%	92.1%
	Grade 7	3.6%	3.6%	3.6%	96.4%
	Grade 8	1.9%	3.8%	5.8%	94.2%
	Grade 10	1.2%	1.2%	4.7%	95.3%
	Grade 12	8.5%	11.3%	18.3%	81.7%
Cocaine					
	All	3.8%	5.0%	7.7%	92.3%
	Grade 7	3.6%	3.6%	3.6%	96.4%
	Grade 8	1.9%	3.8%	5.8%	94.2%
	Grade 10	1.2%	1.2%	3.5%	96.5%
	Grade 12	8.5%	11.3%	18.3%	81.7%
Crack					
	All	1.2%	1.2%	2.3%	97.7%
	Grade 7	2.4%	2.4%	2.4%	97.6%
	Grade 8	1.9%	1.9%	3.8%	96.2%
	Grade 10	0.0%	0.0%	1.2%	98.8%
	Grade 12	0.0%	0.0%	1.4%	98.6%
Hallucinogens					
	All	1.8%	2.1%	3.6%	96.4%
	Grade 7	1.2%	1.2%	2.4%	97.6%
	Grade 8	2.0%	2.0%	3.9%	96.1%
	Grade 10	1.2%	1.2%	1.2%	98.8%
	Grade 12	2.8%	4.2%	7.0%	93.0%
Synthetic Cathinones					
	All	0.5%	0.5%	1.0%	99.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	2.0%	2.0%	3.9%	96.1%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.7%	1.0%	1.4%	98.6%
	Grade 7	0.0%	1.2%	1.2%	98.8%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	2.8%	2.8%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 39 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

**Table B-2: Prevalence and Recency of Use of Selected Substances by Grade
Male Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.0%	0.8%	2.0%	98.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	1.9%	3.8%	96.2%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	1.4%	4.2%	95.8%
Heroin	All	0.4%	0.4%	1.3%	98.7%
	Grade 7	1.2%	1.2%	1.2%	98.8%
	Grade 8	0.0%	0.0%	3.8%	96.2%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	2.5%	2.8%	4.5%	95.5%
	Grade 7	3.6%	3.6%	6.0%	94.0%
	Grade 8	3.9%	3.9%	3.9%	96.1%
	Grade 10	2.3%	3.5%	3.5%	96.5%
	Grade 12	0.0%	0.0%	4.2%	95.8%
Methamphetamine	All	1.0%	1.3%	2.6%	97.4%
	Grade 7	2.4%	2.4%	3.6%	96.4%
	Grade 8	0.0%	0.0%	3.9%	96.1%
	Grade 10	1.2%	1.2%	1.2%	98.8%
	Grade 12	0.0%	1.4%	1.4%	98.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 40 of 108

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	22.4%	27.0%	41.5%	58.5%
	Grade 7	13.8%	15.5%	31.0%	69.0%
	Grade 8	15.2%	19.7%	34.8%	65.2%
	Grade 10	29.7%	40.7%	51.6%	48.4%
	Grade 12	35.8%	35.8%	52.8%	47.2%
Any Alcohol Product					
	All	44.1%	48.8%	68.3%	31.7%
	Grade 7	39.7%	44.8%	65.5%	34.5%
	Grade 8	39.4%	40.9%	62.1%	37.9%
	Grade 10	49.5%	57.1%	72.5%	27.5%
	Grade 12	50.9%	56.6%	77.4%	22.6%
Any Illicit Drug					
	All	15.7%	20.3%	30.0%	70.0%
	Grade 7	15.5%	20.7%	24.1%	75.9%
	Grade 8	13.6%	16.7%	25.8%	74.2%
	Grade 10	13.2%	18.7%	30.8%	69.2%
	Grade 12	22.6%	28.3%	43.4%	56.6%
Any Prescription Drug					
	All	6.3%	10.6%	19.3%	80.7%
	Grade 7	12.1%	12.1%	22.4%	77.6%
	Grade 8	4.5%	9.1%	21.2%	78.8%
	Grade 10	5.5%	12.1%	15.4%	84.6%
	Grade 12	3.8%	9.4%	17.0%	83.0%
Any Inhalant					
	All	5.1%	8.2%	18.0%	82.0%
	Grade 7	8.6%	10.3%	20.7%	79.3%
	Grade 8	4.5%	9.1%	24.2%	75.8%
	Grade 10	6.6%	9.9%	19.8%	80.2%
	Grade 12	0.0%	1.9%	1.9%	98.1%
Electronic Vapor Products					
	All	20.6%	25.6%	36.7%	63.3%
	Grade 7	13.8%	15.5%	24.1%	75.9%
	Grade 8	13.6%	18.2%	33.3%	66.7%
	Grade 10	27.8%	38.9%	47.8%	52.2%
	Grade 12	32.1%	34.0%	43.4%	56.6%
Marijuana					
	All	15.0%	18.5%	28.8%	71.2%
	Grade 7	13.8%	19.0%	22.4%	77.6%
	Grade 8	13.6%	15.2%	24.2%	75.8%
	Grade 10	12.1%	16.5%	29.7%	70.3%
	Grade 12	22.6%	26.4%	43.4%	56.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 41 of 108

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	9.7%	12.9%	21.3%	78.7%
	Grade 7	10.3%	15.5%	19.0%	81.0%
	Grade 8	7.6%	9.1%	16.7%	83.3%
	Grade 10	7.7%	11.0%	19.8%	80.2%
	Grade 12	15.1%	18.9%	34.0%	66.0%
Cocaine or Crack					
	All	2.2%	2.2%	2.8%	97.2%
	Grade 7	3.4%	3.4%	3.4%	96.6%
	Grade 8	1.5%	1.5%	1.5%	98.5%
	Grade 10	2.2%	2.2%	3.3%	96.7%
	Grade 12	1.9%	1.9%	3.8%	96.2%
Cocaine					
	All	1.7%	1.7%	2.3%	97.7%
	Grade 7	3.4%	3.4%	3.4%	96.6%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	2.2%	2.2%	3.3%	96.7%
	Grade 12	1.9%	1.9%	3.8%	96.2%
Crack					
	All	0.5%	0.5%	0.5%	99.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	1.5%	1.5%	1.5%	98.5%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens					
	All	0.4%	0.4%	1.4%	98.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	1.5%	98.5%
	Grade 10	0.0%	0.0%	2.2%	97.8%
	Grade 12	1.9%	1.9%	1.9%	98.1%
Synthetic Cathinones					
	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.0%	0.3%	1.1%	98.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	1.5%	98.5%
	Grade 10	0.0%	1.1%	1.1%	98.9%
	Grade 12	0.0%	0.0%	1.9%	98.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-3: Prevalence and Recency of Use of Selected Substances by Grade
Female Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.3%	0.6%	1.4%	98.6%
	Grade 7	0.0%	0.0%	1.7%	98.3%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.1%	1.1%	1.1%	98.9%
	Grade 12	0.0%	1.9%	3.8%	96.2%
Heroin	All	0.0%	0.0%	0.3%	99.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	1.1%	98.9%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	0.7%	1.9%	3.6%	96.4%
	Grade 7	1.7%	1.7%	1.7%	98.3%
	Grade 8	0.0%	3.0%	4.5%	95.5%
	Grade 10	1.1%	2.2%	5.5%	94.5%
	Grade 12	0.0%	0.0%	1.9%	98.1%
Methamphetamine	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	29.1%	34.1%	44.4%	55.6%
	Grade 7	9.6%	9.6%	19.2%	80.8%
	Grade 8	21.6%	27.0%	40.5%	59.5%
	Grade 10	36.6%	45.1%	50.7%	49.3%
	Grade 12	45.5%	51.5%	63.6%	36.4%
Any Alcohol Product					
	All	34.7%	41.8%	58.4%	41.6%
	Grade 7	13.5%	15.4%	42.3%	57.7%
	Grade 8	24.3%	32.4%	51.4%	48.6%
	Grade 10	52.1%	59.2%	70.4%	29.6%
	Grade 12	47.0%	57.6%	68.2%	31.8%
Any Illicit Drug					
	All	10.5%	14.3%	23.3%	76.7%
	Grade 7	7.7%	9.6%	13.5%	86.5%
	Grade 8	10.8%	13.5%	18.9%	81.1%
	Grade 10	11.3%	16.9%	25.4%	74.6%
	Grade 12	12.1%	16.7%	33.3%	66.7%
Any Prescription Drug					
	All	8.4%	14.5%	20.4%	79.6%
	Grade 7	7.7%	13.5%	23.1%	76.9%
	Grade 8	18.9%	21.6%	27.0%	73.0%
	Grade 10	7.1%	17.1%	21.4%	78.6%
	Grade 12	1.5%	7.6%	12.1%	87.9%
Any Inhalant					
	All	4.0%	6.3%	15.0%	85.0%
	Grade 7	5.8%	5.8%	11.5%	88.5%
	Grade 8	5.4%	5.4%	18.9%	81.1%
	Grade 10	5.6%	9.9%	18.3%	81.7%
	Grade 12	0.0%	4.5%	12.1%	87.9%
Electronic Vapor Products					
	All	25.3%	31.9%	40.4%	59.6%
	Grade 7	5.8%	5.8%	13.5%	86.5%
	Grade 8	21.6%	27.0%	37.8%	62.2%
	Grade 10	29.6%	40.8%	45.1%	54.9%
	Grade 12	41.5%	50.8%	61.5%	38.5%
Marijuana					
	All	9.8%	12.6%	23.0%	77.0%
	Grade 7	7.7%	9.6%	13.5%	86.5%
	Grade 8	10.8%	13.5%	18.9%	81.1%
	Grade 10	9.9%	15.5%	23.9%	76.1%
	Grade 12	10.6%	12.1%	33.3%	66.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 44 of 108

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	6.5%	9.0%	15.7%	84.3%
	Grade 7	3.8%	5.8%	9.6%	90.4%
	Grade 8	5.4%	8.1%	13.5%	86.5%
	Grade 10	7.0%	11.3%	15.5%	84.5%
	Grade 12	9.1%	10.6%	22.7%	77.3%
Cocaine or Crack					
	All	2.5%	3.5%	5.6%	94.4%
	Grade 7	3.8%	3.8%	3.8%	96.2%
	Grade 8	2.7%	5.4%	5.4%	94.6%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 12	3.0%	4.5%	10.6%	89.4%
Cocaine					
	All	2.5%	3.5%	5.6%	94.4%
	Grade 7	3.8%	3.8%	3.8%	96.2%
	Grade 8	2.7%	5.4%	5.4%	94.6%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 12	3.0%	4.5%	10.6%	89.4%
Crack					
	All	0.6%	0.6%	1.7%	98.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	2.7%	2.7%	5.4%	94.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.5%	98.5%
Hallucinogens					
	All	0.6%	0.6%	2.8%	97.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	2.7%	2.7%	5.4%	94.6%
	Grade 10	0.0%	0.0%	2.8%	97.2%
	Grade 12	0.0%	0.0%	3.0%	97.0%
Synthetic Cathinones					
	All	0.6%	0.6%	1.3%	98.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	2.7%	2.7%	5.4%	94.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.0%	0.5%	1.4%	98.6%
	Grade 7	0.0%	1.9%	1.9%	98.1%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 45 of 108

**Table B-4: Prevalence and Recency of Use of Selected Substances by Grade
White Non-Hispanic Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.0%	0.6%	1.7%	98.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	2.7%	5.4%	94.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.5%	98.5%
Heroin	All	0.0%	0.0%	1.6%	98.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	5.4%	94.6%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	1.3%	1.6%	3.1%	96.9%
	Grade 7	0.0%	0.0%	1.9%	98.1%
	Grade 8	5.4%	5.4%	5.4%	94.6%
	Grade 10	0.0%	1.4%	4.2%	95.8%
	Grade 12	0.0%	0.0%	1.5%	98.5%
Methamphetamine	All	0.3%	0.3%	2.0%	98.0%
	Grade 7	0.0%	0.0%	1.9%	98.1%
	Grade 8	0.0%	0.0%	5.4%	94.6%
	Grade 10	1.4%	1.4%	1.4%	98.6%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 46 of 108

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
Grades 10&12	22.9%	30.5%	30.5%	69.5%
Any Alcohol Product				
Grades 10&12	22.9%	22.9%	41.0%	59.0%
Any Illicit Drug				
Grades 10&12	15.2%	33.3%	33.3%	66.7%
Any Prescription Drug				
Grades 10&12	7.6%	7.6%	7.6%	92.4%
Any Inhalant				
Grades 10&12	0.0%	0.0%	0.0%	100.0%
Electronic Vapor Products				
Grades 10&12	15.2%	30.5%	30.5%	69.5%
Marijuana				
Grades 10&12	15.2%	33.3%	33.3%	66.7%
Marijuana Only				
Grades 10&12	7.6%	25.7%	25.7%	74.3%
Cocaine or Crack				
Grades 10&12	0.0%	0.0%	0.0%	100.0%
Cocaine				
Grades 10&12	0.0%	0.0%	0.0%	100.0%
Crack				
Grades 10&12	0.0%	0.0%	0.0%	100.0%
Hallucinogens				
Grades 10&12	0.0%	0.0%	0.0%	100.0%
Synthetic Cathinones				
Grades 10&12	0.0%	0.0%	0.0%	100.0%
Steroids				
Grades 10&12	0.0%	0.0%	0.0%	100.0%
Ecstasy				
Grades 10&12	0.0%	0.0%	0.0%	100.0%
Heroin				
Grades 10&12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana				
Grades 10&12	7.6%	7.6%	7.6%	92.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 47 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

**Table B-5: Prevalence and Recency of Use of Selected Substances by Grade
African American Non-Hispanic Students**
(Continued)

	Past Month	School Year	Ever Used	Never Used
Methamphetamine				
Grades 10&12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	21.0%	23.5%	35.4%	64.6%
	Grade 7	18.2%	19.7%	27.3%	72.7%
	Grade 8	11.7%	13.3%	25.0%	75.0%
	Grade 10	25.6%	30.8%	43.6%	56.4%
	Grade 12	35.3%	37.3%	54.9%	45.1%
Any Alcohol Product					
	All	43.1%	48.4%	68.2%	31.8%
	Grade 7	39.4%	43.9%	62.1%	37.9%
	Grade 8	41.7%	41.7%	61.7%	38.3%
	Grade 10	41.0%	51.3%	69.2%	30.8%
	Grade 12	52.9%	62.7%	86.3%	13.7%
Any Illicit Drug					
	All	16.0%	20.5%	28.5%	71.5%
	Grade 7	16.7%	18.2%	19.7%	80.3%
	Grade 8	10.0%	11.7%	20.0%	80.0%
	Grade 10	15.4%	23.1%	32.1%	67.9%
	Grade 12	25.5%	35.3%	51.0%	49.0%
Any Prescription Drug					
	All	6.4%	8.7%	17.2%	82.8%
	Grade 7	7.6%	9.1%	16.7%	83.3%
	Grade 8	5.0%	6.7%	15.0%	85.0%
	Grade 10	7.7%	10.3%	15.4%	84.6%
	Grade 12	5.9%	9.8%	23.5%	76.5%
Any Inhalant					
	All	6.6%	10.8%	19.0%	81.0%
	Grade 7	9.1%	13.6%	21.2%	78.8%
	Grade 8	5.0%	8.3%	20.0%	80.0%
	Grade 10	10.3%	15.4%	21.8%	78.2%
	Grade 12	1.9%	5.8%	11.5%	88.5%
Electronic Vapor Products					
	All	18.3%	21.1%	32.0%	68.0%
	Grade 7	13.6%	16.7%	22.7%	77.3%
	Grade 8	10.0%	11.7%	25.0%	75.0%
	Grade 10	24.7%	29.9%	40.3%	59.7%
	Grade 12	31.4%	33.3%	47.1%	52.9%
Marijuana					
	All	15.3%	19.5%	27.6%	72.4%
	Grade 7	15.2%	16.7%	18.2%	81.8%
	Grade 8	10.0%	11.7%	20.0%	80.0%
	Grade 10	14.1%	20.5%	29.5%	70.5%
	Grade 12	25.5%	35.3%	51.0%	49.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 49 of 108

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	6.6%	10.1%	16.4%	83.6%
	Grade 7	7.6%	9.1%	10.6%	89.4%
	Grade 8	3.3%	5.0%	10.0%	90.0%
	Grade 10	7.7%	14.1%	21.8%	78.2%
	Grade 12	9.6%	15.4%	28.8%	71.2%
Cocaine or Crack					
	All	4.5%	4.9%	7.0%	93.0%
	Grade 7	4.5%	4.5%	4.5%	95.5%
	Grade 8	1.7%	1.7%	3.3%	96.7%
	Grade 10	3.8%	3.8%	7.7%	92.3%
	Grade 12	9.8%	11.8%	15.7%	84.3%
Cocaine					
	All	4.0%	4.3%	6.2%	93.8%
	Grade 7	4.5%	4.5%	4.5%	95.5%
	Grade 8	0.0%	0.0%	1.7%	98.3%
	Grade 10	3.8%	3.8%	6.4%	93.6%
	Grade 12	9.8%	11.8%	15.7%	84.3%
Crack					
	All	1.3%	1.3%	1.6%	98.4%
	Grade 7	3.0%	3.0%	3.0%	97.0%
	Grade 8	1.7%	1.7%	1.7%	98.3%
	Grade 10	0.0%	0.0%	1.3%	98.7%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens					
	All	1.4%	1.8%	2.3%	97.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	1.7%	98.3%
	Grade 10	1.3%	1.3%	1.3%	98.7%
	Grade 12	5.9%	7.8%	7.8%	92.2%
Synthetic Cathinones					
	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.8%	1.0%	1.6%	98.4%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	1.7%	98.3%
	Grade 10	0.0%	1.3%	1.3%	98.7%
	Grade 12	3.9%	3.9%	3.9%	96.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-6: Prevalence and Recency of Use of Selected Substances by Grade
Hispanic or Latino Students**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.3%	1.0%	2.2%	97.8%
	Grade 7	0.0%	0.0%	1.5%	98.5%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	1.3%	1.3%	1.3%	98.7%
	Grade 12	0.0%	3.9%	7.8%	92.2%
Heroin	All	0.4%	0.4%	0.4%	99.6%
	Grade 7	1.5%	1.5%	1.5%	98.5%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	2.2%	3.5%	5.9%	94.1%
	Grade 7	6.1%	6.1%	7.6%	92.4%
	Grade 8	0.0%	3.3%	5.0%	95.0%
	Grade 10	2.6%	3.8%	5.1%	94.9%
	Grade 12	0.0%	0.0%	5.9%	94.1%
Methamphetamine	All	0.8%	1.2%	1.2%	98.8%
	Grade 7	3.0%	3.0%	3.0%	97.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	2.0%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average**

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	18.3%	21.6%	29.2%	70.8%
Grade 7	4.5%	4.5%	11.4%	88.6%
Grade 8	9.8%	12.2%	17.1%	82.9%
Grade 10	20.3%	25.4%	33.9%	66.1%
Grade 12	36.8%	42.1%	52.6%	47.4%
Any Alcohol Product				
All	29.7%	36.6%	54.3%	45.7%
Grade 7	20.5%	20.5%	47.7%	52.3%
Grade 8	19.5%	24.4%	41.5%	58.5%
Grade 10	32.2%	42.4%	57.6%	42.4%
Grade 12	45.6%	57.9%	70.2%	29.8%
Any Illicit Drug				
All	5.9%	10.2%	15.8%	84.2%
Grade 7	2.3%	2.3%	2.3%	97.7%
Grade 8	4.9%	9.8%	12.2%	87.8%
Grade 10	5.1%	11.9%	16.9%	83.1%
Grade 12	10.5%	15.8%	29.8%	70.2%
Any Prescription Drug				
All	7.7%	13.1%	17.2%	82.8%
Grade 7	6.8%	11.4%	13.6%	86.4%
Grade 8	14.6%	19.5%	26.8%	73.2%
Grade 10	5.1%	11.9%	16.9%	83.1%
Grade 12	3.5%	8.8%	10.5%	89.5%
Any Inhalant				
All	2.2%	6.0%	13.5%	86.5%
Grade 7	0.0%	2.3%	6.8%	93.2%
Grade 8	2.4%	4.9%	14.6%	85.4%
Grade 10	5.1%	10.2%	18.6%	81.4%
Grade 12	1.7%	6.9%	13.8%	86.2%
Electronic Vapor Products				
All	17.0%	20.7%	26.5%	73.5%
Grade 7	2.3%	2.3%	4.5%	95.5%
Grade 8	9.8%	12.2%	17.1%	82.9%
Grade 10	18.6%	23.7%	30.5%	69.5%
Grade 12	35.1%	42.1%	50.9%	49.1%
Marijuana				
All	5.5%	7.8%	14.8%	85.2%
Grade 7	2.3%	2.3%	2.3%	97.7%
Grade 8	4.9%	7.3%	9.8%	90.2%
Grade 10	3.4%	8.5%	15.3%	84.7%
Grade 12	10.5%	12.3%	29.8%	70.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	2.7%	4.9%	9.0%	91.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	2.4%	2.4%	97.6%
	Grade 10	3.4%	8.5%	11.9%	88.1%
	Grade 12	6.9%	8.6%	20.7%	79.3%
Cocaine or Crack					
	All	0.5%	1.7%	3.9%	96.1%
	Grade 7	2.3%	2.3%	2.3%	97.7%
	Grade 8	0.0%	2.4%	4.9%	95.1%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	1.8%	7.0%	93.0%
Cocaine					
	All	0.5%	1.7%	3.9%	96.1%
	Grade 7	2.3%	2.3%	2.3%	97.7%
	Grade 8	0.0%	2.4%	4.9%	95.1%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	1.8%	7.0%	93.0%
Crack					
	All	0.5%	0.5%	1.7%	98.3%
	Grade 7	2.3%	2.3%	2.3%	97.7%
	Grade 8	0.0%	0.0%	2.4%	97.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.8%	98.2%
Hallucinogens					
	All	0.7%	0.7%	1.2%	98.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	2.4%	2.4%	2.4%	97.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	1.8%	98.2%
Synthetic Cathinones					
	All	0.7%	0.7%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	2.4%	2.4%	2.4%	97.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.5%	1.0%	1.5%	98.5%
	Grade 7	0.0%	2.3%	2.3%	97.7%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	1.8%	1.8%	3.5%	96.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Table B-7: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting A Grades on Average
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy					
	All	0.0%	1.2%	1.7%	98.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	2.4%	2.4%	97.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	1.8%	3.5%	96.5%
Heroin					
	All	0.5%	0.5%	1.6%	98.4%
	Grade 7	2.3%	2.3%	2.3%	97.7%
	Grade 8	0.0%	0.0%	2.4%	97.6%
	Grade 10	0.0%	0.0%	1.7%	98.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	1.2%	1.9%	2.3%	97.7%
	Grade 7	2.3%	2.3%	2.3%	97.7%
	Grade 8	2.4%	4.9%	4.9%	95.1%
	Grade 10	0.0%	0.0%	1.7%	98.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Methamphetamine					
	All	0.9%	0.9%	1.6%	98.4%
	Grade 7	2.3%	2.3%	2.3%	97.7%
	Grade 8	0.0%	0.0%	2.4%	97.6%
	Grade 10	1.7%	1.7%	1.7%	98.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 54 of 108

**Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average**

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	27.3%	31.1%	44.9%	55.1%
	Grade 7	19.6%	21.6%	32.0%	68.0%
	Grade 8	16.9%	19.5%	37.7%	62.3%
	Grade 10	37.0%	45.4%	55.5%	44.5%
	Grade 12	43.3%	46.3%	62.7%	37.3%
Any Alcohol Product					
	All	43.1%	48.1%	66.9%	33.1%
	Grade 7	33.0%	38.1%	58.8%	41.2%
	Grade 8	40.3%	42.9%	63.6%	36.4%
	Grade 10	52.9%	58.8%	72.3%	27.7%
	Grade 12	50.7%	58.2%	77.6%	22.4%
Any Illicit Drug					
	All	17.9%	23.1%	31.8%	68.2%
	Grade 7	18.6%	21.6%	25.8%	74.2%
	Grade 8	13.0%	15.6%	23.4%	76.6%
	Grade 10	18.5%	26.9%	36.1%	63.9%
	Grade 12	23.9%	32.8%	49.3%	50.7%
Any Prescription Drug					
	All	6.6%	9.8%	19.1%	80.9%
	Grade 7	8.2%	10.3%	20.6%	79.4%
	Grade 8	6.6%	7.9%	15.8%	84.2%
	Grade 10	7.6%	13.6%	18.6%	81.4%
	Grade 12	3.0%	7.5%	22.4%	77.6%
Any Inhalant					
	All	7.2%	11.0%	19.8%	80.2%
	Grade 7	12.4%	15.5%	24.7%	75.3%
	Grade 8	5.2%	10.4%	23.4%	76.6%
	Grade 10	9.2%	12.6%	17.6%	82.4%
	Grade 12	0.0%	3.0%	9.0%	91.0%
Electronic Vapor Products					
	All	23.3%	28.2%	40.6%	59.4%
	Grade 7	15.5%	18.6%	27.8%	72.2%
	Grade 8	15.8%	18.4%	36.8%	63.2%
	Grade 10	32.2%	42.4%	50.0%	50.0%
	Grade 12	36.4%	40.9%	54.5%	45.5%
Marijuana					
	All	16.8%	21.6%	30.5%	69.5%
	Grade 7	16.5%	20.6%	24.7%	75.3%
	Grade 8	13.0%	14.3%	22.1%	77.9%
	Grade 10	17.6%	24.4%	33.6%	66.4%
	Grade 12	22.4%	31.3%	49.3%	50.7%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 55 of 108

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	9.7%	13.5%	20.5%	79.5%
	Grade 7	9.3%	12.4%	16.5%	83.5%
	Grade 8	7.8%	9.1%	15.6%	84.4%
	Grade 10	10.9%	16.8%	24.4%	75.6%
	Grade 12	11.9%	17.9%	29.9%	70.1%
Cocaine or Crack					
	All	4.4%	4.7%	6.3%	93.7%
	Grade 7	4.1%	4.1%	4.1%	95.9%
	Grade 8	2.6%	2.6%	2.6%	97.4%
	Grade 10	2.5%	2.5%	5.9%	94.1%
	Grade 12	10.4%	11.9%	16.4%	83.6%
Cocaine					
	All	4.1%	4.3%	5.8%	94.2%
	Grade 7	4.1%	4.1%	4.1%	95.9%
	Grade 8	1.3%	1.3%	1.3%	98.7%
	Grade 10	2.5%	2.5%	5.0%	95.0%
	Grade 12	10.4%	11.9%	16.4%	83.6%
Crack					
	All	1.1%	1.1%	1.3%	98.7%
	Grade 7	1.0%	1.0%	1.0%	99.0%
	Grade 8	2.6%	2.6%	2.6%	97.4%
	Grade 10	0.0%	0.0%	0.8%	99.2%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens					
	All	1.3%	1.6%	3.3%	96.7%
	Grade 7	1.0%	1.0%	2.1%	97.9%
	Grade 8	0.0%	0.0%	2.6%	97.4%
	Grade 10	0.8%	0.8%	2.5%	97.5%
	Grade 12	4.5%	6.0%	7.5%	92.5%
Synthetic Cathinones					
	All	0.0%	0.0%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.3%	0.5%	1.1%	98.9%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 10	0.0%	0.8%	0.8%	99.2%
	Grade 12	1.5%	1.5%	3.0%	97.0%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 56 of 108

Table B-8: Prevalence and Recency of Use of Selected Substances by Grade
Students Reporting Grades Lower Than an A on Average
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.2%	0.5%	1.7%	98.3%
	Grade 7	0.0%	0.0%	1.0%	99.0%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 10	0.8%	0.8%	0.8%	99.2%
	Grade 12	0.0%	1.5%	4.5%	95.5%
Heroin	All	0.0%	0.0%	0.4%	99.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	1.9%	2.7%	5.1%	94.9%
	Grade 7	3.1%	3.1%	5.2%	94.8%
	Grade 8	1.3%	2.6%	3.9%	96.1%
	Grade 10	2.5%	4.2%	5.9%	94.1%
	Grade 12	0.0%	0.0%	6.0%	94.0%
Methamphetamine	All	0.3%	0.6%	1.2%	98.8%
	Grade 7	1.0%	1.0%	2.1%	97.9%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	1.5%	1.5%	98.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 57 of 108

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	20.1%	23.2%	32.2%	67.8%
	Grade 7	11.8%	12.9%	18.3%	81.7%
	Grade 8	10.1%	13.9%	24.1%	75.9%
	Grade 10	29.6%	33.3%	41.7%	58.3%
	Grade 12	35.5%	39.5%	52.6%	47.4%
Any Alcohol Product					
	All	36.7%	40.5%	58.5%	41.5%
	Grade 7	26.9%	30.1%	50.5%	49.5%
	Grade 8	31.6%	32.9%	50.6%	49.4%
	Grade 10	43.5%	50.0%	64.8%	35.2%
	Grade 12	50.0%	55.3%	73.7%	26.3%
Any Illicit Drug					
	All	10.8%	14.3%	20.7%	79.3%
	Grade 7	9.7%	9.7%	10.8%	89.2%
	Grade 8	6.3%	7.6%	15.2%	84.8%
	Grade 10	14.8%	23.1%	26.9%	73.1%
	Grade 12	14.5%	21.1%	35.5%	64.5%
Any Prescription Drug					
	All	6.0%	9.2%	14.9%	85.1%
	Grade 7	8.6%	11.8%	17.2%	82.8%
	Grade 8	5.1%	7.6%	12.7%	87.3%
	Grade 10	8.4%	12.1%	16.8%	83.2%
	Grade 12	1.3%	5.3%	13.2%	86.8%
Any Inhalant					
	All	3.6%	6.8%	15.1%	84.9%
	Grade 7	6.5%	7.5%	16.1%	83.9%
	Grade 8	1.3%	5.1%	15.2%	84.8%
	Grade 10	5.6%	11.1%	18.5%	81.5%
	Grade 12	1.3%	3.9%	10.4%	89.6%
Electronic Vapor Products					
	All	18.8%	22.2%	30.4%	69.6%
	Grade 7	10.8%	11.8%	15.1%	84.9%
	Grade 8	10.1%	13.9%	24.1%	75.9%
	Grade 10	26.2%	31.8%	38.3%	61.7%
	Grade 12	34.2%	38.2%	51.3%	48.7%
Marijuana					
	All	10.0%	13.3%	19.8%	80.2%
	Grade 7	7.5%	8.6%	9.7%	90.3%
	Grade 8	6.3%	7.6%	15.2%	84.8%
	Grade 10	13.9%	21.3%	24.1%	75.9%
	Grade 12	14.5%	19.7%	35.5%	64.5%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	6.6%	9.4%	13.8%	86.2%
	Grade 7	5.4%	5.4%	6.5%	93.5%
	Grade 8	3.8%	5.1%	10.1%	89.9%
	Grade 10	8.3%	15.7%	17.6%	82.4%
	Grade 12	10.4%	14.3%	24.7%	75.3%
Cocaine or Crack					
	All	2.0%	2.0%	4.3%	95.7%
	Grade 7	3.2%	3.2%	3.2%	96.8%
	Grade 8	1.3%	1.3%	2.5%	97.5%
	Grade 10	0.9%	0.9%	4.6%	95.4%
	Grade 12	2.6%	2.6%	7.9%	92.1%
Cocaine					
	All	1.6%	1.6%	3.7%	96.3%
	Grade 7	3.2%	3.2%	3.2%	96.8%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 10	0.9%	0.9%	3.7%	96.3%
	Grade 12	2.6%	2.6%	7.9%	92.1%
Crack					
	All	0.7%	0.7%	1.2%	98.8%
	Grade 7	1.1%	1.1%	1.1%	98.9%
	Grade 8	1.3%	1.3%	1.3%	98.7%
	Grade 10	0.0%	0.0%	0.9%	99.1%
	Grade 12	0.0%	0.0%	1.3%	98.7%
Hallucinogens					
	All	0.8%	0.8%	1.7%	98.3%
	Grade 7	1.1%	1.1%	1.1%	98.9%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 10	0.0%	0.0%	0.9%	99.1%
	Grade 12	2.6%	2.6%	3.9%	96.1%
Synthetic Cathinones					
	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.5%	1.0%	1.0%	99.0%
	Grade 7	0.0%	1.1%	1.1%	98.9%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.9%	0.9%	99.1%
	Grade 12	2.6%	2.6%	2.6%	97.4%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-9: Prevalence and Recency of Use of Selected Substances by Grade
Students Living with 2 Parents**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.2%	0.5%	0.7%	99.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	0.9%	0.9%	99.1%
	Grade 12	0.0%	1.3%	2.6%	97.4%
Heroin	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	0.5%	0.9%	2.3%	97.7%
	Grade 7	1.1%	1.1%	1.1%	98.9%
	Grade 8	0.0%	0.0%	1.3%	98.7%
	Grade 10	0.9%	2.8%	3.7%	96.3%
	Grade 12	0.0%	0.0%	3.9%	96.1%
Methamphetamine	All	0.5%	0.5%	0.5%	99.5%
	Grade 7	1.1%	1.1%	1.1%	98.9%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.9%	0.9%	0.9%	99.1%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 60 of 108

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	31.3%	36.1%	51.4%	48.6%
	Grade 7	20.8%	22.9%	39.6%	60.4%
	Grade 8	23.7%	23.7%	42.1%	57.9%
	Grade 10	34.3%	47.1%	58.6%	41.4%
	Grade 12	47.9%	52.1%	66.7%	33.3%
Any Alcohol Product					
	All	41.4%	50.6%	69.8%	30.2%
	Grade 7	33.3%	37.5%	64.6%	35.4%
	Grade 8	36.8%	44.7%	68.4%	31.6%
	Grade 10	50.0%	58.6%	71.4%	28.6%
	Grade 12	45.8%	62.5%	75.0%	25.0%
Any Illicit Drug					
	All	18.7%	26.1%	35.9%	64.1%
	Grade 7	20.8%	27.1%	33.3%	66.7%
	Grade 8	18.4%	26.3%	28.9%	71.1%
	Grade 10	12.9%	20.0%	34.3%	65.7%
	Grade 12	22.9%	31.3%	47.9%	52.1%
Any Prescription Drug					
	All	9.0%	14.3%	24.8%	75.2%
	Grade 7	6.3%	8.3%	20.8%	79.2%
	Grade 8	18.9%	21.6%	35.1%	64.9%
	Grade 10	4.3%	14.3%	20.0%	80.0%
	Grade 12	6.3%	12.5%	22.9%	77.1%
Any Inhalant					
	All	8.8%	13.5%	21.1%	78.9%
	Grade 7	12.5%	18.8%	25.0%	75.0%
	Grade 8	10.5%	15.8%	28.9%	71.1%
	Grade 10	11.4%	12.9%	17.1%	82.9%
	Grade 12	0.0%	6.3%	12.5%	87.5%
Electronic Vapor Products					
	All	25.3%	31.6%	44.4%	55.6%
	Grade 7	12.5%	16.7%	31.3%	68.8%
	Grade 8	21.6%	21.6%	40.5%	59.5%
	Grade 10	30.0%	42.9%	51.4%	48.6%
	Grade 12	38.3%	46.8%	55.3%	44.7%
Marijuana					
	All	17.8%	22.6%	34.1%	65.9%
	Grade 7	20.8%	27.1%	33.3%	66.7%
	Grade 8	18.4%	21.1%	23.7%	76.3%
	Grade 10	11.4%	15.7%	32.9%	67.1%
	Grade 12	20.8%	27.1%	47.9%	52.1%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 61 of 108

**Pampa ISD
District Report
2018**

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	8.3%	12.2%	21.2%	78.8%
	Grade 7	8.3%	14.6%	20.8%	79.2%
	Grade 8	7.9%	10.5%	13.2%	86.8%
	Grade 10	8.6%	11.4%	24.3%	75.7%
	Grade 12	8.3%	12.5%	27.1%	72.9%
Cocaine or Crack					
	All	4.9%	6.6%	7.6%	92.4%
	Grade 7	4.2%	4.2%	4.2%	95.8%
	Grade 8	2.6%	5.3%	5.3%	94.7%
	Grade 10	2.9%	2.9%	2.9%	97.1%
	Grade 12	10.4%	14.6%	18.8%	81.3%
Cocaine					
	All	4.9%	6.6%	7.6%	92.4%
	Grade 7	4.2%	4.2%	4.2%	95.8%
	Grade 8	2.6%	5.3%	5.3%	94.7%
	Grade 10	2.9%	2.9%	2.9%	97.1%
	Grade 12	10.4%	14.6%	18.8%	81.3%
Crack					
	All	1.2%	1.2%	1.9%	98.1%
	Grade 7	2.1%	2.1%	2.1%	97.9%
	Grade 8	2.6%	2.6%	5.3%	94.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens					
	All	1.6%	2.0%	4.1%	95.9%
	Grade 7	0.0%	0.0%	2.1%	97.9%
	Grade 8	2.7%	2.7%	5.4%	94.6%
	Grade 10	1.4%	1.4%	2.9%	97.1%
	Grade 12	2.1%	4.2%	6.3%	93.8%
Synthetic Cathinones					
	All	0.7%	0.7%	1.4%	98.6%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	2.7%	2.7%	5.4%	94.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.0%	0.0%	1.7%	98.3%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	2.6%	97.4%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	4.2%	95.8%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 62 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

**Table B-10: Prevalence and Recency of Use of Selected Substances by Grade
Students Not Living with 2 Parents**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy	All	0.0%	1.2%	3.4%	96.6%
	Grade 7	0.0%	0.0%	2.1%	97.9%
	Grade 8	0.0%	2.6%	5.3%	94.7%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	2.1%	6.3%	93.8%
Heroin	All	0.5%	0.5%	2.3%	97.7%
	Grade 7	2.1%	2.1%	2.1%	97.9%
	Grade 8	0.0%	0.0%	5.3%	94.7%
	Grade 10	0.0%	0.0%	1.4%	98.6%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana	All	3.7%	5.1%	7.4%	92.6%
	Grade 7	6.3%	6.3%	10.4%	89.6%
	Grade 8	5.4%	10.8%	10.8%	89.2%
	Grade 10	2.9%	2.9%	5.7%	94.3%
	Grade 12	0.0%	0.0%	2.1%	97.9%
Methamphetamine	All	0.5%	1.0%	2.9%	97.1%
	Grade 7	2.1%	2.1%	4.2%	95.8%
	Grade 8	0.0%	0.0%	5.4%	94.6%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	2.1%	2.1%	97.9%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 63 of 108

Table B-11: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Seek Help from Adults for Substance Abuse Problems

	Past Month	School Year	Ever Used	Never Used
Any Tobacco Product				
All	20.4%	23.8%	36.0%	64.0%
Grade 7	10.5%	12.3%	21.1%	78.9%
Grade 8	8.5%	9.8%	24.4%	75.6%
Grade 10	30.0%	36.4%	47.1%	52.9%
Grade 12	36.4%	41.4%	56.6%	43.4%
Any Alcohol Product				
All	34.5%	40.2%	58.8%	41.2%
Grade 7	25.4%	28.9%	53.5%	46.5%
Grade 8	24.4%	26.8%	46.3%	53.7%
Grade 10	44.3%	50.0%	65.7%	34.3%
Grade 12	47.5%	59.6%	72.7%	27.3%
Any Illicit Drug				
All	9.6%	14.4%	20.9%	79.1%
Grade 7	8.8%	11.4%	13.2%	86.8%
Grade 8	2.4%	4.9%	8.5%	91.5%
Grade 10	12.1%	20.0%	27.1%	72.9%
Grade 12	16.2%	23.2%	38.4%	61.6%
Any Prescription Drug				
All	5.5%	8.7%	15.4%	84.6%
Grade 7	6.1%	9.6%	14.9%	85.1%
Grade 8	7.3%	7.3%	15.9%	84.1%
Grade 10	5.0%	10.7%	15.7%	84.3%
Grade 12	3.0%	7.1%	15.2%	84.8%
Any Inhalant				
All	4.0%	6.2%	13.0%	87.0%
Grade 7	7.0%	8.8%	14.0%	86.0%
Grade 8	0.0%	1.2%	11.0%	89.0%
Grade 10	7.9%	10.7%	15.7%	84.3%
Grade 12	1.0%	4.0%	11.1%	88.9%
Electronic Vapor Products				
All	18.4%	22.3%	32.4%	67.6%
Grade 7	8.8%	11.4%	18.4%	81.6%
Grade 8	8.5%	9.8%	23.2%	76.8%
Grade 10	27.1%	32.9%	40.7%	59.3%
Grade 12	32.7%	39.8%	52.0%	48.0%
Marijuana				
All	8.9%	13.2%	20.2%	79.8%
Grade 7	7.0%	10.5%	12.3%	87.7%
Grade 8	2.4%	4.9%	8.5%	91.5%
Grade 10	11.4%	17.1%	25.0%	75.0%
Grade 12	16.2%	22.2%	38.4%	61.6%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 64 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

**Pampa ISD
District Report
2018**

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems
(Continued)**

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	5.8%	9.4%	14.8%	85.2%
	Grade 7	4.4%	7.0%	8.8%	91.2%
	Grade 8	1.2%	3.7%	4.9%	95.1%
	Grade 10	8.6%	14.3%	20.0%	80.0%
	Grade 12	10.1%	14.1%	28.3%	71.7%
Cocaine or Crack					
	All	1.5%	1.7%	3.6%	96.4%
	Grade 7	1.8%	1.8%	1.8%	98.2%
	Grade 8	0.0%	0.0%	1.2%	98.8%
	Grade 10	1.4%	1.4%	4.3%	95.7%
	Grade 12	3.0%	4.0%	8.1%	91.9%
Cocaine					
	All	1.5%	1.7%	3.5%	96.5%
	Grade 7	1.8%	1.8%	1.8%	98.2%
	Grade 8	0.0%	0.0%	1.2%	98.8%
	Grade 10	1.4%	1.4%	3.6%	96.4%
	Grade 12	3.0%	4.0%	8.1%	91.9%
Crack					
	All	0.2%	0.2%	0.4%	99.6%
	Grade 7	0.9%	0.9%	0.9%	99.1%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Hallucinogens					
	All	0.9%	1.1%	2.2%	97.8%
	Grade 7	0.9%	0.9%	1.8%	98.2%
	Grade 8	0.0%	0.0%	1.2%	98.8%
	Grade 10	0.7%	0.7%	2.1%	97.9%
	Grade 12	2.0%	3.0%	4.0%	96.0%
Synthetic Cathinones					
	All	0.0%	0.0%	0.0%	100.0%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.2%	0.5%	0.7%	99.3%
	Grade 7	0.0%	0.9%	0.9%	99.1%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	1.0%	1.0%	2.0%	98.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 65 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

**Table B-11: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Seek Help from Adults for Substance Abuse Problems**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy					
	All	0.0%	0.2%	0.9%	99.1%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	1.0%	4.0%	96.0%
Heroin					
	All	0.0%	0.0%	0.2%	99.8%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.7%	99.3%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	0.7%	1.1%	2.0%	98.0%
	Grade 7	1.8%	1.8%	1.8%	98.2%
	Grade 8	0.0%	1.2%	1.2%	98.8%
	Grade 10	0.7%	1.4%	2.1%	97.9%
	Grade 12	0.0%	0.0%	3.0%	97.0%
Methamphetamine					
	All	0.2%	0.5%	0.5%	99.5%
	Grade 7	0.9%	0.9%	0.9%	99.1%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	1.0%	1.0%	99.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 66 of 108

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade Students Who Would Not Seek Help from Adults for Substance Abuse Problems

		Past Month	School Year	Ever Used	Never Used
Any Tobacco Product					
	All	36.6%	41.6%	50.3%	49.7%
	Grade 7	33.3%	33.3%	44.4%	55.6%
	Grade 8	26.9%	34.6%	46.2%	53.8%
	Grade 10	33.3%	45.5%	51.5%	48.5%
	Grade 12	58.3%	58.3%	62.5%	37.5%
Any Alcohol Product					
	All	50.4%	55.8%	70.5%	29.5%
	Grade 7	44.4%	48.1%	63.0%	37.0%
	Grade 8	53.8%	57.7%	69.2%	30.8%
	Grade 10	48.5%	63.6%	72.7%	27.3%
	Grade 12	54.2%	54.2%	79.2%	20.8%
Any Illicit Drug					
	All	24.8%	29.7%	41.4%	58.6%
	Grade 7	33.3%	33.3%	40.7%	59.3%
	Grade 8	23.1%	26.9%	38.5%	61.5%
	Grade 10	21.2%	30.3%	42.4%	57.6%
	Grade 12	20.8%	29.2%	45.8%	54.2%
Any Prescription Drug					
	All	12.2%	19.6%	29.8%	70.2%
	Grade 7	14.8%	14.8%	33.3%	66.7%
	Grade 8	15.4%	26.9%	34.6%	65.4%
	Grade 10	12.1%	21.2%	27.3%	72.7%
	Grade 12	4.2%	12.5%	20.8%	79.2%
Any Inhalant					
	All	9.4%	16.8%	30.5%	69.5%
	Grade 7	14.8%	22.2%	40.7%	59.3%
	Grade 8	11.5%	19.2%	38.5%	61.5%
	Grade 10	9.1%	15.2%	24.2%	75.8%
	Grade 12	0.0%	8.3%	12.5%	87.5%
Electronic Vapor Products					
	All	28.8%	35.8%	45.7%	54.3%
	Grade 7	22.2%	22.2%	29.6%	70.4%
	Grade 8	23.1%	30.8%	46.2%	53.8%
	Grade 10	24.2%	45.5%	51.5%	48.5%
	Grade 12	50.0%	50.0%	58.3%	41.7%
Marijuana					
	All	23.3%	26.1%	39.6%	60.4%
	Grade 7	33.3%	33.3%	40.7%	59.3%
	Grade 8	23.1%	23.1%	34.6%	65.4%
	Grade 10	18.2%	27.3%	39.4%	60.6%
	Grade 12	16.7%	20.8%	45.8%	54.2%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

**Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems**
(Continued)

		Past Month	School Year	Ever Used	Never Used
Marijuana Only					
	All	10.3%	12.5%	20.9%	79.1%
	Grade 7	14.8%	14.8%	22.2%	77.8%
	Grade 8	11.5%	11.5%	23.1%	76.9%
	Grade 10	9.1%	15.2%	24.2%	75.8%
	Grade 12	4.2%	8.3%	12.5%	87.5%
Cocaine or Crack					
	All	8.2%	10.4%	12.1%	87.9%
	Grade 7	11.1%	11.1%	11.1%	88.9%
	Grade 8	3.8%	7.7%	7.7%	92.3%
	Grade 10	3.0%	3.0%	3.0%	97.0%
	Grade 12	16.7%	20.8%	29.2%	70.8%
Cocaine					
	All	8.2%	10.4%	12.1%	87.9%
	Grade 7	11.1%	11.1%	11.1%	88.9%
	Grade 8	3.8%	7.7%	7.7%	92.3%
	Grade 10	3.0%	3.0%	3.0%	97.0%
	Grade 12	16.7%	20.8%	29.2%	70.8%
Crack					
	All	2.2%	2.2%	4.3%	95.7%
	Grade 7	3.7%	3.7%	3.7%	96.3%
	Grade 8	3.8%	3.8%	7.7%	92.3%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	4.2%	95.8%
Hallucinogens					
	All	2.1%	2.1%	4.3%	95.7%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	3.8%	3.8%	7.7%	92.3%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	4.2%	4.2%	8.3%	91.7%
Synthetic Cathinones					
	All	1.2%	1.2%	2.5%	97.5%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	3.8%	3.8%	7.7%	92.3%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Steroids					
	All	0.9%	0.9%	1.8%	98.2%
	Grade 7	0.0%	0.0%	0.0%	100.0%
	Grade 8	0.0%	0.0%	0.0%	100.0%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	4.2%	4.2%	8.3%	91.7%

Percentages have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 68 of 108

Pampa ISD
District Report
2018

Table B-12: Prevalence and Recency of Use of Selected Substances by Grade
Students Who Would Not Seek Help from Adults for Substance Abuse Problems
(Continued)

		Past Month	School Year	Ever Used	Never Used
Ecstasy					
	All	0.0%	2.1%	4.3%	95.7%
	Grade 7	0.0%	0.0%	3.7%	96.3%
	Grade 8	0.0%	3.8%	7.7%	92.3%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	4.2%	4.2%	95.8%
Heroin					
	All	0.9%	0.9%	3.4%	96.6%
	Grade 7	3.7%	3.7%	3.7%	96.3%
	Grade 8	0.0%	0.0%	7.7%	92.3%
	Grade 10	0.0%	0.0%	0.0%	100.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%
Synthetic Marijuana					
	All	5.6%	7.5%	11.6%	88.4%
	Grade 7	7.4%	7.4%	14.8%	85.2%
	Grade 8	7.7%	11.5%	11.5%	88.5%
	Grade 10	6.1%	9.1%	15.2%	84.8%
	Grade 12	0.0%	0.0%	4.2%	95.8%
Methamphetamine					
	All	1.6%	1.6%	5.0%	95.0%
	Grade 7	3.7%	3.7%	7.4%	92.6%
	Grade 8	0.0%	0.0%	7.7%	92.3%
	Grade 10	3.0%	3.0%	3.0%	97.0%
	Grade 12	0.0%	0.0%	0.0%	100.0%

Percentages have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 69 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

3 Margin Tables

Gender

Q1	Frequency	Percent
Male	514	51.9%
Female	476	48.1%
Frequency Missing	1	

Hispanic or Latino

Q5a	Frequency	Percent
No	530	53.7%
Yes	458	46.3%
Frequency Missing	4	

Grade

Q2	Frequency	Percent
Grade 7	260	26.3%
Grade 8	287	29.0%
Grade 9	0	0.0%
Grade 10	225	22.8%
Grade 11	0	0.0%
Grade 12	217	22.0%
Frequency Missing	2	

Ethnicity

Q5b	Frequency	Percent
American Indian	37	3.9%
Asian American	6	0.6%
African American	36	3.8%
Pacific Islander	7	0.7%
White	445	46.6%
Other	253	26.5%
More Than One Race	172	18.0%
Frequency Missing	34	

Live with Both Parents

Q3	Frequency	Percent
No	353	35.7%
Yes	635	64.3%
Frequency Missing	2	

On Average What Grades Do You Get

Q6	Frequency	Percent
Mostly F's	3	0.3%
Mostly D's	7	0.7%
Mostly C's	102	10.3%
Mostly B's	522	52.6%
Mostly A's	357	36.0%
Frequency Missing	0	

Age

Q4	Frequency	Percent
11 or younger	2	0.2%
12	40	4.1%
13	287	29.0%
14	199	20.1%
15	61	6.2%
16	159	16.1%
17	73	7.4%
18	153	15.4%
19 or older	16	1.6%
Frequency Missing	0	

Do You Have a Job

Q7	Frequency	Percent
No	724	73.4%
Yes	263	26.6%
Frequency Missing	4	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 71 of 108

Qualify for Free/Reduced Lunch

Q8	Frequency	Percent
No	367	37.3%
Yes	401	40.8%
Don't Know	215	21.9%
Frequency Missing	8	

Participate in Student Government/School Newspaper/Yearbook

Q9e	Frequency	Percent
No	729	90.0%
Yes	81	10.0%
Frequency Missing	180	

Participate in School Athletics (UIL, Varsity, Jr Varsity)

Q9a	Frequency	Percent
No	444	47.8%
Yes	485	52.2%
Frequency Missing	62	

Participate in Academic Clubs/Societies/Competition Groups

Q9f	Frequency	Percent
No	638	76.6%
Yes	195	23.4%
Frequency Missing	158	

Participate in School Band/Orchestra

Q9b	Frequency	Percent
No	623	72.3%
Yes	239	27.7%
Frequency Missing	129	

Participate in Other School Clubs or Groups

Q9g	Frequency	Percent
No	629	76.4%
Yes	194	23.6%
Frequency Missing	168	

Participate in School Choir

Q9c	Frequency	Percent
No	619	73.1%
Yes	228	26.9%
Frequency Missing	144	

Participate in Athletic Teams Outside of School

Q9h	Frequency	Percent
No	570	66.6%
Yes	286	33.4%
Frequency Missing	135	

Participate in Drill Team/Cheerleading

Q9d	Frequency	Percent
No	777	96.4%
Yes	29	3.6%
Frequency Missing	185	

Participate in Other Clubs or Groups Outside of School

Q9i	Frequency	Percent
No	632	77.1%
Yes	187	22.9%
Frequency Missing	171	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 72 of 108

Do You Feel Safe in Your Home

Q10a	Frequency	Percent
Very Safe	816	83.2%
Somewhat Safe	142	14.5%
Not Very Safe	8	0.8%
Not Safe At All	6	0.6%
Don't Know	10	1.0%
Frequency Missing	9	

Highest Level of Schooling Completed by Mother

Q11b	Frequency	Percent
Grade School or Less	99	10.3%
Some High School	134	13.9%
Finished High School	195	20.3%
Some College	149	15.5%
Finished College	219	22.8%
Post-Secondary	87	9.1%
Don't Know or N/A	78	8.2%
Frequency Missing	29	

Do You Feel Safe in Your Neighborhood

Q10b	Frequency	Percent
Very Safe	413	42.5%
Somewhat Safe	463	47.6%
Not Very Safe	69	7.1%
Not Safe At All	5	0.6%
Don't Know	21	2.2%
Frequency Missing	19	

Parents Attend PTA/School Open Houses

Q12	Frequency	Percent
No	613	62.3%
Yes	370	37.7%
Frequency Missing	8	

Do You Feel Safe at School

Q10c	Frequency	Percent
Very Safe	283	29.1%
Somewhat Safe	491	50.4%
Not Very Safe	118	12.1%
Not Safe At All	47	4.8%
Don't Know	35	3.6%
Frequency Missing	17	

Friends Feeling Close to Their Parents

Q13a	Frequency	Percent
None	60	6.1%
A Few	234	23.7%
Some	189	19.2%
Most	354	36.0%
All	148	15.0%
Frequency Missing	6	

Highest Level of Schooling Completed by Father

Q11a	Frequency	Percent
Grade School or Less	130	13.5%
Some High School	127	13.2%
Finished High School	248	25.6%
Some College	127	13.1%
Finished College	140	14.5%
Post-Secondary	62	6.4%
Don't Know or N/A	132	13.6%
Frequency Missing	26	

How Many Friends Care About Good Grades

Q13b	Frequency	Percent
None	26	2.7%
A Few	136	14.0%
Some	254	26.1%
Most	389	40.0%
All	166	17.1%
Frequency Missing	19	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 73 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Friends Wishing to Drop Out of School

Q13c	Frequency	Percent
None	458	47.1%
A Few	287	29.5%
Some	141	14.5%
Most	53	5.5%
All	33	3.4%
Frequency Missing	18	

Recent Inhalant Use - Whiteout, Correction Fluid, Magic Markers

Q14b	Frequency	Percent
Never Heard/Used	937	95.6%
In Your Lifetime	31	3.1%
Since School Began	2	0.2%
In the Past Month	10	1.0%
Frequency Missing	11	

How Many Friends Carry Weapons

Q13d	Frequency	Percent
None	693	70.4%
A Few	171	17.4%
Some	69	7.1%
Most	34	3.5%
All	16	1.6%
Frequency Missing	7	

Recent Inhalant Use - Computer Dusting Sprays

Q14c	Frequency	Percent
Never Heard/Used	966	98.8%
In Your Lifetime	8	0.8%
Since School Began	1	0.1%
In the Past Month	3	0.3%
Frequency Missing	13	

How Many Friends Belong to a Gang

Q13e	Frequency	Percent
None	824	84.2%
A Few	94	9.6%
Some	33	3.4%
Most	9	0.9%
All	18	1.8%
Frequency Missing	12	

Recent Inhalant Use - Helium, Butane, Propane, Whippets, Refrigerants/Freon

Q14d	Frequency	Percent
Never Heard/Used	893	90.8%
In Your Lifetime	55	5.6%
Since School Began	15	1.5%
In the Past Month	21	2.1%
Frequency Missing	8	

Recent Inhalant Use - Spray Paint

Q14a	Frequency	Percent
Never Heard/Used	958	97.3%
In Your Lifetime	17	1.7%
Since School Began	4	0.4%
In the Past Month	6	0.6%
Frequency Missing	6	

Recent Inhalant Use - Glue

Q14e	Frequency	Percent
Never Heard/Used	965	98.6%
In Your Lifetime	9	0.9%
Since School Began	2	0.3%
In the Past Month	3	0.3%
Frequency Missing	12	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 74 of 108

**Recent Inhalant Use - Toluene, Paint
Thinner, Other Solvents**

Q14f	Frequency	Percent
Never Heard/Used	969	98.8%
In Your Lifetime	2	0.2%
Since School Began	6	0.6%
In the Past Month	4	0.4%
Frequency Missing	10	

Recent Smokeless Tobacco Use

Q15b	Frequency	Percent
Never Heard/Used	887	90.3%
In Your Lifetime	36	3.6%
Since School Began	18	1.8%
In the Past Month	42	4.3%
Frequency Missing	9	

**Recent Inhalant Use - Gasoline, Octane
Booster, Carburetor Cleaner**

Q14g	Frequency	Percent
Never Heard/Used	952	96.7%
In Your Lifetime	22	2.2%
Since School Began	3	0.3%
In the Past Month	7	0.7%
Frequency Missing	7	

Recent Beer Use

Q15c	Frequency	Percent
Never Heard/Used	521	53.6%
In Your Lifetime	177	18.2%
Since School Began	86	8.8%
In the Past Month	189	19.4%
Frequency Missing	18	

Recent Wine Cooler Use

Q15d	Frequency	Percent
Never Heard/Used	655	67.8%
In Your Lifetime	110	11.4%
Since School Began	71	7.4%
In the Past Month	130	13.5%
Frequency Missing	24	

Recent Inhalant Use - Other Aerosols/Sprays

Q14h	Frequency	Percent
Never Heard/Used	961	98.1%
In Your Lifetime	8	0.9%
Since School Began	2	0.3%
In the Past Month	8	0.8%
Frequency Missing	12	

Recent Wine Use

Q15e	Frequency	Percent
Never Heard/Used	638	65.8%
In Your Lifetime	162	16.7%
Since School Began	48	5.0%
In the Past Month	121	12.5%
Frequency Missing	21	

Recent Cigarette Use

Q15a	Frequency	Percent
Never Heard/Used	791	80.6%
In Your Lifetime	106	10.7%
Since School Began	24	2.5%
In the Past Month	61	6.2%
Frequency Missing	9	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Liquor Use

Q15f	Frequency	Percent
Never Heard/Used	601	62.4%
In Your Lifetime	136	14.1%
Since School Began	94	9.7%
In the Past Month	133	13.8%
Frequency Missing	27	

Recent Cocaine Use

Q16b	Frequency	Percent
Never Heard/Used	935	95.3%
In Your Lifetime	22	2.3%
Since School Began	10	1.0%
In the Past Month	15	1.5%
Frequency Missing	9	

Recent Inhalant Use

Q15g	Frequency	Percent
Never Heard/Used	931	95.6%
In Your Lifetime	32	3.3%
Since School Began	5	0.6%
In the Past Month	6	0.6%
Frequency Missing	16	

Recent Crack Use

Q16c	Frequency	Percent
Never Heard/Used	977	99.1%
In Your Lifetime	7	0.7%
Since School Began	2	0.2%
In the Past Month	0	0.0%
Frequency Missing	5	

Recent Electronic Vapor Product Use

Q15h	Frequency	Percent
Never Heard/Used	634	64.5%
In Your Lifetime	98	10.0%
Since School Began	44	4.5%
In the Past Month	207	21.0%
Frequency Missing	7	

Recent Hallucinogen Use

Q16e	Frequency	Percent
Never Heard/Used	960	97.4%
In Your Lifetime	13	1.3%
Since School Began	2	0.2%
In the Past Month	11	1.1%
Frequency Missing	5	

Recent Marijuana Use

Q16a	Frequency	Percent
Never Heard/Used	756	77.0%
In Your Lifetime	116	11.8%
Since School Began	38	3.9%
In the Past Month	71	7.2%
Frequency Missing	10	

Recent Synthetic Cathinone Use

Q16f	Frequency	Percent
Never Heard/Used	981	99.5%
In Your Lifetime	2	0.2%
Since School Began	0	0.0%
In the Past Month	2	0.2%
Frequency Missing	5	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Steroid Use

Q16g	Frequency	Percent
Never Heard/Used	976	99.0%
In Your Lifetime	4	0.4%
Since School Began	2	0.2%
In the Past Month	3	0.4%
Frequency Missing	5	

Recent Synthetic Marijuana Use

Q16k	Frequency	Percent
Never Heard/Used	949	96.5%
In Your Lifetime	21	2.2%
Since School Began	5	0.5%
In the Past Month	9	0.9%
Frequency Missing	7	

Recent Ecstasy Use

Q16h	Frequency	Percent
Never Heard/Used	969	98.3%
In Your Lifetime	10	1.0%
Since School Began	6	0.6%
In the Past Month	1	0.1%
Frequency Missing	5	

Recent Prescription Drug Use - Codeine

Q17a	Frequency	Percent
Never Heard/Used	864	87.7%
In Your Lifetime	62	6.3%
Since School Began	25	2.5%
In the Past Month	34	3.5%
Frequency Missing	5	

Recent Heroin Use

Q16i	Frequency	Percent
Never Heard/Used	978	99.4%
In Your Lifetime	6	0.6%
Since School Began	0	0.0%
In the Past Month	0	0.0%
Frequency Missing	7	

Recent Prescription Drug Use - Percocet Etc

Q17b	Frequency	Percent
Never Heard/Used	951	96.5%
In Your Lifetime	17	1.7%
Since School Began	5	0.5%
In the Past Month	13	1.3%
Frequency Missing	5	

Recent Methamphetamine Use

Q16j	Frequency	Percent
Never Heard/Used	967	98.6%
In Your Lifetime	9	0.9%
Since School Began	2	0.2%
In the Past Month	3	0.3%
Frequency Missing	10	

Recent Prescription Drug Use - Benzodiazepines Etc

Q17c	Frequency	Percent
Never Heard/Used	932	94.6%
In Your Lifetime	27	2.7%
Since School Began	9	1.0%
In the Past Month	17	1.7%
Frequency Missing	5	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Recent Prescription Drug Use - Adderall Etc

Q17d	Frequency	Percent
Never Heard/Used	960	97.5%
In Your Lifetime	13	1.3%
Since School Began	3	0.4%
In the Past Month	8	0.9%
Frequency Missing	7	

Alcohol Use in Past Month

Q19b	Frequency	Percent
Never Heard/Used	663	68.4%
1-2 times	186	19.2%
3-10 times	86	8.9%
11+ times	34	3.5%
Frequency Missing	22	

Recent Prescription Drug Use - Other Prescriptions

Q17e	Frequency	Percent
Never Heard/Used	877	89.6%
In Your Lifetime	35	3.6%
Since School Began	21	2.2%
In the Past Month	45	4.6%
Frequency Missing	13	

Inhalant Use in Past Month

Q19c	Frequency	Percent
Never Heard/Used	947	97.3%
1-2 times	20	2.1%
3-10 times	6	0.6%
11+ times	0	0.0%
Frequency Missing	18	

Take DXM, Triple Cs, Etc. to Get High

Q18	Frequency	Percent
Never Heard/Used	935	96.0%
In Your Lifetime	20	2.1%
Since School Began	11	1.1%
In the Past Month	7	0.8%
Frequency Missing	17	

Marijuana Use in Past Month

Q19d	Frequency	Percent
Never Heard/Used	860	88.1%
1-2 times	51	5.3%
3-10 times	34	3.5%
11+ times	31	3.1%
Frequency Missing	15	

Tobacco Use in Past Month

Q19a	Frequency	Percent
Never Heard/Used	860	88.2%
1-2 times	53	5.4%
3-10 times	19	2.0%
11+ times	43	4.4%
Frequency Missing	17	

Cocaine Use in Past Month

Q19e	Frequency	Percent
Never Heard/Used	954	97.7%
1-2 times	13	1.4%
3-10 times	5	0.5%
11+ times	4	0.4%
Frequency Missing	15	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Crack Use in Past Month

Q19f	Frequency	Percent
Never Heard/Used	962	99.1%
1-2 times	4	0.4%
3-10 times	0	0.0%
11+ times	4	0.4%
Frequency Missing	20	

Close Friends Use Marijuana

Q20d	Frequency	Percent
Never heard/None	598	61.1%
A few	196	20.0%
Some	97	9.9%
Most	68	6.9%
All	20	2.0%
Frequency Missing	13	

Close Friends Use Tobacco

Q20a	Frequency	Percent
Never heard/None	672	68.7%
A few	168	17.1%
Some	76	7.7%
Most	52	5.3%
All	11	1.1%
Frequency Missing	13	

Age When First Used Tobacco

Q21a	Frequency	Percent
Never used it	774	78.7%
8 or younger	23	2.3%
9 years old	13	1.3%
10 years old	6	0.6%
11 years old	12	1.2%
12 years old	18	1.8%
13 years old	28	2.9%
14 years old	27	2.7%
15 years old	30	3.0%
16 years old	29	2.9%
17 years old	18	1.8%
18 or older	7	0.7%
Frequency Missing	8	

Close Friends Use Alcohol

Q20b	Frequency	Percent
Never heard/None	469	48.1%
A few	232	23.8%
Some	129	13.3%
Most	114	11.7%
All	30	3.1%
Frequency Missing	16	

Age When First Used Alcohol

Q21b	Frequency	Percent
Never used it	485	49.8%
8 or younger	56	5.8%
9 years old	17	1.8%
10 years old	27	2.8%
11 years old	25	2.5%
12 years old	66	6.8%
13 years old	81	8.3%
14 years old	74	7.6%
15 years old	80	8.2%
16 years old	41	4.2%
17 years old	12	1.2%
18 or older	10	1.1%
Frequency Missing	17	

Close Friends Use Inhalants

Q20c	Frequency	Percent
Never heard/None	887	91.1%
A few	55	5.6%
Some	23	2.4%
Most	8	0.8%
All	1	0.1%
Frequency Missing	18	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Pampa ISD
District Report
2018

Age When First Used Inhalants

Q21c	Frequency	Percent
Never used it	922	94.7%
8 or younger	9	0.9%
9 years old	2	0.3%
10 years old	6	0.6%
11 years old	6	0.6%
12 years old	12	1.2%
13 years old	7	0.8%
14 years old	1	0.1%
15 years old	6	0.6%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	2	0.2%
Frequency Missing	17	

Age When First Used Cocaine

Q21e	Frequency	Percent
Never used it	950	96.8%
8 or younger	2	0.2%
9 years old	0	0.0%
10 years old	7	0.7%
11 years old	2	0.2%
12 years old	0	0.0%
13 years old	2	0.2%
14 years old	5	0.5%
15 years old	0	0.0%
16 years old	10	1.0%
17 years old	3	0.4%
18 or older	0	0.0%
Frequency Missing	10	

Age When First Used Marijuana

Q21d	Frequency	Percent
Never used it	760	77.6%
8 or younger	5	0.6%
9 years old	2	0.2%
10 years old	14	1.4%
11 years old	13	1.3%
12 years old	24	2.5%
13 years old	44	4.5%
14 years old	30	3.1%
15 years old	34	3.4%
16 years old	31	3.1%
17 years old	17	1.7%
18 or older	5	0.5%
Frequency Missing	12	

Age When First Used Crack

Q21f	Frequency	Percent
Never used it	972	99.0%
8 or younger	1	0.1%
9 years old	0	0.0%
10 years old	2	0.2%
11 years old	4	0.4%
12 years old	2	0.2%
13 years old	0	0.0%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	9	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 80 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Pampa ISD
District Report
2018

Age When First Used Steroids

Q21h	Frequency	Percent
Never used it	980	99.8%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	0	0.0%
11 years old	2	0.2%
12 years old	0	0.0%
13 years old	0	0.0%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	9	

Age When First Used Heroin

Q21j	Frequency	Percent
Never used it	973	99.2%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	2	0.2%
11 years old	0	0.0%
12 years old	5	0.5%
13 years old	0	0.0%
14 years old	0	0.0%
15 years old	1	0.1%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	10	

Age When First Used Ecstasy

Q21i	Frequency	Percent
Never used it	964	98.6%
8 or younger	0	0.0%
9 years old	2	0.3%
10 years old	0	0.0%
11 years old	0	0.0%
12 years old	4	0.4%
13 years old	0	0.0%
14 years old	0	0.0%
15 years old	2	0.2%
16 years old	3	0.4%
17 years old	0	0.0%
18 or older	2	0.2%
Frequency Missing	13	

Age When First Used Methamphetamine

Q21k	Frequency	Percent
Never used it	970	98.9%
8 or younger	2	0.2%
9 years old	2	0.2%
10 years old	3	0.3%
11 years old	0	0.0%
12 years old	2	0.2%
13 years old	2	0.2%
14 years old	0	0.0%
15 years old	0	0.0%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	10	

Percentages and frequencies have been weighted to reflect proportions within the population.

Jump to Table of Contents

Page 81 of 108

©Copyright 2018 Texas A&M University
All Rights Reserved

Age When First Used Synthetic Marijuana

Q21l	Frequency	Percent
Never used it	948	96.6%
8 or younger	0	0.0%
9 years old	0	0.0%
10 years old	2	0.2%
11 years old	0	0.0%
12 years old	10	1.0%
13 years old	10	1.1%
14 years old	6	0.6%
15 years old	5	0.5%
16 years old	0	0.0%
17 years old	0	0.0%
18 or older	0	0.0%
Frequency Missing	10	

Difficult to Get Tobacco

Q22a	Frequency	Percent
Never heard of	262	26.8%
Impossible	201	20.6%
Very Difficult	46	4.7%
Somewhat diff	71	7.2%
Somewhat easy	138	14.2%
Very easy	258	26.5%
Frequency Missing	15	

Difficult to Get Alcohol

Q22b	Frequency	Percent
Never heard of	210	21.6%
Impossible	136	14.0%
Very Difficult	51	5.2%
Somewhat diff	102	10.5%
Somewhat easy	192	19.7%
Very easy	281	29.0%
Frequency Missing	19	

Difficult to Get Inhalants

Q22c	Frequency	Percent
Never heard of	419	43.0%
Impossible	180	18.4%
Very Difficult	42	4.3%
Somewhat diff	52	5.4%
Somewhat easy	100	10.3%
Very easy	181	18.6%
Frequency Missing	16	

Difficult to Get Marijuana

Q22d	Frequency	Percent
Never heard of	305	31.3%
Impossible	215	22.0%
Very Difficult	59	6.0%
Somewhat diff	88	9.1%
Somewhat easy	118	12.1%
Very easy	191	19.6%
Frequency Missing	15	

Difficult to Get Cocaine

Q22e	Frequency	Percent
Never heard of	398	41.0%
Impossible	296	30.5%
Very Difficult	83	8.6%
Somewhat diff	88	9.0%
Somewhat easy	44	4.5%
Very easy	61	6.3%
Frequency Missing	19	

Difficult to Get Crack

Q22f	Frequency	Percent
Never heard of	418	43.3%
Impossible	299	31.0%
Very Difficult	103	10.7%
Somewhat diff	77	8.0%
Somewhat easy	20	2.1%
Very easy	48	5.0%
Frequency Missing	25	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Difficult to Get Steroids

Q22h	Frequency	Percent
Never heard of	448	46.1%
Impossible	283	29.1%
Very Difficult	94	9.7%
Somewhat diff	69	7.0%
Somewhat easy	38	3.9%
Very easy	41	4.2%
Frequency Missing	18	

Difficult to Get Synthetic Marijuana

Q22l	Frequency	Percent
Never heard of	473	48.6%
Impossible	250	25.7%
Very Difficult	82	8.5%
Somewhat diff	63	6.5%
Somewhat easy	42	4.3%
Very easy	62	6.4%
Frequency Missing	18	

Difficult to Get Ecstasy

Q22i	Frequency	Percent
Never heard of	486	50.4%
Impossible	262	27.2%
Very Difficult	76	7.8%
Somewhat diff	71	7.4%
Somewhat easy	27	2.8%
Very easy	43	4.5%
Frequency Missing	26	

How Often Normally Use Tobacco

Q23a	Frequency	Percent
Every day	38	3.9%
Several times/wk	8	0.8%
Several times/mo	18	1.8%
About once/month	31	3.2%
About once/year	24	2.5%
Less than once/year	61	6.2%
Never used	792	81.5%
Frequency Missing	19	

Difficult to Get Heroin

Q22j	Frequency	Percent
Never heard of	472	48.6%
Impossible	288	29.7%
Very Difficult	90	9.3%
Somewhat diff	68	7.0%
Somewhat easy	19	2.0%
Very easy	33	3.4%
Frequency Missing	20	

How Often Normally Use Alcohol

Q23b	Frequency	Percent
Every day	2	0.2%
Several times/wk	26	2.6%
Several times/mo	97	9.9%
About once/month	109	11.2%
About once/year	114	11.7%
Less than once/year	93	9.5%
Never used	534	54.9%
Frequency Missing	18	

Difficult to Get Methamphetamine

Q22k	Frequency	Percent
Never heard of	489	50.1%
Impossible	275	28.2%
Very Difficult	84	8.6%
Somewhat diff	59	6.1%
Somewhat easy	26	2.7%
Very easy	42	4.3%
Frequency Missing	15	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Inhalants

Q23c	Frequency	Percent
Every day	0	0.0%
Several times/wk	2	0.2%
Several times/mo	4	0.4%
About once/month	6	0.6%
About once/year	13	1.3%
Less than once/year	10	1.1%
Never used	938	96.3%
Frequency Missing	18	

How Often Normally Use Crack

Q23f	Frequency	Percent
Every day	0	0.0%
Several times/wk	2	0.2%
Several times/mo	0	0.0%
About once/month	2	0.3%
About once/year	0	0.0%
Less than once/year	4	0.4%
Never used	965	99.1%
Frequency Missing	18	

How Often Normally Use Marijuana

Q23d	Frequency	Percent
Every day	19	1.9%
Several times/wk	21	2.2%
Several times/mo	21	2.2%
About once/month	28	2.9%
About once/year	45	4.6%
Less than once/year	48	4.9%
Never used	791	81.3%
Frequency Missing	19	

How Often Normally Use Steroids

Q23h	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	1	0.1%
About once/year	2	0.2%
Less than once/year	2	0.2%
Never used	972	99.5%
Frequency Missing	15	

How Often Normally Use Cocaine

Q23e	Frequency	Percent
Every day	4	0.4%
Several times/wk	4	0.4%
Several times/mo	7	0.7%
About once/month	5	0.5%
About once/year	5	0.5%
Less than once/year	8	0.9%
Never used	936	96.6%
Frequency Missing	22	

How Often Normally Use Ecstasy

Q23i	Frequency	Percent
Every day	0	0.0%
Several times/wk	0	0.0%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	8	0.8%
Less than once/year	4	0.4%
Never used	965	98.8%
Frequency Missing	15	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

How Often Normally Use Heroin

Q23j	Frequency	Percent
Every day	0	0.0%
Several times/wk	2	0.2%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	0	0.0%
Less than once/year	6	0.6%
Never used	968	99.2%
Frequency Missing	15	

Amount of Beer at One Time

Q24a	Frequency	Percent
Never drink this	512	52.5%
12+ drinks	40	4.1%
9-11 drinks	21	2.2%
5-8 drinks	65	6.6%
3-4 drinks	73	7.5%
2 drinks	66	6.7%
1 drink	82	8.4%
Less than 1 drink	117	12.0%
Frequency Missing	16	

How Often Normally Use Methamphetamine

Q23k	Frequency	Percent
Every day	1	0.1%
Several times/wk	2	0.2%
Several times/mo	0	0.0%
About once/month	0	0.0%
About once/year	0	0.0%
Less than once/year	8	0.9%
Never used	959	98.8%
Frequency Missing	20	

Amount of Wine Coolers at One Time

Q24b	Frequency	Percent
Never drink this	615	63.3%
12+ drinks	31	3.2%
9-11 drinks	23	2.4%
5-8 drinks	33	3.4%
3-4 drinks	57	5.9%
2 drinks	68	7.0%
1 drink	77	7.9%
Less than 1 drink	68	7.0%
Frequency Missing	20	

How Often Normally Use Synthetic Marijuana

Q23l	Frequency	Percent
Every day	1	0.1%
Several times/wk	4	0.4%
Several times/mo	2	0.2%
About once/month	8	0.8%
About once/year	7	0.7%
Less than once/year	6	0.6%
Never used	930	97.1%
Frequency Missing	33	

Amount of Wine at One Time

Q24c	Frequency	Percent
Never drink this	655	67.4%
12+ drinks	30	3.1%
9-11 drinks	0	0.0%
5-8 drinks	19	1.9%
3-4 drinks	43	4.4%
2 drinks	48	4.9%
1 drink	75	7.7%
Less than 1 drink	102	10.5%
Frequency Missing	18	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Amount of Liquor at One Time

Q24d	Frequency	Percent
Never drink this	591	61.1%
12+ drinks	39	4.0%
9-11 drinks	16	1.7%
5-8 drinks	42	4.4%
3-4 drinks	62	6.4%
2 drinks	56	5.8%
1 drink	75	7.8%
Less than 1 drink	86	8.9%
Frequency Missing	23	

Get Alcoholic Beverages from Friends

Q26b	Frequency	Percent
Do not Drink	554	56.9%
Never	128	13.2%
Seldom	164	16.9%
Most of the Time	95	9.7%
Always	33	3.4%
Frequency Missing	17	

How Many 5+ Drinks in 2 Hours During Past 30 Days

Q25a	Frequency	Percent
Never 5+ at time	522	53.8%
0 days	311	32.0%
1 day	53	5.5%
2 days	25	2.6%
3 to 5 days	34	3.5%
6 to 9 days	5	0.5%
10 or more days	21	2.2%
Frequency Missing	21	

Get Alcoholic Beverages from a Store

Q26c	Frequency	Percent
Do not Drink	607	62.5%
Never	262	27.0%
Seldom	53	5.5%
Most of the Time	35	3.6%
Always	15	1.5%
Frequency Missing	20	

Get Alcoholic Beverages at Parties

Q26d	Frequency	Percent
Do not Drink	542	55.8%
Never	119	12.3%
Seldom	119	12.3%
Most of the Time	119	12.2%
Always	72	7.5%
Frequency Missing	20	

Get Alcoholic Beverages from Home

Q26a	Frequency	Percent
Do not Drink	570	58.5%
Never	147	15.1%
Seldom	159	16.3%
Most of the Time	71	7.3%
Always	26	2.7%
Frequency Missing	17	

Get Alcoholic Beverages from Other Sources

Q26e	Frequency	Percent
Do not Drink	592	61.4%
Never	183	19.0%
Seldom	76	7.9%
Most of the Time	66	6.8%
Always	48	5.0%
Frequency Missing	26	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 86 of 108

Dangerous for Kids to Use Tobacco

Q27a	Frequency	Percent
Very	651	66.8%
Somewhat	214	21.9%
Not very	70	7.2%
Not at all	12	1.3%
Don't know	28	2.9%
Frequency Missing	15	

Dangerous for Kids to Use Cocaine

Q27e	Frequency	Percent
Very	852	87.7%
Somewhat	61	6.2%
Not very	9	0.9%
Not at all	10	1.1%
Don't know	39	4.1%
Frequency Missing	20	

Dangerous for Kids to Use Alcohol

Q27b	Frequency	Percent
Very	498	51.1%
Somewhat	274	28.1%
Not very	154	15.8%
Not at all	20	2.0%
Don't know	29	3.0%
Frequency Missing	15	

Dangerous for Kids to Use Crack

Q27f	Frequency	Percent
Very	868	88.9%
Somewhat	53	5.5%
Not very	1	0.1%
Not at all	10	1.1%
Don't know	43	4.4%
Frequency Missing	15	

Dangerous for Kids to Use Inhalants

Q27c	Frequency	Percent
Very	748	76.6%
Somewhat	119	12.2%
Not very	31	3.2%
Not at all	16	1.6%
Don't know	62	6.3%
Frequency Missing	15	

Dangerous for Kids to Use Ecstasy

Q27g	Frequency	Percent
Very	836	86.1%
Somewhat	60	6.2%
Not very	9	0.9%
Not at all	9	0.9%
Don't know	58	5.9%
Frequency Missing	20	

Dangerous for Kids to Use Marijuana

Q27d	Frequency	Percent
Very	597	61.2%
Somewhat	117	11.9%
Not very	120	12.3%
Not at all	109	11.2%
Don't know	33	3.3%
Frequency Missing	15	

Dangerous for Kids to Use Steroids

Q27h	Frequency	Percent
Very	819	84.2%
Somewhat	76	7.8%
Not very	12	1.2%
Not at all	10	1.0%
Don't know	56	5.7%
Frequency Missing	18	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 87 of 108

Dangerous for Kids to Use Heroin

Q27i	Frequency	Percent
Very	870	89.1%
Somewhat	34	3.5%
Not very	4	0.4%
Not at all	10	1.1%
Don't know	58	6.0%
Frequency Missing	15	

Dangerous for Kids to Use Electronic Vapor Products

Q27m	Frequency	Percent
Very	573	58.8%
Somewhat	108	11.1%
Not very	131	13.4%
Not at all	118	12.1%
Don't know	44	4.5%
Frequency Missing	17	

Dangerous for Kids to Use Methamphetamine

Q27j	Frequency	Percent
Very	868	89.1%
Somewhat	35	3.6%
Not very	3	0.3%
Not at all	10	1.1%
Don't know	58	6.0%
Frequency Missing	17	

Days Skipped Since September

Q28a	Frequency	Percent
None	763	78.7%
1-3 days	143	14.8%
4-9 days	34	3.5%
10+ days	28	2.9%
Frequency Missing	22	

Dangerous for Kids to Use Synthetic Marijuana

Q27k	Frequency	Percent
Very	816	84.1%
Somewhat	57	5.8%
Not very	27	2.7%
Not at all	13	1.4%
Don't know	58	5.9%
Frequency Missing	20	

Days Ill Since September

Q28b	Frequency	Percent
None	246	25.4%
1-3 days	519	53.6%
4-9 days	142	14.7%
10+ days	62	6.4%
Frequency Missing	23	

Dangerous for Kids to Use Any Prescription

Q27l	Frequency	Percent
Very	792	81.5%
Somewhat	92	9.5%
Not very	18	1.8%
Not at all	19	1.9%
Don't know	51	5.2%
Frequency Missing	19	

Other Reason For Days Missed Since September

Q28c	Frequency	Percent
None	317	33.1%
1-3 days	489	51.1%
4-9 days	76	8.0%
10+ days	75	7.8%
Frequency Missing	34	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 88 of 108

Sent to Principal/Dean Since September

Q28d	Frequency	Percent
None	772	79.8%
1-3 days	141	14.6%
4-9 days	29	3.0%
10+ days	26	2.7%
Frequency Missing	24	

Trouble with Friends Because of Drug Use

Q29c	Frequency	Percent
None	931	96.3%
1-3 times	16	1.7%
4-9 times	6	0.6%
10+ times	14	1.4%
Frequency Missing	24	

Someone Called Home Since September

Q28e	Frequency	Percent
None	867	89.5%
1-3 days	64	6.6%
4-9 days	18	1.9%
10+ days	20	2.0%
Frequency Missing	22	

Driven a Car While High from Drugs

Q29d	Frequency	Percent
None	919	95.1%
1-3 times	24	2.5%
4-9 times	7	0.7%
10+ times	16	1.7%
Frequency Missing	25	

Trouble with Friends Because of Drinking

Q29a	Frequency	Percent
None	918	94.8%
1-3 times	41	4.2%
4-9 times	4	0.4%
10+ times	6	0.6%
Frequency Missing	23	

Class Days Drunk on Alcohol Since Sept

Q30a	Frequency	Percent
None	892	92.5%
1-3 days	49	5.1%
4-9 days	12	1.2%
10+ days	11	1.2%
Frequency Missing	26	

Driven a Car After a Good Bit to Drink

Q29b	Frequency	Percent
None	904	93.3%
1-3 times	33	3.4%
4-9 times	21	2.2%
10+ times	11	1.1%
Frequency Missing	23	

Class Days High on Marijuana Since Sept

Q30b	Frequency	Percent
None	891	92.2%
1-3 days	37	3.8%
4-9 days	17	1.7%
10+ days	22	2.2%
Frequency Missing	25	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 89 of 108

Class Days High on Inhalants Since Sept

Q30c	Frequency	Percent
None	943	97.6%
1-3 days	8	0.8%
4-9 days	5	0.6%
10+ days	10	1.0%
Frequency Missing	25	

Sought Help for Drug/Alcohol Problem

Q32	Frequency	Percent
No	886	92.4%
Yes	73	7.6%
Frequency Missing	32	

Class Days High on Other Drug(s)

Q30d	Frequency	Percent
None	932	96.1%
1-3 days	15	1.6%
4-9 days	11	1.1%
10+ days	11	1.2%
Frequency Missing	21	

Would Seek Help from School Counselor

Q33a	Frequency	Percent
No	614	64.6%
Yes	337	35.4%
Frequency Missing	41	

Would Seek Help from School Nurse

Q33b	Frequency	Percent
No	739	78.1%
Yes	207	21.9%
Frequency Missing	45	

Alcohol Use at Parties This School Year

Q31a	Frequency	Percent
Never	466	48.1%
Seldom	82	8.5%
Half the time	61	6.3%
Most of the Time	61	6.3%
Always	119	12.3%
Don't Know	5	0.6%
Didn't attend	173	17.9%
Frequency Missing	24	

Would Seek Help from Another Adult in School

Q33c	Frequency	Percent
No	551	58.2%
Yes	396	41.8%
Frequency Missing	44	

Drug Use at Parties This School Year

Q31b	Frequency	Percent
Never	593	61.4%
Seldom	61	6.3%
Half the time	32	3.3%
Most of the Time	37	3.8%
Always	57	5.9%
Don't Know	13	1.4%
Didn't attend	171	17.8%
Frequency Missing	26	

Would Seek Help from Parents

Q33d	Frequency	Percent
No	286	29.9%
Yes	668	70.1%
Frequency Missing	37	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 90 of 108

Would Seek Help from a Medical Doctor

Q33e	Frequency	Percent
No	419	44.5%
Yes	523	55.5%
Frequency Missing	48	

Drug/Alcohol Info–School Health Class

Q34a	Frequency	Percent
No	470	49.2%
Yes	485	50.8%
Frequency Missing	37	

Would Seek Help from Friends

Q33f	Frequency	Percent
No	361	38.3%
Yes	582	61.7%
Frequency Missing	48	

Drug/Alcohol Info–School Assembly Program

Q34b	Frequency	Percent
No	589	61.9%
Yes	363	38.1%
Frequency Missing	39	

Would Seek Help from Another Adult

Q33g	Frequency	Percent
No	440	46.5%
Yes	507	53.5%
Frequency Missing	45	

Drug/Alcohol Info–School Guidance Counselor

Q34c	Frequency	Percent
No	641	67.3%
Yes	312	32.7%
Frequency Missing	38	

Would Seek Help from Counselor or Program Outside School

Q33h	Frequency	Percent
No	584	61.8%
Yes	361	38.2%
Frequency Missing	45	

Drug/Alcohol Info–School Nurse

Q34d	Frequency	Percent
No	687	72.7%
Yes	258	27.3%
Frequency Missing	46	

Would Not Seek Help

Q33i	Frequency	Percent
No	707	77.9%
Yes	201	22.1%
Frequency Missing	83	

Drug/Alcohol Info–Science or Social Studies Class

Q34e	Frequency	Percent
No	629	66.2%
Yes	321	33.8%
Frequency Missing	41	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 91 of 108

Drug/Alcohol Info–School Student Group or Club

Q34f	Frequency	Percent
No	759	80.0%
Yes	190	20.0%
Frequency Missing	42	

Drug/Alcohol Info–Invited School Guest

Q34g	Frequency	Percent
No	674	71.2%
Yes	273	28.8%
Frequency Missing	45	

Drug/Alcohol Info–Another School Source

Q34h	Frequency	Percent
No	621	65.8%
Yes	323	34.2%
Frequency Missing	47	

Parents Feel About Kids Using Tobacco

Q35a	Frequency	Percent
Strongly disapprove	747	77.3%
Mild disapprove	64	6.6%
Neither	81	8.3%
Mildly approve	14	1.4%
Strongly approve	7	0.7%
Don't know	54	5.5%
Frequency Missing	24	

Parents Feel About Kids Drinking Alcohol

Q35b	Frequency	Percent
Strongly disapprove	559	58.0%
Mild disapprove	150	15.6%
Neither	140	14.6%
Mildly approve	43	4.5%
Strongly approve	15	1.6%
Don't know	55	5.7%
Frequency Missing	28	

Parents Feel About Kids Using Marijuana

Q35c	Frequency	Percent
Strongly disapprove	750	77.8%
Mild disapprove	65	6.7%
Neither	65	6.7%
Mildly approve	19	1.9%
Strongly approve	18	1.8%
Don't know	48	5.0%
Frequency Missing	28	

Percentages and frequencies have been weighted to reflect proportions within the population.

[Jump to Table of Contents](#)

Page 92 of 108

Appendix: Reporting Methods for Prevalence & Recency of Use

Introduction to Appendix

As noted in the introduction to this document, the methods for reporting prevalence and recency of use values were revised in 2016 to provide a more accurate representation of substance use among students. In previous years, the reported values were based solely on students' answers to the questions that directly asked them how recently, if ever, they had used each given substance (Q14-18 on the current survey). Beginning in 2016, the responses to those questions are used as the basis for the values reported in the prevalence and recency of use tables (tables T-1, A-1, D-1, D-12, D-13, I-1, and B-1 through B-12), which are updated if the student indicated more recent usage for the relevant substance on another question in the survey. This appendix provides a reference as to what those questions are, and how they are so utilized to update the values reported in the prevalence and recency of use tables.

Tobacco

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual tobacco products. The values for those substances in prevalence and recency of use tables will be identical to those in the corresponding marginal tables. However, the overall “Any Tobacco Product” category is updated as described below.

Any Tobacco Product	
This category represents the following group of individual tobacco products; cigarettes, smokeless tobacco, & electronic vapor products. The initial values for this category will be the most recent reported usage from among those substances. The questions below are used to update these initial values.	
Question	Updating Rule
Tobacco Use in Past Month (Q19a : tobac_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Tobacco (Q21a : tobac_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Tobacco (Q23a : tobac_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Alcohol

Every individual alcoholic beverage covered by the survey has an additional question that is utilized to update its prevalence and recency of use values. Further updates are also applied to the overall “Any Alcohol Product” category as described below.

Beer	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15c : beer_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Beer at One Time (Q24a : beer_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine Coolers	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15d : cooler_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine Coolers at One Time (Q24b : cooler_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Wine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15e : wine_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Wine at One Time (Q24c : wine_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Liquor	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q15f : liquor_r). The question below is used to update those initial values.	
Question	Updating Rule
Amount of Liquor at One Time (Q24d : liquor_num)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Drink This”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Drink This”.

Any Alcohol Product	
This category represents the group of alcoholic beverages covered above; beer, wine coolers, wine, & liquor. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Alcohol Use in Past Month (Q19b : alc_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Alcohol (Q21b : alc_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Alcohol (Q23b : alc.u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
How Many 5+ Drinks in 2 Hours During Past 30 Days (Q25 : binge_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for all responses to this question other than “Never 5+ at Time” or “0 Days”.
Trouble with Friends Because of Drinking (Q29a : drk_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car After a Good Bit to Drink (Q29b : drk_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days Drunk on Alcohol Since Sept (Q30a : class_drnk)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Drugs

The majority of individual drugs covered by the survey have additional questions that are utilized to update their reported prevalence and recency of use values. However, there are exceptions, as there are no such questions available for hallucinogens, synthetic cathinones, nor any of the prescription or over-the-counter drugs asked about on the survey. The values found in the prevalence and recency of use tables for those substances will be identical to those in their corresponding marginal tables. There are also several grouped categories of drugs in the report that may be based on the updated reporting values of their constituent substances, or utilize questions to be updated themselves - the reporting methods for these groups can also be found below.

Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16a : mar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Marijuana Use in Past Month (Q19d : mar_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Marijuana (Q21d : mar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Marijuana (Q23d : mar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Marijuana Since Sept (Q30b : class_mar)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Cocaine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16b : cocaine_r). The questions below are used to update those initial values.	
Question	Updating Rule
Cocaine Use in Past Month (Q19e : cocaine_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Cocaine (Q21e : cocaine_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23e : cocaine_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Crack	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16c : crack_r). The questions below are used to update those initial values.	
Question	Updating Rule
Crack Use in Past Month (Q19f : crack_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Crack (Q21f : crack_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Cocaine (Q23f : crack_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Steroids	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16g : steroid_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Steroids (Q21h : steroid_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Steroids (Q23h : steroid_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Ecstasy	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16h : ecstasy_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Ecstasy (Q21i : ecstasy_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Ecstasy (Q23i : ecstasy_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Heroin	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16i : heroin_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Heroin (Q21j : heroin_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Heroin (Q23j : heroin_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Methamphetamine	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16j : meth_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Methamphetamine (Q21k : meth_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Methamphetamine (Q23k : meth_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Synthetic Marijuana	
Initial values for this substance come from the question that directly asked students, how recently, if ever they had used (Q16k : synmar_r). The questions below are used to update those initial values.	
Question	Updating Rule
Age When First Used Synthetic Marijuana (Q21l : synmar_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Synthetic Marijuana (Q23l : synmar_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.

Any Illicit Drug	
This category represents the following group of individual drugs; marijuana, cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana. The initial values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above. The questions below are used to further update these initial values.	
Question	Updating Rule
Trouble with Friends Because of Drug Use (Q29c : drg_dif_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Driven a Car While High from Drugs (Q29d : drg_drv_yr)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.
Class Days High on Other Drug(s) Since Sept (Q30d : class_oth)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

Marijuana Only

This category represents exclusive use of marijuana among illicit drugs. If a student has not used any of the other illicit drugs listed below, the value here will be that of reported marijuana usage. If they have used any of the other illicit drugs listed below, they are considered to have never used “Marijuana Only”. Both cases take into account all of the updating described above. The other illicit drugs are; cocaine, crack, hallucinogens, synthetic cathinones, ecstasy, heroin, methamphetamine, & synthetic marijuana.

Cocaine or Crack

This category represents use of either cocaine or crack. The values for this category will be the most recent reported usage from among those substances - taking into account any updating for each substance as described above.
--

Any Prescription Drug

This category represents the use of any prescription drug not prescribed to the student. The values for this category will be the most recent reported usage from among the prescription drugs asked about on the survey (“Codeine”, “Percocets etc”, “Benzodiazepines etc”, “Adderall etc”, and “Other Prescriptions”). However, the category of “DXM, Triple Cs etc” is not included as they are available over-the-counter without a prescription. No additional questions are used to further update these initial values.
--

Inhalants

There are no additional questions on the survey that can be utilized to update prevalence and recency of use for any of the individual inhalant substances covered by the survey. The values found in the prevalence and recency of use tables for those individual substances will be identical to those reported in the marginal tables. However, the overall “Any Inhalant” category is updated as described below.

Any Inhalant	
This category represents the group of all individual inhalants. Unlike other group categories, students are asked directly how recently, if ever, they have ever used any inhalant (Q15g : inhale_r). The responses to that question are used as the initial values for this category, which are then updated if there is more recent usage from among any of the individual inhalants asked about in Q14. The questions below are used to further update these values.	
Question	Updating Rule
Inhalant Use in Past Month (Q19c : inhale_30)	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for any response to this question other than “Never Heard/Used”.
Age When First Used Inhalants (Q21c : inhale_1)	If an initial value is “Never Used” or missing, update it to “Ever Used” for any response to this question other than “Never Used It”.
	If an initial values is missing, update it to “Never Used” for the response to this question; “Never Used It”.
How Often Normally Use Inhalants (Q23c : inhale_u)	If an initial value is “Never Used” or missing, update it to “Ever Used” for the following responses to this question; “Less than Once/Year”, “About Once/Year”.
	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for the response to this question; “About Once/Month”.
	If an initial value is “Never Used”, “Ever Used”, “School Year” or missing, update it to “Past Month” for the following responses to this question; “Several Times/Month”, “Several Times/Wk”, “Everyday”.
	If an initial value is missing, update it to “Never Used” for the response to this question; “Never Used”.
Class Days High on Inhalants Since Sept (Q30c : class_inh)	If an initial value is “Never Used”, “Ever Used” or missing, update it to “School Year” for any response to this question other than “None”.

