# **Lesson 12: Distributing Expressions**

### Classwork

#### **Opening Exercise**

- a. Create a model to show  $2 \times 5$ .
- b. Create a model to show  $2 \times b$ , or 2b.

## Example 1

Write an expression that is equivalent to 2(a + b).

Create a model to represent (a + b).

The expression 2(a + b) tells us that we have 2 of the (a + b)'s. Create a model that shows 2 groups of (a + b).

How many a's and how many b's do you see in the diagram?



Distributing Expressions



Lesson 12:

How would the model look if we grouped together the a's and then grouped together the b's?

What expression could we write to represent the new diagram?

What conclusion can we draw from the models about equivalent expressions?

Let a = 3 and b = 4.

What happens when we double (a + b)?

### **Example 2**

Write an expression that is equivalent to double (3x + 4y).

How can we rewrite double (3x + 4y)?

Is this expression in factored form, expanded form, or neither?

Let's start this problem the same way that we started the first example. What should we do?



Lesson 12:

**Distributing Expressions** 



How can we change the model to show 2(3x + 4y)?

Are there terms that we can combine in this example?

What is an equivalent expression that we can use to represent 2(3x + 4y)?

Summarize how you would solve this question without the model.

### **Example 3**

Write an expression in expanded form that is equivalent to the model below.

$$4x + 5$$

(cc) BY-NC-SA

What factored expression is represented in the model?

How can we rewrite this expression in expanded form?



Lesson 12:

**Distributing Expressions** 



# **Example 4**

Write an expression in expanded form that is equivalent to 3(7d + 4e).

#### **Exercises**

Create a model for each expression below. Then, write another equivalent expression using the distributive property.

1. 3(x + y)

2. 4(2h + g)



Lesson 12: **Distributing Expressions** 



Apply the distributive property to write equivalent expressions in expanded form.

- 3. 8(h+3)
- 4. 3(2h+7)
- 5. 5(3x + 9y)
- 6. 4(11h + 3g)
- 7. 7k12mj
- 8. a(9b + 13)






 $\underline{\textbf{Creative Commons Attribution-NonCommercial-Share Alike 3.0 Unported License.}}$ 

(cc) BY-NC-SA

#### **Problem Set**

- 1. Use the distributive property to write the following expressions in expanded form.
  - a. 4(x + y)
  - b. 8(a + 3b)
  - c. 3(2x + 11y)
  - d. 9(7a + 6b)
  - e. c(3a + b)
  - f. y(2x + 11z)
- Create a model to show that 2(2x + 3y) = 4x + 6y.





(cc) BY-NC-SA

Lesson 12: