# **MATERIAL SAFETY DATA SHEET**

1. Product and Company Identification

Product number CP-811

Product name SUNBELT LEMON SHINE PREMIUM FURNITURE POLISH

Effective date 13-Nov-2007

Company information Sunbelt Laboratories

1209 Moore Road

Stafford, TX 77477 United States

**Company phone** General Assistance 1-281-261-4747/1-800-324-4413

Emergency telephone US 800-424-9300 Emergency telephone outside US 703-527-3887 Supersedes date 20-Aug-2007

## 2. Hazards Identification

Emergency overview Aerosol. CONTENTS UNDER PRESSURE.

Pressurized container may explode when exposed to heat or flame.

OSHA regulatory status This product is considered hazardous under 29 CFR 1910.1200 (Hazard

Communication).

Potential health effects

Intentional misuse by concentrating and inhaling the product can be harmful or fatal.

**Ingestion** Exposure by ingestion of an aerosol is unlikely.

Signs and symptoms Narcosis.

### 3. Composition / Information on Ingredients

Components	CAS#	Percent
n-Butane	106-97-8	3 - 5
Propane	74-98-6	3 - 5
Non-hazardous and other components below reportable levels		> 90

### 4. First Aid Measures

First aid procedures

**Eye contact** Flush eyes with water as a precaution. Get medical attention if irritation develops or

persists.

Skin contact Wash off with soap and water. Get medical attention if irritation develops or persists.

InhalationCall a physician if symptoms develop or persist.IngestionHave victim rinse mouth thoroughly with water.

General advice If you feel unwell, seek medical advice (show the label where possible).

## 5. Fire Fighting Measures

Flammable properties Containers may explode when heated. Vapor or gas may spread to distant ignition

sources and flash back.

**Extinguishing media** 

Suitable extinguishing media Large Fires: Water spray, fog or regular foam.

Small Fires: Dry chemical, CO2, water spray or regular foam.

Unsuitable extinguishing media

Do not use a solid water stream as it may scatter and spread fire.

**Protection of firefighters** 

Protective equipment and precautions for firefighters

In the event of fire and/or explosion do not breathe fumes. Wear full protective clothing, including helmet, self-contained positive pressure or pressure demand breathing

apparatus, protective clothing and face mask. Containers should be cooled with water to prevent vapor pressure build up. For massive fire, use unmanned hose holders or monitor

nozzles; if this is impossible, withdraw from area and let fire burn.

#### 6. Accidental Release Measures

Personal precautions Do not touch damaged containers or spilled material unless wearing appropriate

protective clothing. Ventilate closed spaces before entering. Keep unnecessary personnel

away.

Methods for containment Eliminate all ignition sources (no smoking, flares, sparks, or flames in immediate area).

Stop leak if you can do so without risk. Move the cylinder to a safe and open area if the

leak is irreparable.

Methods for cleaning up Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean contaminated

surface thoroughly.

# 7. Handling and Storage

Handling Pressurized container: Do not pierce or burn, even after use. Do not handle or store near

an open flame, heat or other sources of ignition. Do not use if spray button is missing or

defective. Avoid prolonged exposure.

Storage Level 1 Aerosol.

Contents under pressure. Do not puncture, incinerate or crush. The pressure in sealed containers can increase under the influence of heat. Avoid exposure to long periods of sunlight. Keep out of the reach of children.

## 8. Exposure Controls / Personal Protection

## **Exposure limits**

**ACGIH** 

Components	CAS#	TWA	STEL	Ceiling
n-Butane	106-97-8	1000 ppm	Not established	Not established
Propane	74-98-6	1000 ppm	Not established	Not established

**OSHA** 

Components	CAS#	TWA	STEL	Ceiling
Propane	74-98-6	1000 ppm	Not established	Not established

Engineering controls

Use process enclosures, local exhaust ventilation, or other engineering controls to control

airborne levels below recommended exposure limits.

Personal protective equipment

Eye / face protectionNot normally needed.Skin protectionNot normally needed.

concentrations above the exposure limit they must use appropriate certified respirators.

General hygeine considerations When

When using do not smoke. Handle in accordance with good industrial hygiene and safety

practice.

## 9. Physical & Chemical Properties

Appearance Compressed liquefied gas.

ColorWhite.OdorfruityPhysical stateLiquid.FormAerosol.

Flammability (HOC) 7.31 kJ/g estimated

Flash back No

**Pressure** 43 - 53 psig @ 70F

**Solubility** Completely

Flash point -156 °F (-104.4 °C) estimated Boiling point 179.6 °F (82.2 °C) estimated

Specific gravity 0.9663 estimated pH 9.87 - 10.87

## 10. Chemical Stability & Reactivity Information

Chemical stability Risk of ignition. Stable at normal conditions.

**Conditions to avoid** Heat, flames and sparks.

Incompatible materials None known.

Hazardous decomposition products May include oxides of nitrogen.

## 11. Toxicological Information

Acute effects

Acute LC50: 3125 mg/l/4h estimated, Rat, Inhalation

Sensitization

Not expected to be hazardous by OSHA criteria.

Neurological effects Hazardous by OSHA criteria.

MutagenicityNot expected to be hazardous by OSHA criteria.Reproductive effectsNot expected to be hazardous by OSHA criteria.TeratogenicityNot expected to be hazardous by OSHA criteria.EpidemiologyNot expected to be hazardous by OSHA criteria.

## 12. Ecological Information

Ecotoxicity LC50 3251 mg/L estimated, Fish, 96.00 Hours,

EC50 31234 mg/L estimated, Daphnia, 48.00 Hours,

Components of this product have been identified as having potential environmental

concerns.

## 13. Disposal Considerations

Waste codes D001: Waste Flammable material with a flash point <140 F

Disposal instructions Contents under pressure. Incinerate the material under controlled conditions in an

approved incinerator. If discarded, this product is considered a RCRA ignitable waste,

D001. Dispose in accordance with all applicable regulations.

## 14. Transport Information

### Department of Transportation (DOT) Requirements

Basic shipping requirements:

Proper shipping name Consumer commodity

Hazard class ORM-D Subsidiary hazard class None

Additional information:

Packaging exceptions156, 306Packaging non bulk156, 306Packaging bulkNone

#### **IMDG**

Basic shipping requirements:

Proper shipping name AEROSOLS, flammable

Hazard class 2.1 UN number 1950

Additional information:

Packaging exceptionsLTD QTYItem5FLabels required2.1Transport Category2



#### IATA

Basic shipping requirements:

Proper shipping name Aerosols, flammable

Hazard class 2.1 UN number 1950

Additional information:

Packaging exceptions LTD QTY



## 15. Regulatory Information

US federal regulations This product is a "Hazardous Chemical" as defined by the OSHA Hazard Communication

Standard, 29 CFR 1910.1200.

Occupational Safety and Health Administration (OSHA)

29 CFR 1910.1200 hazardous

chemical

**CERCLA (Superfund) reportable quantity** 

None

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Hazard categories Immediate Hazard - No

Delayed Hazard - No Fire Hazard - Yes Pressure Hazard - Yes Reactivity Hazard - No

Section 302 extremely

hazardous substance

Section 311 hazardous chemical Yes

Inventory status

Country(s) or region On inventory (yes/no)\* Inventory name China Inventory of Existing Chemical Substances in China (IECSC) Nο European Inventory of New and Existing Chemicals (EINECS) Europe Yes Europe European List of Notified Chemical Substances (ELINCS) No Japan Inventory of Existing and New Chemical Substances (ENCS) No Korea Existing Chemicals List (ECL) No United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory Yes

A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)

State regulations

U.S. - Pennsylvania - RTK (Right to Know) List

n-Butane 106-97-8 Present Propane 74-98-6 Present

#### 16. Other Information

**HMIS**® ratings Health: 0

Flammability: 2 Physical hazard: 0 Personal protection: X

Prepared by Regulatory Compliance

Disclaimer The information provided in this Safety Data Sheet is correct to the best of our

knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified

in the text.

Issue date 13-Nov-2007

Material name: SUNBELT LEMON SHINE PREMIUM FURNITURE POLISH Material ID: 684 Revision date: 13-NOV-2007 Print date: 13-NOV-2007