

Novel Self-Healing Nanocomposite Coatings

DOD Corrosion Conference 2011

August 2, 2011





Dr. Robert A. Iezzi

Vice President, Coating Technologies

riezzi@neicorporation.com

(732) 868-3141

www.neicorporation.com

























Outline





- Brief Overview of NEI Corporation
- NEI Self-Healing Technical Platform
 - What Do I Mean by Self-Healing?
 - Why is Self-Healing Important?
 - Self-Healing Technical Approach
 - Self-Healing Results
 - Benefits of Self-Healing Coatings
- Summary

























NEI Corporation Overview



Key Highlights





13 Years Using Nanotechnology to Create Novel Products

- 15,000 ft² in two locations in NJ
- 45,000 ft² factory in India for Battery market
- Spun-out American Nanomyte for Self-Healing Coatings
- >20 patents (approved and pending)































Nanotechnology Specialists

 Bridge gap between science and applications

- Primary Sectors
 - Industrial
 - Energy
 - Environmental
 - Contract Research









From Research to Products






Institutional Contract R&D



Materials Development



Outside-In Focus

Products







What Do I Mean by Self-Healing?





What Do I Mean by Self-Healing?



Repair a scratch or small damaged area in a polymer coating by the application of a small amount of heat







Why is Self-Healing Important?





Why is Self-Healing Important?



- Two important functions of polymer coatings
 - Aesthetics
 - Protection
 - Protects the substrate from moisture, mechanical, and chemical damage







Why is Self-Healing Important?



- Routine wear and tear
 - Surface scratches in coating generated
 - Micro-cracks develop
 - Lead to macroscopic damage


Coating loses its aesthetic & protective functionality

Shortens service life





Self-Healing Technical Approach





Self-Healing Technical Approach



 Polymer-based, nanocomposite formulation

- Novel, proprietary morphology
 - Drives self-healing phenomenon by application of warm air (e.g., simple hair dryer) for a few seconds





Self-Healing Results












Self-Healing Results



Clear PU-based nanocomposite coating on a black steel panel with significant surface damage





Thermal healing treatment (~60°C for less than 5 seconds)











Healing of Shallow, but Wide Scratch


PU/Nanocomposite Coating




Before Healing



PU Control



Before Healing



After Healing



After Healing












Self-Healing Results

Healing of Deep, but Narrow Scratch (Razor Blade Cut)

PU/Nanocomposite Coating



Before Healing

After Healing











Self-Healing Results




AFM - Original Crack - ~5 μm wide x ~6 μm deep





Before Healing





After Healing


PU/Nanocomposite Coating



Polyurethane Self-Healing Coating on Steel



Gloss Retention - After Healing 10 Seconds at 70°C



Double Rubs (#0000 Steel Wool Under 500g Load)









Demonstration Video













Wood Panels: PU/Nanocomposite Coating (50X)






Before Healing

After Healing















Polyurethane Self-Healing Coating on PET Substrate (200 X)



Before Healing



After Healing



Self-Healing Results





- Repairs minor surface scratches & deep scratches
- Can be healed multiple times















- Increases service life of substrates
 - Preserves the coating's aesthetics & protective functions
- Reduces life cycle costs
 - Less frequent repainting or replacing damaged items





 Reduces the raw materials and energy used to produce the coating materials used for repainting

 Reduces the labor and materials needed to apply the repair paint





- Minimizes the environmental costs and societal impact of repainting
 - Waste disposal
 - VOC emissions







- Self-healing technology is applicable to:
 - Various military uses
 - Marine structures & ships
 - Automotive clear coats
 - High value architectural coatings
 - Metal, wood, plastic & film substrates







Summary









- A novel self-healing coating technology platform
- Increases service life & reduces life cycle costs of various substrates
- Can heal minor surface scratches & deep scratches







- Based on proprietary polymernanocomposite morphology
- Self-healing phenomenon achieved by application of minimal amount of heat
- Can be healed multiple times







- Full potential yet to be realized
- In early stages of development
- Future developments
 - Waterborne
 - UV-Cure
 - Lower Self-heal Temperatures → RT
 - Other substrates (plastics, films...)



Acknowledgments





NEI Scientists:

- Runqing Ou
- Ken Eberts











