

Appendix 2: Extended references for meta analysis of seeding studies:

Hardegree, S.P., T.A. Jones, B.A. Roundy, N.L. Shaw and T.A. Monaco. 2011. Assessment of range planting as a conservation practice. Chapter 4, In. D.D. Briske (ed.). Conservation Benefits of Rangeland Practices: Assessment, Recommendations, and Knowledge Gaps. Allen Press, Lawrence KS. pp 171-212.

Analysis of historical seeding studies in this synthesis article was based on meta-data extracted from 189 published journal articles. An explicit list of these studies was not included in the published manuscript. The following journal articles were used for meta analysis. References preceded by an asterisk were not cited in the original manuscript.

- Abbott, L.B., and B.A. Roundy. 2003. Available Water Influences Field Germination and Recruitment of Seeded Grasses. *Journal of Range Management* 56:56-64.
- *Andersen, M.R., E.J. DePuit, R.H. Abernethy, and L.H. Kleinman. 1992. Value of mountain rye for suppression of annual brome grasses on semi-arid mined lands. *Journal of Range Management* 45:345-351.
- Anderson, D., and A.R. Swanson. 1949. Machinery for seedbed preparation and seeding on southwestern ranges. *Journal of Range Management* 2:64-66.
- *Bahler, C.C., L.E. Moser, T.S. Griffin, and K.P. Vogel. 1990. Warm-season grass establishment as affected by post-planting atrazine application. *Journal of Range Management* 43:421-424.
- *Bakker, J.D., J. Christian, S.D. Wilson, and J. Waddington. 1997. Seeding blue grama in old crested wheatgrass fields in southwestern Saskatchewan. *Journal of Range Management* 50:156-159.
- Bakker, J.D., S.D. Wilson, J.M. Christian, X.D. Li, L.G. Ambrose, and J. Waddington. 2003. Contingency of grassland restoration on year, site, and competition from introduced grasses. *Ecological Applications* 13:137-153.
- *Banerjee, M.J., V.J. Gerhart, and E.P. Glenn. 2006. Native plant regeneration on abandoned desert farmland: Effects of irrigation, soil preparation, and amendments on seedling establishment. *Restoration Ecology* 14:339-348.
- Bement, R.E., R.D. Barmington, A.C. Everson, C.L. Hylton, and E.E. Memmenge. 1965. Seeding of abandoned croplands in the central great plains. *Journal of Range Management* 18:53-59.
- *Benz, L.J., K.G. Beck, T.D. Whitson, and D.W. Koch. 1999. Reclaiming Russian knapweed infested rangeland. *Journal of Range Management* 52:351-356.
- *Berg, W.A., C.L. Dewald, and P.L. Sims. 1996. Seedbed and seeder options for old world bluestem establishment. *Journal of Range Management* 49:179-181.
- Berg, W.A., and P.L. Sims. 1984. Hbage yields and water-use efficiency on a loamy site as affected by tillage, mulch and seeding treatments. *Journal of Range Management* 37:180-184.
- *Biedenbender, S.H., and B.A. Roundy. 1996. Establishment of native semidesert grasses into existing stands of *Eragrostis lehmanniana* in southeastern Arizona. *Restoration Ecology* 4:155-162.

- Bleak, A.T., N.C. Frischknecht, A.P. Plummer, and R.E. Eckert. 1965. Problems in artificial and natural revegetation of the arid shadscale vegetation zone of Utah and Nevada. *Journal of Range Management* 18:59-65.
- *Bleak, A.T., and A.C. Hull. 1958. Seeding pelleted and unpelleted seed on four range types. *Journal of Range Management* 11:28-33.
- *Bleak, A.T., and W. Keller. 1974. Emergence and yield of six range grasses planted on four dates using natural and treated seeds. *Journal of Range Management* 27:225-227.
- *Booth, D.T. 1980. Emergence of bitterbrush seedlings on land disturbed by phosphate mining. *Journal of Range Management* 33:439-441.
- *Booth, D.T. 2002. Seed longevity and seeding strategies affect sagebrush revegetation. *Journal of Range Management* 55:188-193.
- *Bovey, R.W., V.L. Houser, and R.E. Meyer. 1990. Establishment of kleingrass with annual ryegrass and other cultural treatments. *Agronomy Journal* 82:210-215.
- Bragg, T.B., and L.J. Stephens. 1979. Effects of agricultural terraces on the re-establishment of bluestem grasslands. *Journal of Range Management* 32:437-441.
- *Brahim, K., and S.E. Smith. 1993. Annual medic establishment and the potential for stand persistence in southern Arizona. *Journal of Range Management* 46:21-25.
- *Cable, D.R. 1972. Fourwing saltbush revegetation trials in southern Arizona. *Journal of Range Management* 25:150-153.
- *Cable, D.R. 1976. Twenty years of changes in grass production following mesquite control and reseeding. *Journal of Range Management* 29:286-289.
- *Canode, C.L., and J.K. Patterson. 1961. Grass seed production from seeded range lands. *Journal of Range Management* 14:88-92.
- Cione, N.K., P.E. Padgett, and E.B. Allen. 2002. Restoration of a native shrubland impacted by exotic grasses, frequent fire, and nitrogen deposition in southern California. *Restoration Ecology* 10:376-384.
- *Cluff, G.J., J.A. Young, and R.A. Evans. 1983. Edaphic factors influencing the control of Wyoming big sagebrush and seedling establishment of crested wheatgrass. *Journal of Range Management* 36:786-792.
- *Cook, C.W. 1965. Grass seedling response to halogeton competition. *Journal of Range Management* 18:317-321.
- *Cook, C.W., and C.E. Lewis. 1963. Competition between big sagebrush and seeded grasses on foothill ranges in Utah. *Journal of Range Management* 16:245-250.
- *Cox, J.R., and G.L. Jordan. 1983. Density and production of seeded range grasses in southeastern Arizona (1970-1982). *Journal of Range Management* 36:649-652.
- *Cox, J.R., M.H. Martin, R.F.A. Ibarra-F., and H.L. Morton. 1986. Establishment of range grasses on various seedbeds at creosotebush (*Larrea tridentata*) sites in Arizona USA and Chihuahua, Mexico. *Journal of Range Management* 39:540-546.
- *Cox, M.L., and M.K. McCarty. 1958. Some factors affecting establishment of desirable forage plants in weedy bluegrass pastures of eastern Nebraska. *Journal of Range Management* 11:159-164.

- Cox, R.D., and V.J. Anderson. 2004. Increasing native diversity of cheatgrass-dominated rangeland through assisted succession. *Journal of Range Management* 57:203-210.
- Currie, P.O. 1967. Seeding Sherman big bluegrass. *Journal of Range Management* 20:133-136.
- *Currie, P.O., and R.S. White. 1982. Drought survival of selected forage grasses commonly seeded in the northern Great Plains. *Canadian Journal of Plant Science* 62:949-955.
- *Deput, E.J., C.L. Skilbred, and J.G. Coenenberg. 1982. Effects of two years of irrigation on revegetation of coal surface-mined land in south-eastern Montana. *Journal of Range Management* 35:67-74.
- *Doerr, T.B., E.F. Redente, and T.E. Sievers. 1983. Effect of cultural practices on seeded plant communities on intensively disturbed soils. *Journal of Range Management* 36:423-428.
- Douglas, D.S., A.L. Hafenrichter, and K.H. Klages. 1960. Cultural methods and their relation to establishment of native and exotic grasses in range seedings. *Journal of Range Management* 13:53-57.
- Drawe, D.L., J.B. Grumbles, and J.F. Hooper. 1975. Establishment of Russian wildrye on foothill ranges in Utah. *Journal of Range Management* 28:152-154.
- *Eckert Jr., R.E., J.E. Asher, M.D. Christensen, and R.A. Evans. 1974. Evaluation of the atrazine-fallow technique for weed control and seedling establishment. *Journal of Range Management* 27:288-292.
- *Eckert, R.E. 1974. Atrazine residue, and seedling establishment in furrows. *Journal of Range Management* 27:55-56.
- Eckert, R.E., and R.A. Evans. 1967. A chemical-fallow technique for control of downy brome and establishment of perennial grasses on rangeland. *Journal of Range Management* 20:35-41.
- *Eckert, R.E., A.D. Bruner, G.J. Klomp, and F.F. Peterson. 1973. Mountain meadow improvement through seeding. *Journal of Range Management* 26:200-203.
- Eckert, R.E., F.F. Peterson, M.S. Meurisse, and J.L. Stephens. 1986. Effects of soil-surface morphology on emergence and survival of seedlings in big sagebrush communities. *Journal of Range Management* 39:414-420.
- *Eckert, R.E., G.J. Klomp, R.A. Evans, and J.A. Young. 1972. Establishment of perennial wheatgrasses in relation to atrazine residue in the seedbed. *Journal of Range Management* 25:219-224.
- Eiswerth, M.E., and J.S. Shonkwiler. 2006. Examining post-wildfire reseeding on arid rangeland: A multivariate tobit modelling approach. *Ecological Modelling* 192:286-298.
- *Evangelista, P., T.J. Stohlgren, D. Guenther, and S. Stewart. 2004. Vegetation response to fire and postburn seeding treatments in juniper woodlands of the Grand Staircase-Escalante National Monument, Utah. *Western North American Naturalist* 64:293-305.
- Evans, R.A., and J.A. Young. 1978. Effectiveness of rehabilitation practices following wildfire in a degraded big sagebrush-downy brome community. *Journal of Range Management* 31:185-188.

- *Evans, R.A., R.E. Eckert, and B.L. Kay. 1967. Wheatgrass establishment with paraquat and tillage on downy brome ranges. *Weeds* 15:50-55.
- Fisser, H.G., M.H. Mackey, and J.T. Nichols. 1974. Contour-furrowing and seeding on Nuttall saltbush rangeland in Wyoming. *Journal of Range Management* 27:459-462.
- *Frischknecht, N.C. 1951. Seedling emergence and survival of range grasses in central Utah. *Agronomy Journal* 43:177-182.
- *Frischknecht, N.C., and A.T. Bleak. 1957. Encroachment of Big Sagebrush on seeded range in northeastern Nevada. *Journal of Range Management* 10:165-170.
- *Frischknecht, N.C., and A.P. Plummer. 1955. A comparison of seeded grasses under grazing and protection on a mountain brush burn. *Journal of Range Management* 8:170-175.
- Fulbright, T.E., J.A. Ortega-Santos, A. Lozano-Cavazos, and L.E. Ramirez-Yanez. 2006. Establishing vegetation on migrating inland sand dunes in Texas. *Rangeland Ecology and Management* 59:549-556.
- Gates, D.H. 1962. Revegetation of a high-altitude, barren slope in northern Idaho. *Journal of Range Management* 15:314-318.
- *Gates, D.H., and W.C. Robocker. 1960. Revegetation with adapted grasses in competition with dalmatian toadflax and st. johnswort. *Journal of Range Management* 13:322-326.
- *Giunta, B.C., D.R. Christensen, and S.B. Monsen. 1975. Interseeding shrubs in cheatgrass with a browse seeder-scalper. *Journal of Range Management* 28:398-402.
- Gomm, F.B. 1964. A comparison of two sweetclover strains and ladak alfalfa alone and in mixtures with crested wheatgrass for range and dryland seeding. *Journal of Range Management* 17:19-23.
- Gonzalez, C.L., and J.D. Dodd. 1979. Production response of native and introduced grasses to mechanical brush manipulation, seeding, and fertilization. *Journal of Range Management* 32:305-309.
- *Gonzalez, C.L., and G.V. Latigo. 1981. Rootplowing, front-end stacking, and seeding effects on herbaceous plant species composition. *Journal of Range Management* 34:460-465.
- Great Plains Council. 1966. A Stand Establishment Survey of Grass Plantings in the Great Plains. Great Plains Council Report no. 23, University of Nebraska Agricultural Experiment Station, Lincoln, NE. 60 pp.
- *Haas, R.H., H.L. Morton, and P.J. Torell. 1962. Influence of soil salinity and 2,4-D treatments on establishment of crested wheatgrass and control of halogeton and other annual weeds. *Journal of Range Management* 15:205-210.
- Haferkamp, M.R., D.C. Ganskopp, R.F. Miller, and F.A. Sneva. 1987. Drilling versus imprinting for establishing crested wheatgrass in the sagebrush-bunchgrass steppe. *Journal of Range Management* 40:524-530.
- *Halliday, B.O. 1957. Nineteen years of range improvement on the crystal springs range demonstration area in Nevada. *Journal of Range Management* 10:203-207.
- *Hart, M., S.S. Waller, S.R. Lowry, and R.N. Gates. 1985. Discing and seeding effects on sod bound mixed prairie. *Journal of Range Management* 38:121-125.

- Hart, R.H., and J.G. Dean. 1986. Forage establishment: weather effects on stubble vs. fallow and fall vs. spring seeding. *Journal of Range Management* 39:228-230.
- *Heady, H.F. 1952. Reseeding, fertilizing, and renovating in an ungrazed mixed prairie. *Journal of Range Management* 5:144-149.
- Heady, H.F., and J. Bartolome. 1977. The Vale rangeland rehabilitation program: the desert repaired in southeastern Oregon. USDA FS Res. Bull PNW-70, NWFRES 139 pp.
- *Herbel, C.H., G.H. Abernathy, C.C. Yarbrough, and D.K. Gardener. 1973. Rootplowing and seeding arid rangelands in the southwest. *Journal of Range Management* 26:193-197.
- *Hessing, M.B., and C.D. Johnson. 1982. Early secondary succession following restoration and reseeding treatments in northern Arizona. *Journal of Range Management* 35:667-669.
- *Holechek, J.L. 1981. Initial establishment of four species on a mine spoils. *Journal of Range Management* 34:76-77.
- *Holechek, J.L., E.J. Deput, J.G. Coenenberg, and R. Valdez. 1982a. Legume establishment on strip mined lands in southeastern Montana. *Journal of Range Management* 35:298-300.
- *Holechek, J.L., E.J. Deput, J. Coenenberg, and R. Valdez. 1982b. Long-term plant establishment on mined lands in southeastern Montana. *Journal of Range Management* 35:522-525.
- *Holechek, J.L., R.E. Estell, C.B. Kuykendall, R. Valdez, M. Cardenas, and G. Nunez-Hernandez. 1989. Seeded wheatgrass yield and nutritive quality on New Mexico big sagebrush range. *Journal of Range Management* 42:118-122.
- *Houston, W.R. 1957. Seeding crested wheatgrass on drought depleted range. *Journal of Range Management* 10:131-134.
- *Houston, W.R., and R.E. Adams. 1971. Interseeding for range improvement in the northern Great Plains. *Journal of Range Management* 24:457-461.
- *Huber-Sannwald, E., and D.A. Pyke. 2005. Establishing native grasses in a big sagebrush-dominated site: An intermediate restoration step. *Restoration Ecology* 13:292-301.
- *Hull, A.C. 1959. Pellet seeding of wheatgrasses on southern Idaho rangelands. *Journal of Range Management* 12:155-163.
- *Hull, A.C. 1963. Seeding salt-desert shrub ranges in western Wyoming. *Journal of Range Management* 16:253-258.
- Hull, A.C. 1966. Emergence and survival of intermediate wheatgrass and smooth brome seeded on a mountain range. *Journal of Range Management* 19:279-283.
- Hull, A.C. 1970. Grass seedling emergence and survival from furrows. *Journal of Range Management* 23:421-424.
- Hull, A.C. 1971. Grass mixtures for seeding sagebrush lands. *Journal of Range Management* 24:150-152.
- Hull, A.C. 1972a. Seeding rates and row spacings for rangelands in southeastern Idaho and northern Utah. *Journal of Range Management* 25:50-53.
- Hull, A.C. 1973. Duration of seeded stands on terraced mountain lands, Davis County, Utah. *Journal of Range Management* 26:133-136.

- Hull, A.C. 1974a. Species for seeding arid rangeland in southern Idaho. *Journal of Range Management* 27:216-218.
- Hull, A.C. 1974b. Seedling emergence and survival from different seasons and rates of seeding mountain rangelands. *Journal of Range Management* 27:302-304.
- *Hull, A.C. 1974c Species for seeding mountain rangelands in southeastern Idaho, northeastern Utah and western Wyoming. *Journal of Range Management* 27:150-153.
- Hull, A.C., and G.J. Klomp. 1966. Longevity of crested wheatgrass in the sagebrush-grass type in southern Idaho. *Journal of Range Management* 19:5-11.
- *Hull, A.C., and H. Cox. 1968. Spraying and seeding high elevation tarweed rangelands. *Journal of Range Management* 21:140-144.
- *Humphrey, L.D., and E.W. Schupp. 1999. Temporal patterns of seedling emergence and early survival of Great Basin perennial plant species. *Great Basin Naturalist* 59:35-49.
- Hyder, D.N., and F.A. Sneva. 1956. Seed and plant-soil relations as affected by seedbed firmness on a sandy loam rangeland soil. *Soil Science Society of America Proceedings* 20:416-419.
- Hyder, D.N., A.C. Everson, and R.E. Bement. 1971. Seedling morphology and seeding failures with blue grama. *Journal of Range Management* 24:287-292.
- Hyder, D.N., F.A. Sneva, and W.A. Sawyer. 1955. Soil firming may improve range seeding operations. *Journal of Range Management* 8:159-163.
- *Jessop, B.D., and V.J. Anderson. 2007. Cheatgrass invasion in salt desert shrublands: Benefits of postfire reclamation. *Rangeland Ecology and Management* 60:235-243.
- *Johnson, T.N., and F.B. Gomm. 1981. Forage plantings on six Arizona pinyon-juniper subtypes. *Journal of Range Management* 34:131-136.
- *Johnson, W.M. 1959. Grazing intensity trials on seeded ranges in the ponderosa pine zone of Colorado. *Journal of Range Management* 12:1-7.
- *Judd, B.I. 1966. Range reseeding success on the Tonto National Forest, Arizona. *Journal of Range Management* 19:296-301.
- *Judd, B.I., and L.W. Judd. 1976. Plant survival in the arid southwest 30 years after seeding. *Journal of Range Management* 29:248-251.
- *Kay, B.L., and J.E. Street. 1961. Drilling wheatgrass into sprayed sagebrush in northeastern California. *Journal of Range Management* 14:271-273.
- *Kilcher, M.R. 1961. Fall seeding versus spring seeding in the establishment of five grasses and one alfalfa in southern Saskatchewan. *Journal of Range Management* 14:320-322.
- *Kilcher, M.R., and D.H. Heinrichs. 1968. Rates of seeding Rambler alfalfa with dryland pasture grasses. *Journal of Range Management* 21:248-249.
- *Kilcher, M.R., and J. Looman. 1983. Comparative performance of some native and introduced grasses in southern Saskatchewan, Canada. *Journal of Range Management* 36:654-657.
- *King, M.A., S.S. Waller, L.E. Moser, and J.L. Stubbendieck. 1989. Seedbed effects on grass establishment on abandoned Nebraska sandhills cropland. *Journal of Range Management* 42:183-187.

- Klomp, G.J., and A.C. Hull Jr. 1972. Methods for seeding three perennial wheatgrasses on cheatgrass ranges in southern Idaho. *Journal of Range Management* 25:266-268.
- *Kocher, E., and J. Subbendieck. 1986. Broadcasting grass seed to revegetate sandy soils. *Journal of Range Management* 39:555-557.
- Launchbaugh, J.L., and C.E. Owensby. 1970. Seeding rate and first-year stand relationships for six native grasses. *Journal of Range Management* 23:414-417.
- Lavin, F., F.B. Gomm, and T.N. Johnson. 1973. Cultural, seasonal, and site effects on pinyon-juniper rangeland plantings. *Journal of Range Management* 26:279-285.
- Lavin, F., T.N. Johnson, and F.B. Gomm. 1981. Mulching, furrowing, and fallowing of forage plantings on Arizona pinyon-juniper ranges. *Journal of Range Management* 34:171-177.
- *Lawrence, B.K., S.S. Waller, L.E. Moser, B.E. Anderson, and L.L. Larson. 1995. Weed suppression with grazing or atrazine during big bluestem establishment. *Journal of Range Management* 48:376-379.
- *Leckenby, D.A., and D.E. Towell. 1983. Response of forage species seeded for mule deer in western juniper types of south-central Oregon. *Journal of Range Management* 36:98-103.
- Ludwig, J.R., and W.J. McGinnies. 1978. Revegetation trials on a saltgrass meadow. *Journal of Range Management* 31:308-311.
- Marietta, K.L., and C.M. Britton. 1989. Establishment of seven high yielding grasses on the Texas High Plains. *Journal of Range Management* 42:289-294.
- *Masters, R.A. 1995. Establishment of big bluestem and sand bluestem cultivars with metolachlor and atrazine. *Agronomy Journal* 87:592-596.
- *Masters, R.A., D.D. Beran, and R.E. Gaussoin. 2001. Restoring tallgrass prairie species mixtures on leafy spurge-infested rangeland. *Journal of Range Management* 54:362-369.
- *Masters, R.A., and S.J. Nissen. 1998. Revegetating leafy spurge (*Euphorbia esula*)-infested rangeland with native tallgrasses. *Weed Technology* 12:381-390.
- *Masters, R.A., K.P. Vogel, P.E. Reece, and D. Bauer. 1990. Sand bluestem and prairie sandreed establishment. *Journal of Range Management* 43:540-544.
- *Masters, R.A., S.J. Nissen, R.E. Gaussoin, D.D. Beran, and R.N. Stougaard. 1996. Imidazolinone herbicides improve restoration of Great Plains grasslands. *Weed Technology* 10:392-403.
- *Mathis, G.W., M.W. Kothmann, and W.J. Waldrip. 1971. Influence of rootplowing and seeding on composition and forage production of native grasses. *Journal of Range Management* 24:44-46.
- *McGinnies, W.J. 1960. Effects of planting dates, seeding rates,, and row spacings on range seeding results in western Colorado. *Journal of Range Management* 13:37-39.
- McGinnies, W.J. 1962. Effect of seedbed firming on the establishment of crested wheatgrass seedlings. *Journal of Range Management* 15:230-234.
- McGinnies, W.J. 1968. Effect of post-emergence weed control on grass establishment in north-central Colorado. *Journal of Range Management* 21:126-128.
- McGinnies, W.J. 1972. An alternate-furrow system for seeding northern Colorado rangeland. *Journal of Range Management* 25:450-452.

- McGinnies, W.J., D.F. Hervey, J.A. Downs, and A.C. Everson. 1963. A summary of range grass seeding trials in Colorado. Tech Bulletin 73, Colorado State University Agricultural Experiment Station.
- *McKell, C.M., J.R. Goodin, and C. Duncan. 1969. Chaparral manipulation affects soil moisture depletion patterns and seedling establishment. *Journal of Range Management* 22:159-165.
- *McLean, A., and S.J. Wikeem. 1983. Effect of time of seeding on emergence and long-term survival of crested wheatgrass in British Columbia. *Journal of Range Management* 36:694-700.
- *McMurphy, W.E. 1969. Pre-emergence herbicides for seeding range grasses. *Journal of Range Management* 22:427-429.
- *McWilliams, J.L., and P.E. Van Cleave. 1960. A comparison of crested wheatgrass and native grass mixtures seeded on rangeland in eastern Montana. *Journal of Range Management* 13:91-94.
- *Miller, H.W., O.K. Hoglund, and A.L. Hafenrichter. 1953. Reseeding to aid conservation of annual forage range. *Journal of Range Management* 6:414-422.
- Mueggler, W.F., and J.P. Blaisdell. 1955. Effect of seeding rate upon establishment and yield of crested wheatgrass. *Journal of Range Management* 8:74-76.
- Mueller, D.M., R.A. Bowman, and W.J. McGinnies. 1985. Effects of tillage and manure on emergence and establishment of Russian wildrye in a saltgrass meadow. *Journal of Range Management* 38:497-500.
- Nelson, J.R., A.M. Wilson, and Goebel C.J. 1970. Factors influencing broadcast seeding in bunchgrass range. *Journal of Range Management* 23:163-170.
- *Newman, G.J., and E.F. Redente. 2001. Long-term plant community development as influenced by revegetation techniques. *Journal of Range Management* 54:717-724.
- Nord, E.C., P.F. Hartless, and W.D. Nettleton. 1971. Effects of several factors on saltbush establishment in California. *Journal of Range Management* 24:216-223.
- Ocuppaugh, W.R., S. Archer, and J.W. Stuth. 1996. Switchgrass recruitment from broadcast seed vs seed fed to cattle. *Journal of Range Management* 49:368-371.
- *Oldfather, S., J. Stubbendieck, and S.S. Waller. 1989. Evaluating revegetation practices for sandy cropland in the Nebraska Sandhills. *Journal of Range Management* 42:257-259.
- Ott, J.E., E.D. McArthur, and B.A. Roundy. 2003. Vegetation of chained and non-chained seedings after wildfire in Utah. *Journal of Range Management* 56:81-91.
- *Owensby, C.E., and K.L. Anderson. 1965. Reseeding "go-back" land in the Flint Hills of Kansas. *Journal of Range Management* 18:224-225.
- Papanastasis, V., and H.H. Biswell. 1975. Seeding rate-cover relationships of annual ryegrass seeded on burned brushlands. *Journal of Range Management* 28:402-406.
- *Passey, H.B., and D.S. Winn. 1953. Management of reseeded range and its place in ranch operation. *Journal of Range Management* 6:11-15.
- Pinchak, B.A., G.E. Schuman, and E.J. Depuit. 1985. Topsoil and mulch effects on plant species and community responses of revegetated mined land. *Journal of Range Management* 38:262-265.

- *Powell, K.B., R.B. Vincent, E.J. Deput, J.L. Smith, and F.E. Parady. 1990. Role of irrigation and fertilization in revegetation of cold desert mined lands. *Journal of Range Management* 43:449-455.
- *Ralphs, M.H., and F.E. Busby. 1979. Prescribed burning: vegetative change, forage production, cost, and returns on six demonstration burns in Utah. *Journal of Range Management* 32:267-270.
- *Ratzlaff, T.D., and J.E. Anderson. 1995. Vegetal recovery following wildfire in seeded and unseeded sagebrush steppe. *Journal of Range Management* 48:386-391.
- *Redente, E.F., T. McLendon, and W. Agnew. 1997. Influence of topsoil depth on plant community dynamics of a seeded site in northwest Colorado. *Arid Soil Research and Rehabilitation* 11:139-149.
- *Riegel, D.A., F.W. Albertson, G.W. Tomanek, and F.E. Kinsinger. 1963. Effects of grazing and protection on a twenty-year-old seeding. *Journal of Range Management* 16:60-63.
- *Ries, R.E., F.M. Sandoval, and J.F. Power. 1988. Irrigation water for vegetation establishment. *Journal of Range Management* 41:210-215.
- Ries, R.E., and L. Hofmann. 1996. Perennial grass establishment in relationship to seeding dates in the northern Great Plains. *Journal of Range Management* 49:504-508.
- Ries, R.E., and T.J. Svejcar. 1991. The grass seedling: When is it established? *Journal of Range Management* 44:574-576.
- *Robertson, J.H., R.E. Eckert, and A.T. Bleak. 1966. Responses of grasses seeded in an *Artemisia tridentata* habitat in Nevada. *Ecology* 47:187-194.
- *Robertson, J.H., and C.K. Pearse. 1945. Artificial reseeding and the closed community. *Northwest Science* 19:58-66.
- Robertson, T.E., and T.W. Box. 1969. Interseeding sideoats grama on the Texas high plains. *Journal of Range Management* 22:243-245.
- *Robocker, W.C., and R.D. Schirman. 1976. Reseeding trails on Columbia Basin rangelands dominated by winter annual grasses. *Journal of Range Management* 29:492-497.
- *Robocker, W.C., D.H. Gates, and H.D. Kerr. 1965. Effects of herbicides, burning, and seeding date in reseeding an arid range. *Journal of Range Management* 18:114-118.
- Romo, J.T., and R.W. Grilz. 2002. Establishment of silver sagebrush in the northern mixed prairie. *Journal of Range Management* 55:217-221.
- *Rose, K.K., A.L. Hild, T.D. Whitson, D.W. Koch, and L. Van Tassell. 2001. Competitive effects of cool-season grasses on re-establishment of three weed species. *Weed Technology* 15:885-891.
- *Roundy, B.A. 1985. Emergence and establishment of Basin wildrye and tall wheatgrass in relation to moisture and salinity. *Journal of Range Management* 38:126-131.
- *Rumbaugh, M.D., and M.W. Pedersen. 1979. Survival of alfalfa in five semiarid range seedings. *Journal of Range Management* 32:48-51.
- *Rumbaugh, M.D., and T. Thorn. 1965. Initial stands of interseeded alfalfa. *Journal of Range Management* 18:258-261 .

- Schultz, A.M., and H.H. Biswell. 1952. Competition between grasses reseeded on burned brushlands in California. *Journal of Range Management* 5:338-345.
- *Schuman, G.E., and S.E. Belden. 2002. Long-term survival of direct seeded Wyoming big sagebrush seedlings on a reclaimed mine site. *Arid Land Research and Management* 16:309-317.
- Schuman, G.E., D.T. Booth, and J.R. Cockrell. 1998. Cultural methods for establishing Wyoming big sagebrush on mined lands. *Journal of Range Management* 51:223-230.
- *Schuman, G.E., F. Rauzi, and D.T. Booth. 1982. Production and competition of crested wheatgrass-native grass mixtures. *Agronomy Journal* 74:23-26.
- *Shaw, N.L., M.R. Haferkamp, and E.G. Hurd. 1994. Germination and seedling establishment of spiny hopsage in response to planting date and seed-bed environment. *Journal of Range Management* 47:165-174.
- *Sheley, R.L. 2007. Revegetating Russian knapweed (*Acroptilon repens*) and green rabbitbrush (*Ericameria teretifolia*) infested rangeland in a single entry. *Weed Science* 55:365-370.
- *Sheley, R.L., J.S. Jacobs, and T.J. Svejcar. 2005. Integrating disturbance and colonization during rehabilitation of invasive weed-dominated grasslands. *Weed Science* 53:307-314.
- *Sheley, R.L., J.S. Jacobs, and D.E. Lucas. 2001. Revegetating spotted knapweed infested rangeland in a single entry. *Journal of Range Management* 54:144-151.
- Sheley, R.L., J.S. Jacobs, and R.P. Velagala. 1999. Enhancing intermediate wheatgrass establishment in spotted knapweed infested rangeland. *Journal of Range Management* 52:68-74.
- *Skousen, J.G., J.N. Davis, and J.D. Brotherson. 1989. Pinyon-juniper chaining and seeding for big game in central Utah. *Journal of Range Management* 42:98-104.
- Slayback, R.D., and C.W. Renney. 1972. Intermediate pits reduce gamble in range seeding in the southwest. *Journal of Range Management* 25:224-227.
- Slayback, R.D., and D.R. Cable. 1970. Larger pits aid reseeded of semidesert rangeland. *Journal of Range Management* 23:333-335.
- *Stevenson, B.A., T. Mclendon, and E.F. Redente. 2000. Effects of soil fumigation and seeding regimes on secondary succession in a semiarid shrubland. *Arid Soil Research and Rehabilitation* 14:87-99.
- Stewart, G. 1950. Reseeding research in the intermountain region. *Journal of Range Management* 3:52-59.
- Stroh, J.R., and V.P. Sundberg. 1971. Emergence of grass seedlings under crop residue culture. *Journal of Range Management* 24:226-230.
- *Stubbendieck, J., and W.G. McCully. 1972. Factors affecting germination, emergence and establishment of sand bluestem. *Journal of Range Management* 25:383-385.
- Stubbendieck, J., P.T. Koshi, and W.G. McCully. 1973. Establishment and growth of selected grasses. *Journal of Range Management* 26:39-41.
- Thompson, T.W., B.A. Roundy, E.D. McArthur, B.D. Jessop, B. Waldron, and J.N. Davis. 2006. Fire rehabilitation using native and introduced species: A landscape trial. *Rangeland Ecology and Management* 59:237-248.

- *Tiedemann, A.R., and E.M. Schmutz. 1966. Shrub control and reseeding effects on the oak chaparral of Arizona. *Journal of Range Management* 19:191-195.
- *Waldron, B.L., T.A. Monaco, K.B. Jensen, R.D. Harrison, A.J. Palazzo, and J.D. Kulbeth. 2005. Coexistence of native and introduced perennial grasses following simultaneous seeding. *Agronomy Journal* 97:990-996.
- *Warnes, D.D., and L.C. Newell. 1969. Establishment and yield responses of warm-season grass strains to fertilization. *Journal of Range Management* 22:235-240.
- *Wein, R.W., and N.E. West. 1971. Seedling survival on erosion control treatments in a salt desert area. *Journal of Range Management* 24:352-357.
- *Wiedemann, A.T., and B.T. Cross. 2001. Chain diker effects on seeded grass establishment following disk chaining. *Journal of Range Management* 54:138-143.
- Wiedemann, H.T., and B.T. Cross. 2000. Disk chain effects on seeded grass establishment. *Journal of Range Management* 53:62-67.
- *Wight, J.R., and L.M. White. 1974. Interseeding and pitting on a sandy range site in eastern Montana. *Journal of Range Management* 27:206-210.
- *Willard, E.E., and J.L. Schuster. 1971. An evaluation of an interseeded sideoats grama stand four years after establishment. *Journal of Range Management* 24:223-226.
- Williams, M.I., G.E. Schuman, A.L. Hild, and L.E. Vicklund. 2002. Wyoming big sagebrush density: effects of seeding rates and grass competition. *Restoration Ecology* 10:385-391.
- *Wilson, S.D., and A.K. Gerry. 1995. Strategies for mixed-grass prairie restoration: Herbicide, tilling, and nitrogen manipulation. *Restoration Ecology* 3:290-298.
- Winkel, V.K., and B.A. Roundy. 1991. Effects of cattle trampling and mechanical seedbed preparation on grass seedling emergence. *Journal of Range Management* 44:176-180.
- Wood, M.K., R.E. Eckert, W.H. Blackburn, and F.F. Peterson. 1982. Influence of crusting soil surfaces on emergence and establishment of crested wheatgrass, squirreltail, thurber needlegrass and fourwing saltbush. *Journal of Range Management* 35:282-287.
- Young, J.A., R.R. Blank, W.S. Longland, and D.E. Palmquist. 1994. Seeding Indian ricegrass in an arid environment in the Great Basin. *Journal of Range Management* 47:2-7.
- *Young, J.A., C.D. Clements, and R.R. Blank. 1997. Influence of nitrogen on antelope bitterbrush seedling establishment. *Journal of Range Management* 50:536-540.
- Young, J.A., R.A. Evans, and R.E. Eckert. 1969a. Emergence of medusahead and other grasses from four seeding depths. *Weed Science* 17:376-379.
- Young, J.A., R.A. Evans, and R.E. Eckert. 1969b. Wheatgrass establishment with tillage and herbicides in a mesic medusahead community. *Journal of Range Management* 22:151-155.