


EMC shield clamps on cable lugs

with or without integrated cable fixing function



EMC shield clamps are used, where the shield of cables must be connected to the earth potential. They are easy to use and effective in earthing single cable shields. The shield clamps are mounted on ring cable lugs which can be crimped on PE conductors.

The RCLZ-M shield clamps allow a secure fixing of the cable with cable ties.

The size of the ring cable lug diameter is shown by differing colours:

- Red: 0.5 - 1.5 mm²
- Blue: 1.0 - 2.5 mm²
- Yellow: 4 - 6 mm²



Specifications

Material	Shield clamp: Spring steel, zinc plated Mounting foot: Polycarbonate
Operating temperature	-30 C° to 120 C°
Properties	vibration proof
Mounting options	Clamping

Advantages & Benefits

- Large contact area
- The spring design requires no adjustments and will permanently maintain contact to the cable shield
- Shock and vibration resistant, maintenance free
- UL listed

Product types & Sizes

	RCL 0.5-1.5mm ² SKL 1.5-3	Part No.	36296.1	Length	20 mm
		EAN	4251269319655	Width	11,8 mm
		PU	25	Height	17,8 mm
		No. of shield clamps	1		
		For max. no. of cables	1		
		Min. shield diam.	1,5 mm		
		Max. shield diam.	3 mm		
	RCL 0.5-1.5mm ² MSKL 3-12	Part No.	36296.2	Length	20 mm
		EAN	4251269319662	Width	14,9 mm
		PU	25	Height	25,4 mm
		No. of shield clamps	1		
		For max. no. of cables	1		
		Min. shield diam.	3 mm		
		Max. shield diam.	12 mm		

RCL 1.0-2.5mm²|SKL 1.5-3



Part No. **36297.1**
EAN **4251269319679**
PU **25**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **1,5 mm**
Max. shield diam. **3 mm**

Length **21 mm**
Width **11,8 mm**
Height **18,2 mm**

RCL 1.0-2.5mm²|SKL 3-6



Part No. **36297.3**
EAN **4251269324161**
PU **25**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **6 mm**

Length **21 mm**
Width **11,8 mm**
Height **19 mm**

RCL 1.0-2.5mm²|SKL 6-8



Part No. **36297.4**
EAN **4251269324178**
PU **25**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **6 mm**
Max. shield diam. **8 mm**

Length **21 mm**
Width **11,8 mm**
Height **20 mm**

RCL 1.0-2.5mm²|SKL 8-11



Part No. **36297.5**
EAN **4251269324185**
PU **25**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **8 mm**
Max. shield diam. **11 mm**

Length **21 mm**
Width **14 mm**
Height **25 mm**

RCL 1.0-2.5mm²|MSKL 3-12



Part No. **36297.2**
EAN **4251269319686**
PU **25**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **21 mm**
Width **14,9 mm**
Height **25,8 mm**

RCL 4-6mm²|SKL 1.5-3



Part No. **36298.1**
EAN **4251269319693**
PU **25**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **1,5 mm**
Max. shield diam. **3 mm**

Length **24 mm**
Width **11,8 mm**
Height **19,1 mm**

RCL 4-6mm²|MSKL 3-12

Part No. **36298.2**
EAN **4251269319709**
PU **25**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **24 mm**
Width **14,9 mm**
Height **26,7 mm**

RCLZ-M 0.5-1.5mm²|MSKL 3-12

Part No. **36301.2**
EAN **4251269322327**
PU **25**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **45,5 mm**
Width **15 mm**
Height **26 mm**

RCLZ-M 1.0-2.5mm²|MSKL 3-12

Part No. **36302.2**
EAN **4251269322334**
PU **25**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **46,5 mm**
Width **15 mm**
Height **26 mm**

RCLZ-M 4-6 mm²|MSKL 3-12

Part No. **36303.2**
EAN **4251269322341**
PU **25**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **49,5 mm**
Width **15 mm**
Height **27 mm**