

EMC shield clamps on earthing tapes

with or without integrated cable fixing function



The earthing tapes are fitted with a shield clamp at one end. This solution is used where space is limited.

The earthing tapes are available with M4 or M6 holes.



Specifications

Material	Shield clamp: Spring steel, zinc plated Base frame: Cu-ETP
Properties	vibration proof
Mounting options	Screw type mounting, Riveting

Advantages & Benefits

- Very flexible assembly
- Ideal for difficult to access installations
- Earthing tapes with pressed-on connecting end pads
- Standard products, short delivery times
- UL listed

Product types & Sizes

MB|100|6|M4|MSKL 3-12



Part No.	32695.01	Length	113 mm
EAN	4251269324451	Width	14,9 mm
PU	10	Height	25 mm
No. of shield clamps	1	Hole size	M4
For max. no. of cables	1	Cross-section	6 mm²
Min. shield diam.	3 mm	Current load	67 - 80 A
Max. shield diam.	12 mm		

MB|100|6|M4|MSKL 8-18



Part No.	32695.02	Length	113 mm
EAN	4251269324468	Width	19,7 mm
PU	10	Height	31,2 mm
No. of shield clamps	1	Hole size	M4
For max. no. of cables	1	Cross-section	6 mm²
Min. shield diam.	8 mm	Current load	67 - 80 A
Max. shield diam.	18 mm		

**MB|100|10|M6+M4|MSK
L 3-12**



Part No. **39711.01**
EAN **4251269324413**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **120 mm**
Width **14,9 mm**
Height **25 mm**
Hole size **M6**
Cross-section **10 mm²**
Current load **89 - 106 A**

**MB|100|10|M6+M4|MSK
L 8-18**



Part No. **39711.02**
EAN **4251269324420**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **8 mm**
Max. shield diam. **18 mm**

Length **120 mm**
Width **19,7 mm**
Height **31,2 mm**
Hole size **M6**
Cross-section **10 mm²**
Current load **89 - 106 A**

MB|150|6|M4|MSKL 3-12



Part No. **39710.01**
EAN **4251269324376**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **163 mm**
Width **14,9 mm**
Height **25 mm**
Hole size **M4**
Cross-section **6 mm²**
Current load **67 - 80 A**

MB|150|6|M4|MSKL 8-18



Part No. **39710.02**
EAN **4251269324383**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **8 mm**
Max. shield diam. **18 mm**

Length **163 mm**
Width **19,7 mm**
Height **31,2 mm**
Hole size **M4**
Cross-section **6 mm²**
Current load **67 - 80 A**

MB|200|6|M4|MSKL 3-12



Part No. **32707.01**
EAN **4251269324499**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **213 mm**
Width **14,9 mm**
Height **25 mm**
Hole size **M4**
Cross-section **6 mm²**
Current load **67 - 80 A**

MB|200|6|M4|MSKL 8-18



Part No. **32707.02**
EAN **4251269324505**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **8 mm**
Max. shield diam. **18 mm**

Length **213 mm**
Width **19,7 mm**
Height **31,2 mm**
Hole size **M4**
Cross-section **6 mm²**
Current load **67 - 80 A**

MB|100|6|M4|Z-MSKL 3-12



Part No. **32695.011**
EAN **4251269324475**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **113 mm**
Width **14,9 mm**
Height **25 mm**
Hole size **M4**
Cross-section **6 mm²**
Current load **67 - 80 A**

MB|100|6|M4|Z-MSKL 8-18



Part No. **32695.021**
EAN **4251269324482**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **8 mm**
Max. shield diam. **18 mm**

Length **113 mm**
Width **19,7 mm**
Height **31,2 mm**
Hole size **M4**
Cross-section **6 mm²**
Current load **67 - 80 A**

MB|100|10|M6+M4|Z-MSKL 3-12



Part No. **39711.011**
EAN **4251269324437**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **120 mm**
Width **14,9 mm**
Height **25 mm**
Hole size **M6**
Cross-section **10 mm²**
Current load **89 - 106 A**

MB|100|10|M6+M4|Z-MSKL 8-18



Part No. **39711.021**
EAN **4251269324444**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **8 mm**
Max. shield diam. **18 mm**

Length **120 mm**
Width **19,7 mm**
Height **31,2 mm**
Hole size **M6**
Cross-section **10 mm²**
Current load **89 - 106 A**

MB|150|6|M4|Z-MSKL 3-12



Part No. **39710.011**
EAN **4251269324390**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **3 mm**
Max. shield diam. **12 mm**

Length **163 mm**
Width **14,9 mm**
Height **25 mm**
Hole size **M4**
Cross-section **6 mm²**
Current load **67 - 80 A**

MB|150|6|M4|Z-MSKL 8-18



Part No. **39710.021**
EAN **4251269324406**
PU **10**
No. of shield clamps **1**
For max. no. of cables **1**
Min. shield diam. **8 mm**
Max. shield diam. **18 mm**

Length **163 mm**
Width **19,7 mm**
Height **31,2 mm**
Hole size **M4**
Cross-section **6 mm²**
Current load **67 - 80 A**

MB|200|6|M4|Z-MSKL 3-12



Part No.	32707.011	Length	213 mm
EAN	4251269324512	Width	14,9 mm
PU	10	Height	25 mm
No. of shield clamps	1	Hole size	M4
For max. no. of cables	1	Cross-section	6 mm ²
Min. shield diam.	3 mm	Current load	67 - 80 A
Max. shield diam.	12 mm		

MB|200|6|M4|Z-MSKL 8-18



Part No.	32707.021	Length	213 mm
EAN	4251269324529	Width	19,7 mm
PU	10	Height	31,2 mm
No. of shield clamps	1	Hole size	M4
For max. no. of cables	1	Cross-section	6 mm ²
Min. shield diam.	8 mm	Current load	67 - 80 A
Max. shield diam.	18 mm		

