



EMC-KT | EMC cable grommets

für shield diameters 2 - 33 mm



The cable grommets type EMC-KT are made of a very conductive elastomer. Thus, disturbances are dissipated from the cable shield directly via the grommet, the frame and the flat gasket. This ensures full-area protection against field-bound interference!

Suitable for:

- EMC-KEL-U cable entry frames
- EMC-KEL-DS cable entry frames
- EMC-KVT-DS cable glands

The model range EMC-KT small is designed for cable diameters from 2 to 16 mm. Cable grommets EMC-KT large accept a wide range of cable diameters from 13 to 33 mm.

When installing the small grommets in multiple rows, the flat sides should be facing each other.

Specifications


Material	Elastomer, conductive
Flame class	UL94-HB
Operating temperature	-30 C° to 80 C°
Properties	silicone free, halogen free


Advantages & Benefits

- Contacting the cable shield over 360°
- EMC grommets made entirely from conductive elastomer
- Enable routing of pre-terminated cables through cable entry frames and split cable glands
- Available for a large range of cable diameters

Product types & Sizes

EMC-BTK	Part No.	99473	Mounting height	2 mm
	EAN	4251269319549	Blank grommet	1
	PU	5		
	Color	schwarz		
	Length	21 mm		
	Width	21 mm		
	Height	19 mm		

EMC-KT 2	Part No.	99459	Height	19 mm
	EAN	4251269324772	Mounting height	2 mm
	PU	5	For cable type	Rundleitung
	For max. no. of cables	1	Min. shield diam.	2 mm
	Color	schwarz	Max. shield diam.	3 mm
	Length	21 mm	Clamping range	1 x 2 - 3 mm
	Width	21 mm		


EMC-KT 3

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99460
4251269319419
5
1
schwarz
21 mm
21 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
3 mm
4 mm
1 x 3 - 4 mm


EMC-KT 4

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99461
4251269319426
5
1
schwarz
21 mm
21 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
4 mm
5 mm
1 x 4 - 5 mm


EMC-KT 5

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99462
4251269319433
5
1
schwarz
21 mm
21 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
5 mm
6 mm
1 x 5 - 6 mm


EMC-KT 6

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99463
4251269319440
5
1
schwarz
21 mm
21 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
6 mm
7 mm
1 x 6 - 7 mm


EMC-KT 7

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99464
4251269319457
5
1
schwarz
21 mm
21 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
7 mm
8 mm
1 x 7 - 8 mm


EMC-KT 8

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width


99465
4251269319464
5
1
schwarz
21 mm
21 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range


19 mm
2 mm
Rundleitung
8 mm
9 mm
1 x 8 - 9 mm

EMC-KT 9


Part No.	99466	Height	19 mm
EAN	4251269319471	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	9 mm
Color	schwarz	Max. shield diam.	10 mm
Length	21 mm	Clamping range	1 x 9 - 10 mm
Width	21 mm		

EMC-KT 10

Part No.	99467	Height	19 mm
EAN	4251269319488	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	10 mm
Color	schwarz	Max. shield diam.	11 mm
Length	21 mm	Clamping range	1 x 10 - 11 mm
Width	21 mm		

EMC-KT 11


Part No.	99468	Height	19 mm
EAN	4251269319495	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	11 mm
Color	schwarz	Max. shield diam.	12 mm
Length	21 mm	Clamping range	1 x 11 - 12 mm
Width	21 mm		

EMC-KT 12


Part No.	99469	Height	19 mm
EAN	4251269319501	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	12 mm
Color	schwarz	Max. shield diam.	13 mm
Length	21 mm	Clamping range	1 x 12 - 13 mm
Width	21 mm		

EMC-KT 13

Part No.	99470	Height	19 mm
EAN	4251269319518	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	13 mm
Color	schwarz	Max. shield diam.	14 mm
Length	21 mm	Clamping range	1 x 13 - 14 mm
Width	21 mm		

EMC-KT 14


Part No.	99471	Height	19 mm
EAN	4251269319525	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	14 mm
Color	schwarz	Max. shield diam.	15 mm
Length	21 mm	Clamping range	1 x 14 - 15 mm
Width	21 mm		

EMC-KT 15


Part No.	99472	Height	19 mm
EAN	4251269319532	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	15 mm
Color	schwarz	Max. shield diam.	16 mm
Length	21 mm	Clamping range	1 x 15 - 16 mm
Width	21 mm		

EMC-BTG


Part No.	99495	Mounting height	2 mm
EAN	4251269319648	Blank grommet	1
PU	5		
Color	schwarz		
Length	41,5 mm		
Width	42 mm		
Height	19 mm		

EMC-KTG 13


Part No.	99496	Height	19 mm
EAN	4251269324222	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	13 mm
Color	schwarz	Max. shield diam.	14 mm
Length	41,5 mm	Clamping range	1 x 13 - 14 mm
Width	42 mm		

EMC-KTG 14


Part No.	99497	Height	19 mm
EAN	4251269324239	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	14 mm
Color	schwarz	Max. shield diam.	15 mm
Length	41,5 mm	Clamping range	1 x 14 - 15 mm
Width	42 mm		

EMC-KTG 15

Part No.	99498	Height	19 mm
EAN	4251269324246	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	15 mm
Color	schwarz	Max. shield diam.	16 mm
Length	41,5 mm	Clamping range	1 x 15 - 16 mm
Width	42 mm		

EMC-KT 16

Part No.	99475	Height	19 mm
EAN	4251269319556	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	16 mm
Color	schwarz	Max. shield diam.	17 mm
Length	41,5 mm	Clamping range	1 x 16 - 17 mm
Width	42 mm		


EMC-KT 17

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99476
4251269319563
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
17 mm
18 mm
1 x 17 - 18 mm


EMC-KT 18

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99477
4251269319570
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
18 mm
19 mm
1 x 18 - 19 mm


EMC-KT 19

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99478
4251269319587
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
19 mm
20 mm
1 x 19 - 20 mm


EMC-KT 20

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99479
4251269319594
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
20 mm
21 mm
1 x 20 - 21 mm


EMC-KT 21

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99480
4251269319600
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
21 mm
22 mm
1 x 21 - 22 mm


EMC-KT 22

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width


99481
4251269319617
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
22 mm
23 mm
1 x 22 - 23 mm

EMC-KT 23

Part No.	99482	Height	19 mm
EAN	4251269319624	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	23 mm
Color	schwarz	Max. shield diam.	24 mm
Length	41,5 mm	Clamping range	1 x 23 - 24 mm
Width	42 mm		

EMC-KT 24

Part No.	99483	Height	19 mm
EAN	4251269319631	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	24 mm
Color	schwarz	Max. shield diam.	25 mm
Length	41,5 mm	Clamping range	1 x 24 - 25 mm
Width	42 mm		

EMC-KT 25


Part No.	99484	Height	19 mm
EAN	4251269323836	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	25 mm
Color	schwarz	Max. shield diam.	26 mm
Length	41,5 mm	Clamping range	1 x 25 - 26 mm
Width	42 mm		

EMC-KT 26


Part No.	99485	Height	19 mm
EAN	4251269323843	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	26 mm
Color	schwarz	Max. shield diam.	27 mm
Length	41,5 mm	Clamping range	1 x 26 - 27 mm
Width	42 mm		

EMC-KT 27

Part No.	99486	Height	19 mm
EAN	4251269323850	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	27 mm
Color	schwarz	Max. shield diam.	28 mm
Length	41,5 mm	Clamping range	1 x 27 - 28 mm
Width	42 mm		

EMC-KT 28

Part No.	99487	Height	19 mm
EAN	4251269323867	Mounting height	2 mm
PU	5	For cable type	Rundleitung
For max. no. of cables	1	Min. shield diam.	28 mm
Color	schwarz	Max. shield diam.	29 mm
Length	41,5 mm	Clamping range	1 x 28 - 29 mm
Width	42 mm		

EMC-KT 29

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99488
4251269323874
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
29 mm
30 mm
1 x 29 - 30 mm

EMC-KT 30

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99489
4251269323881
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
30 mm
31 mm
1 x 30 - 31 mm


EMC-KT 31

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99490
4251269323898
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
31 mm
32 mm
1 x 31 - 32 mm

EMC-KT 32

Part No.
EAN
PU
For max. no. of cables
Color
Length
Width

99491
4251269323904
5
1
schwarz
41,5 mm
42 mm

Height
Mounting height
For cable type
Min. shield diam.
Max. shield diam.
Clamping range

19 mm
2 mm
Rundleitung
32 mm
33 mm
1 x 32 - 33 mm