

FT cable grommets for flat cables

for use in cable entry frames KEL-FL / IP54



IP54

UL TYPE 12

RoHS compliant

DNV GL

HL3
EN 45545-2

REACH COMPLIANCE

Made in Germany

Specifications

IP rating (EN 60529)	IP54
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free

Advantages & Benefits

Routing of flat cables with various dimensions

Product types & Sizes


FT-1 0	Part No.	46201	Mounting height	2 mm
	EAN	4251269311673		
	PU	5		
	Color	grau (ähnlich RAL 7035)		
	Length	42 mm		
	Width	21 mm		
	Height	19 mm		
FT-1 A	Part No.	46210	Height	19 mm
	EAN	4251269311710	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	19 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	23 mm
	Length	42 mm	Min. flat cable thickness	5,5 mm
	Width	21 mm	Max. flat cable thickness	6 mm


FT-1 B 	Part No.	46211	Height	19 mm
	EAN	4251269311727	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	28 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	33 mm
	Length	42 mm	Min. flat cable thickness	5,5 mm
	Width	21 mm	Max. flat cable thickness	6 mm

FT-1 C 	Part No.	46212	Height	19 mm
	EAN	4251269311734	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	24 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	30 mm
	Length	42 mm	Min. flat cable thickness	8,5 mm
	Width	21 mm	Max. flat cable thickness	9 mm

FT-1 E 	Part No.	46214	Height	19 mm
	EAN	4251269311741	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	19 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	24 mm
	Length	42 mm	Min. flat cable thickness	6,5 mm
	Width	21 mm	Max. flat cable thickness	7 mm

FT-1 F 	Part No.	46215	Height	19 mm
	EAN	4251269311758	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	28 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	33 mm
	Length	42 mm	Min. flat cable thickness	9 mm
	Width	21 mm	Max. flat cable thickness	9,5 mm

FT-2 0 	Part No.	46202	Mounting height	2 mm
	EAN	4251269311680		
	PU	5		
	Color	grau (ähnlich RAL 7035)		
	Length	65 mm		
	Width	21 mm		
	Height	19 mm		

FT-2 A 	Part No.	46250	Height	19 mm
	EAN	4251269311765	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	32,5 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	38 mm
	Length	65 mm	Min. flat cable thickness	5 mm
	Width	21 mm	Max. flat cable thickness	5,5 mm

FT-2 B 	Part No.	46251	Height	19 mm
	EAN	4251269311772	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	45 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	50,5 mm
	Length	65 mm	Min. flat cable thickness	6 mm
	Width	21 mm	Max. flat cable thickness	6,5 mm


FT-2 C 	Part No.	46252	Height	19 mm
	EAN	4251269311789	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	47 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	52 mm
	Length	65 mm	Min. flat cable thickness	9,5 mm
	Width	21 mm	Max. flat cable thickness	10 mm

FT-2 F 	Part No.	46255	Height	19 mm
	EAN	4251269311796	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	38 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	43 mm
	Length	65 mm	Min. flat cable thickness	12,5 mm
	Width	21 mm	Max. flat cable thickness	13 mm

FT-2 G 	Part No.	46256	Height	19 mm
	EAN	4251269311802	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	49 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	54 mm
	Length	65 mm	Min. flat cable thickness	5 mm
	Width	21 mm	Max. flat cable thickness	6 mm

FT-3 0 	Part No.	46203	Mounting height	2 mm
	EAN	4251269311697		
	PU	5		
	Color	grau (ähnlich RAL 7035)		
	Length	87 mm		
	Width	21 mm		
	Height	19 mm		

FT-3 A 	Part No.	46300	Height	19 mm
	EAN	4251269311819	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	72 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	77 mm
	Length	87 mm	Min. flat cable thickness	5 mm
	Width	21 mm	Max. flat cable thickness	5,5 mm

FT-4 0	Part No.	46204	Mounting height	2 mm
	EAN	4251269311703		
	PU	5		
	Color	grau (ähnlich RAL 7035)		
	Length	114 mm		
	Width	21 mm		
	Height	19 mm		

FT-4 A	Part No.	46330	Height	19 mm
	EAN	4251269311826	Mounting height	2 mm
	PU	5	For cable type	Flachleitung
	For max. no. of cables	1	Min. flat cable width	85 mm
	Color	grau (ähnlich RAL 7035)	Max. flat cable width	99 mm
	Length	114 mm	Min. flat cable thickness	4,2 mm
	Width	21 mm	Max. flat cable thickness	5,2 mm

