



KAFM-EMC cable assembly with strain relief

for shield earthing and simultaneous strain relief



The EMC strain relief plate KAFM is practical for earthing interferences on the cable shield.

The cable assembly can be assembled on a mounting plate with screws, with SC-feet on C section rails C30 or with MF-feet on 35 mm top hat DIN rails.



Specifications

Material	Stainless steel
Properties	vibration proof
Mounting options	Snap-in,Screw type mounting

Advantages & benefits

Universal solution

Product types & sizes

KAFM 2



Part No.	36422	Width	49 mm
EAN	4251269302657	Height	2 mm
Package quantity	1	No. of screw holes	2
Strain relief (acc. to EN 62444)	1	Diam. of screw holes	4,5
For max. no. of cables	2	No. of teeth	2
Length L1	50,5 mm		
Length L2	37,5 mm		

KAFM 4



Part No.	36424	Width	49 mm
EAN	4251269302664	Height	2 mm
Package quantity	1	No. of screw holes	2
Strain relief (acc. to EN 62444)	1	Diam. of screw holes	4,5 mm
For max. no. of cables	4	No. of teeth	4
Length L1	83,5 mm		
Length L2	70,5 mm		

KAFM 6

Part No. **36426**
 EAN **4251269302671**
 Package quantity **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **6**
 Length L1 **116,5 mm**
 Length L2 **103,5 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **2**
 Diam. of screw holes **4,5 mm**
 No. of teeth **6**

KAFM 8

Part No. **36428**
 EAN **4251269302688**
 Package quantity **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **8**
 Length L1 **149,5 mm**
 Length L2 **136,5 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **2**
 Diam. of screw holes **4,5 mm**
 No. of teeth **8**

KAFM 10

Part No. **36430**
 EAN **4251269302695**
 Package quantity **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **10**
 Length L1 **182,5 mm**
 Length L2 **169,5 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **2**
 Diam. of screw holes **4,5 mm**
 No. of teeth **10**

KAFM 16

Part No. **36530**
 EAN **4251269303081**
 Package quantity **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **16**
 Length L1 **281,5 mm**
 Length L2 **268,5 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **3**
 Diam. of screw holes **4,5 mm**
 No. of teeth **16**

KAFM 29

Part No. **36540**
 EAN **4251269303098**
 Package quantity **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **29**
 Length L1 **494,5 mm**
 Length L2 **481,5 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **5**
 Diam. of screw holes **4,5 mm**
 No. of teeth **29**

KAFM 59

Part No. **36550**
 EAN **4251269303104**
 Package quantity **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **59**
 Length L1 **990 mm**
 Length L2 **978 mm**

Width **49 mm**
 Height **2 mm**
 No. of screw holes **5**
 Diam. of screw holes **4,5 mm**
 No. of teeth **59**

KAFM 59 zn

Part No. **36562**
EAN **4251269303111**
Package quantity **1**
Strain relief (acc. to EN 62444) **1**
For max. no. of cables **59**
Length L1 **990 mm**
Length L2 **978 mm**

Width **49 mm**
Height **2 mm**
No. of screw holes **5**
Diam. of screw holes **4,5 mm**
No. of teeth **59**

Distance bushing KAFM

Part No. **36234**
EAN **4251269302275**
Package quantity **10**
Strain relief (acc. to EN 62444) **1**
Length **12 mm**
Height **8 mm**

KAFM 2|DH

Part No. **36482**
EAN **4251269302930**
Package quantity **1**
Strain relief (acc. to EN 62444) **1**
For max. no. of cables **2**
Length L1 **50,5 mm**
Length L2 **37,5 mm**

Width **49 mm**
Height **10 mm**
No. of screw holes **2**
Diam. of screw holes **4,5 mm**
No. of teeth **2**

KAFM 4|DH

Part No. **36484**
EAN **4251269302947**
Package quantity **1**
Strain relief (acc. to EN 62444) **1**
For max. no. of cables **4**
Length L1 **83,5 mm**
Length L2 **70,5 mm**

Width **49 mm**
Height **10 mm**
No. of screw holes **2**
Diam. of screw holes **4,5 mm**
No. of teeth **4**

KAFM 6|DH

Part No. **36486**
EAN **4251269302954**
Package quantity **1**
Strain relief (acc. to EN 62444) **1**
For max. no. of cables **6**
Length L1 **116,5 mm**
Length L2 **103,5 mm**

Width **49 mm**
Height **10 mm**
No. of screw holes **2**
Diam. of screw holes **4,5 mm**
No. of teeth **6**

KAFM 8|DH

Part No. **36488**
EAN **4251269302961**
Package quantity **1**
Strain relief (acc. to EN 62444) **1**
For max. no. of cables **8**
Length L1 **149,5 mm**
Length L2 **136,5 mm**

Width **49 mm**
Height **10 mm**
No. of screw holes **2**
Diam. of screw holes **4,5 mm**
No. of teeth **8**

KAFM 10|DH

Part No. **36490**
 EAN **4251269302978**
 Package quantity **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **10**
 Length L1 **182,5 mm**
 Length L2 **169,5 mm**

Width **49 mm**
 Height **10 mm**
 No. of screw holes **2**
 Diam. of screw holes **4,5 mm**
 No. of teeth **10**

KAFM 16|DH

Part No. **36460**
 EAN **4251269302848**
 Package quantity **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **16**
 Length L1 **281,5 mm**
 Length L2 **268,5 mm**

Width **49 mm**
 Height **10 mm**
 No. of screw holes **3**
 Diam. of screw holes **4,5 mm**
 No. of teeth **16**

KAFM 29|DH

Part No. **36462**
 EAN **4251269302855**
 Package quantity **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **29**
 Length L1 **494,5 mm**
 Length L2 **481,5 mm**

Width **49 mm**
 Height **10 mm**
 No. of screw holes **5**
 Diam. of screw holes **4,5 mm**
 No. of teeth **29**

KAFM 59|DH

Part No. **36464**
 EAN **4251269302862**
 Package quantity **1**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **59**
 Length L1 **990 mm**
 Length L2 **978 mm**

Width **49 mm**
 Height **10 mm**
 No. of screw holes **5**
 Diam. of screw holes **4,5 mm**
 No. of teeth **59**

Screw M4 x 16 DIN 912

Part No. **99017**
 EAN **4251269316494**
 Package quantity **10**
 Strain relief (acc. to EN 62444) **1**
 Length **20 mm**
 Height **7 mm**

KAFM 2|SF

Part No. **36442**
 EAN **4251269302756**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **2**

Length L1 **50,5 mm**
 Length L2 **37,5 mm**
 No. of teeth **2**

KAFM 4|SF

Part No. **36444**
 EAN **4251269302763**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **4**

Length L1 **83,5 mm**
 Length L2 **70,5 mm**
 No. of teeth **4**

KAFM 6|SF

Part No. **36446**
 EAN **4251269302770**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **6**

Length L1 **116,5 mm**
 Length L2 **103,5 mm**
 No. of teeth **6**

KAFM 8|SF

Part No. **36448**
 EAN **4251269302787**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **8**

Length L1 **149,5 mm**
 Length L2 **136,5 mm**
 No. of teeth **8**

KAFM 10|SF

Part No. **36450**
 EAN **4251269302794**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **10**

Length L1 **182,5 mm**
 Length L2 **169,5 mm**
 No. of teeth **10**

KAFM 16|SF

Part No. **36452**
 EAN **4251269302800**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **16**

Length L1 **281,5 mm**
 Length L2 **268,5 mm**
 No. of teeth **16**

KAFM 29|SF

Part No. **36454**
 EAN **4251269302817**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **29**

Length L1 **494,5 mm**
 Length L2 **481,5 mm**
 No. of teeth **29**

KAFM 59|SF

Part No. **36458**
 EAN **4251269302824**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **59**

Length L1 **990 mm**
 Length L2 **978 mm**
 No. of teeth **59**

KAFM 59|SF zn

Part No. **36459**
 EAN **4251269302831**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **59**

Length L1 **990 mm**
 Length L2 **978 mm**
 No. of teeth **59**

KAFM 2|SK

Part No. **36432**
 EAN **4251269302701**
 Package quantity **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **2**

Length L1 **50,5 mm**
 Length L2 **37,5 mm**
 No. of teeth **2**

KAFM 4|SK

Part No. **36434**
 EAN **4251269302718**
 Package quantity **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **4**

Length L1 **83,5 mm**
 Length L2 **70,5 mm**
 No. of teeth **4**

KAFM 6|SK

Part No. **36436**
 EAN **4251269302725**
 Package quantity **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **6**

Length L1 **116,5 mm**
 Length L2 **103,5 mm**
 No. of teeth **6**

KAFM 8|SK

Part No. **36438**
 EAN **4251269302732**
 Package quantity **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **8**

Length L1 **149,5 mm**
 Length L2 **136,5 mm**
 No. of teeth **8**

KAFM 10|SK

Part No. **36440**
 EAN **4251269302749**
 Package quantity **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **10**

Length L1 **182,5 mm**
 Length L2 **169,5 mm**
 No. of teeth **10**

KAFM 16|SK

Part No. **36470**
 EAN **4251269302909**
 Package quantity **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **16**

Length L1 **281,5 mm**
 Length L2 **268,5 mm**
 No. of teeth **16**

KAFM 29|SK

Part No. **36471**
 EAN **4251269302916**
 Package quantity **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **29**

Length L1 **494,5 mm**
 Length L2 **481,5 mm**
 No. of teeth **29**

KAFM 59|SK

Part No. **36472**
 EAN **4251269302923**
 Package quantity **1**
 Width **49 mm**
 Height **36 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **59**

Length L1 **990 mm**
 Length L2 **978 mm**
 No. of teeth **59**

KAFM 2|SC

Part No. **36412**
 EAN **4251269302619**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **2**

Length L1 **50,5 mm**
 Length L2 **37,5 mm**
 No. of teeth **2**

KAFM 4|SC

Part No. **36414**
 EAN **4251269302626**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **4**

Length L1 **83,5 mm**
 Length L2 **70,5 mm**
 No. of teeth **4**

KAFM 6|SC

Part No. **36416**
 EAN **4251269302633**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **6**

Length L1 **116,5 mm**
 Length L2 **103,5 mm**
 No. of teeth **6**

KAFM 8|SC

Part No. **36418**
 EAN **4251269302640**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **8**

Length L1 **149,5 mm**
 Length L2 **136,5 mm**
 No. of teeth **8**

KAFM 10|SC

Part No. **36400**
 EAN **4251269302602**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **10**

Length L1 **182,5 mm**
 Length L2 **169,5 mm**
 No. of teeth **10**

KAFM 16|SC

Part No. **36465**
 EAN **4251269302879**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **16**

Length L1 **281,5 mm**
 Length L2 **268,5 mm**
 No. of teeth **16**

KAFM 29|SC

Part No. **36466**
 EAN **4251269302886**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **29**

Length L1 **494,5 mm**
 Length L2 **481,5 mm**
 No. of teeth **29**

KAFM 59|SC

Part No. **36467**
 EAN **4251269302893**
 Package quantity **1**
 Width **49 mm**
 Height **19 mm**
 Strain relief (acc. to EN 62444) **1**
 For max. no. of cables **59**

Length L1 **990 mm**
 Length L2 **978 mm**
 No. of teeth **59**

SK single

Part No.	36232
EAN	4251269302268
Package quantity	10
Length	50 mm
Width	9 mm
Height	31 mm
No. of screw holes	1

Diam. of screw holes	5,1 mm
----------------------	---------------

SC single

Part No.	36220
EAN	4251269302183
Package quantity	10
Length	26 mm
Width	22,5 mm
Height	6,5 mm
Mounting height	2

No. of screw holes	1
Diam. of screw holes	4,1 mm

