

KDR-BES-U brush strip with clamp profile

in custom length or sized for Rittal, nVent Hoffman, ELDON, Häwa, Schneider Electric & ETA enclosures



There are 4 different models available:

Order No. 58210.xxxx - for sheet/wall thickness 1.5 - 2 mm, brush height 35 mm
Order No. 58215.xxxx - for sheet/wall thickness 1.5 - 2 mm, brush height 50 mm
Order No. 58225.xxxx - for sheet/wall thickness 2.5 - 3 mm, brush height 35 mm
Order No. 58230.xxxx - for sheet/wall thickness 2.5 - 3 mm, brush height 50 mm

Specifications

Material	Aluminum Brushes: Polyamide
Operating temperature	-20 C° to 90 C°
Properties	silicone free, halogen free

Product types & Sizes



Defining your individual length:

X (mm) = sight size of enclosure base opening

Order numbers (ex.):

X = 999 mm --> Order NO. 58210.0999

Advantages & Benefits

- Quick assembly without tools
- Original enclosure gland plates can be used when mounting
- Three mounting types possible
- Brush may be remounted at any time using other mounting options
- Available in almost any length up to 1.500 mm

	KDR-BES-U-xxxx (1.5-2-35 mm)	Part No.	58210.xxxx
		EAN	
		PU	1
		Brush height	35 mm
		For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm

	KDR-BES-U-xxxx (1.5-2-50 mm)	Part No.	58215.xxxx
		EAN	
		PU	1
		Brush height	50 mm
		For min. wall thickness	1,5 mm
		For max. wall thickness	2 mm

	KDR-BES-U-xxxx (2.5-3-35 mm)	Part No.	58225.xxxx
		EAN	
		PU	1
		Brush height	35 mm
		For min. wall thickness	2,5 mm
		For max. wall thickness	3 mm

	KDR-BES-U-xxxx (2.5-3-50 mm)	Part No.	58230.xxxx
		EAN	
		PU	1
		Brush height	50 mm
		For min. wall thickness	2,5 mm
		For max. wall thickness	3 mm

	KDR-BES-U-VX25-600 (35 mm)	Part No.	58225.0452	Sight size of base opening	452 mm
		EAN	4251269320385	Brush height	35 mm
		PU	1		
		Width	16 mm		
		Length	452 mm		
		For enclosure width	600 mm		

	KDR-BES-U-VX25-600 (50mm)	Part No.	58230.0452	Sight size of base opening	452 mm
		EAN	4251269320996	Brush height	50 mm
		PU	1		
		Width	16 mm		
		Length	452 mm		
		For enclosure width	600 mm		

	KDR-BES-U-VX25-800 (35 mm)	Part No.	58225.0652	Sight size of base opening	652 mm
		EAN	4251269320392	Brush height	35 mm
		PU	1		
		Width	16 mm		
		Length	652 mm		
		For enclosure width	800 mm		

KDR-BES-U-VX25-800
(50mm)



Part No.	58230.0652
EAN	4251269321016
PU	1
Width	16 mm
Length	652 mm
For enclosure width	800 mm

Sight size of base opening	652 mm
Brush height	50 mm

KDR-BES-U-VX25-1000
(35 mm)



Part No.	58225.0402
EAN	4251269320408
PU	1
Width	16 mm
Length	402 mm
For enclosure width	1.000 mm

Sight size of base opening	402 mm
Division bar	mit Mittelstrebe
Brush height	35 mm

KDR-BES-U-VX25-1000
(50mm)



Part No.	58230.0402
EAN	4251269320989
PU	1
Width	16 mm
Length	402 mm
For enclosure width	1.000 mm

Sight size of base opening	402 mm
Division bar	mit Mittelstrebe
Brush height	50 mm

KDR-BES-U-VX25-1200
(35 mm)



Part No.	58225.0502
EAN	4251269320415
PU	1
Width	16 mm
Length	502 mm
For enclosure width	1.200 mm

Sight size of base opening	502 mm
Division bar	mit Mittelstrebe
Brush height	35 mm

KDR-BES-U-VX25-1200
(50mm)



Part No.	58230.0502
EAN	4251269321009
PU	1
Width	16 mm
Length	502 mm
For enclosure width	1.200 mm

Sight size of base opening	502 mm
Division bar	mit Mittelstrebe
Brush height	50 mm

KDR-BES-U-TS8-600-0435



Part No.	58210.0435
EAN	4251269316524
PU	1
Width	16 mm
Brush height	35 mm
Length	435 mm

For enclosure width	600 mm
Sight size of base opening	435 mm

KDR-BES-U-TS8-800



Part No.	58210.0635
EAN	4251269316548
PU	1
Width	16 mm
Brush height	35 mm
Length	635 mm

For enclosure width	800 mm
Sight size of base opening	635 mm

	KDR-BES-U-TS8-1000	Part No.	58210.0397	For enclosure width	1.000 mm
		EAN	4251269316517	Sight size of base opening	397 mm
		PU	1	Division bar	mit Mittelstrebe
		Width	16 mm		
		Brush height	35 mm		
		Length	397 mm		

	KDR-BES-U-TS8-1000-0835	Part No.	58210.0835	For enclosure width	1.000 mm
		EAN	4251269316555	Sight size of base opening	835 mm
		PU	1	Division bar	ohne Mittelstrebe
		Width	16 mm		
		Brush height	35 mm		
		Length	835 mm		

	KDR-BES-U-TS8-1200	Part No.	58210.0495	For enclosure width	1.200 mm
		EAN	4251269316531	Sight size of base opening	495 mm
		PU	1	Division bar	mit Mittelstrebe
		Width	16 mm		
		Brush height	35 mm		
		Length	495 mm		

	KDR-BES-U-HW-600 (392/35 mm)	Part No.	58210.0392		
		EAN	4251269324697		
		PU	1		
		Length	392 mm		
		For enclosure width	600 mm		
		Sight size of base opening	392 mm		
		Brush height	35 mm		

	KDR-BES-U-HW-600 (392/50 mm)	Part No.	58215.0392		
		EAN	4251269324734		
		PU	1		
		Length	392 mm		
		For enclosure width	600 mm		
		Sight size of base opening	392 mm		
		Brush height	50 mm		

	KDR-BES-U-HW-600 (592/35 mm)	Part No.	58210.0592		
		EAN	4251269324703		
		PU	1		
		Length	592 mm		
		For enclosure width	600 mm		
		Sight size of base opening	592 mm		
		Brush height	35 mm		

KDR-BES-U-HW-600
(592/50 mm)



Part No.	58215.0592
EAN	4251269324741
PU	1
Length	592 mm
For enclosure width	600 mm
Sight size of base opening	592 mm
Brush height	50 mm

KDR-BES-U-HW-600
(792/35 mm)



Part No.	58210.0792
EAN	4251269324710
PU	1
Length	792 mm
For enclosure width	600 mm
Sight size of base opening	792 mm
Brush height	35 mm

KDR-BES-U-HW-600
(792/50 mm)



Part No.	58215.0792
EAN	4251269324758
PU	1
Length	792 mm
For enclosure width	600 mm
Sight size of base opening	792 mm
Brush height	50 mm

KDR-BES-U-HW-600
(992/35 mm)



Part No.	58210.0992
EAN	4251269324727
PU	1
Length	992 mm
For enclosure width	600 mm
Sight size of base opening	992 mm
Brush height	35 mm

KDR-BES-U-HW-600
(992/50 mm)



Part No.	58215.0992
EAN	4251269324765
PU	1
Length	992 mm
For enclosure width	600 mm
Sight size of base opening	992 mm
Brush height	50 mm

KDR-BES-U-SSP-600
(35 mm)



Part No.	58210.0414
EAN	4251269324611
PU	1
Width	16 mm
Length	414 mm
For enclosure width	600 mm

Sight size of base opening	414 mm
Brush height	35 mm

KDR-BES-U-SSP-600
(50 mm)



Part No. **58215.0414**
EAN **4251269324659**
PU **1**
Width **16 mm**
Length **414 mm**
For enclosure width **600 mm**

Sight size of base opening **414 mm**
Brush height **50 mm**

KDR-BES-U-SSP-800
(35 mm)



Part No. **58215.0614**
EAN **4251269324628**
PU **1**
Width **16 mm**
Length **614 mm**
For enclosure width **800 mm**

Sight size of base opening **614 mm**
Brush height **35 mm**

KDR-BES-U-SSP-800
(50 mm)



Part No. **58215.0614**
EAN **4251269324666**
PU **1**
Width **16 mm**
Length **614 mm**
For enclosure width **800 mm**

Sight size of base opening **614 mm**
Brush height **50 mm**

KDR-BES-U-SSP-1000
(35 mm)



Part No. **58215.0814**
EAN **4251269324635**
PU **1**
Width **16 mm**
Length **814 mm**
For enclosure width **1.000 mm**

Sight size of base opening **814 mm**
Brush height **35 mm**

KDR-BES-U-SSP-1000
(50 mm)



Part No. **58215.0814**
EAN **4251269324673**
PU **1**
Width **16 mm**
Length **814 mm**
For enclosure width **1.000 mm**

Sight size of base opening **814 mm**
Brush height **50 mm**

KDR-BES-U-SSP-1200
(35 mm)



Part No. **58215.0477**
EAN **4251269324642**
PU **1**
Width **16 mm**
Length **477 mm**
For enclosure width **1.200 mm**

Sight size of base opening **477 mm**
Brush height **35 mm**

KDR-BES-U-SSP-1200
(50 mm)



Part No. **58215.0477**
EAN **4251269324680**
PU **1**
Width **16 mm**
Length **477 mm**
For enclosure width **1.200 mm**

Sight size of base opening **477 mm**
Brush height **50 mm**

KDR-BES-U-ELDON-600
(35 mm)



Part No. **58221.0435**
EAN **4251269325229**
PU **1**
Width **16 mm**
Length **435 mm**
For enclosure width **600 mm**

Sight size of base opening **435 mm**
Brush height **35 mm**

KDR-BES-U-ELDON-600
(50 mm)



Part No. **58221.0435**
EAN **4251269325267**
PU **1**
Width **16 mm**
Length **435 mm**
For enclosure width **600 mm**

Sight size of base opening **435 mm**
Brush height **50 mm**

KDR-BES-U-ELDON-
800+1600 (35 mm)



Part No. **58221.0635**
EAN **4251269325236**
PU **1**
Width **16 mm**
Length **635 mm**
For enclosure width **800 mm**

Sight size of base opening **635 mm**
Brush height **35 mm**

KDR-BES-U-ELDON-
800+1600 (50 mm)



Part No. **58222.0635**
EAN **4251269325274**
PU **1**
Width **16 mm**
Length **635 mm**
For enclosure width **800 mm**

Sight size of base opening **635 mm**
Brush height **50 mm**

KDR-BES-U-ELDON-
1000 (35 mm)



Part No. **58221.0835**
EAN **4251269325243**
PU **1**
Width **16 mm**
Length **835 mm**
For enclosure width **1.000 mm**

Sight size of base opening **835 mm**
Brush height **35 mm**

KDR-BES-U-ELDON-
1000 (50 mm)



Part No. **58222.0835**
EAN **4251269325281**
PU **1**
Width **16 mm**
Length **835 mm**
For enclosure width **1.000 mm**

Sight size of base opening **835 mm**
Brush height **50 mm**

KDR-BES-U-ELDON-
1200 (35 mm)



Part No. **58221.0495**
EAN **4251269325250**
PU **1**
Width **16 mm**
Length **495 mm**
For enclosure width **1.200 mm**

Sight size of base opening **495 mm**
Brush height **35 mm**

**KDR-BES-U-ELDON-
1200 (50 mm)**



Part No. **58222.0495**
EAN **4251269325298**
PU **1**
Width **16 mm**
Length **495 mm**
For enclosure width **1.200 mm**

Sight size of base opening
Brush height **495 mm**
50 mm

**KDR-BES-U-ETA-ENUX-
600 (35 mm)**



Part No. **58222.0363**
EAN **4251269325304**
PU **1**
Width **16 mm**
Length **363 mm**
For enclosure width **600 mm**

Sight size of base opening
Brush height **363 mm**
35 mm

**KDR-BES-U-ETA-ENUX-
600 (50 mm)**



Part No. **58222.0363**
EAN **4251269325342**
PU **1**
Width **16 mm**
Length **363 mm**
For enclosure width **600 mm**

Sight size of base opening
Brush height **363 mm**
50 mm

**KDR-BES-U-ETA-ENUX-
800 (35 mm)**



Part No. **58221.0563**
EAN **4251269325311**
PU **1**
Width **16 mm**
Length **563 mm**
For enclosure width **800 mm**

Sight size of base opening
Brush height **563 mm**
35 mm

**KDR-BES-U-ETA-ENUX-
800 (50 mm)**



Part No. **58222.0563**
EAN **4251269325359**
PU **1**
Width **16 mm**
Length **563 mm**
For enclosure width **800 mm**

Sight size of base opening
Brush height **563 mm**
50 mm

**KDR-BES-U-ETA-ENUX-
1000 (35 mm)**



Part No. **58221.0345**
EAN **4251269325328**
PU **1**
Width **16 mm**
Length **345 mm**
For enclosure width **1.000 mm**

Sight size of base opening
Brush height **345 mm**
35 mm

**KDR-BES-U-ETA-ENUX-
1000 (50 mm)**



Part No. **58222.0345**
EAN **4251269325366**
PU **1**
Width **16 mm**
Length **345 mm**
For enclosure width **1.000 mm**

Sight size of base opening
Brush height **345 mm**
50 mm

**KDR-BES-U-ETA-ENUX-
1200 (35 mm)**



Part No.	58221.0445
EAN	4251269325335
PU	1
Width	16 mm
Length	445 mm
For enclosure width	1.200 mm

Sight size of base opening	445 mm
Brush height	35 mm

**KDR-BES-U-ETA-ENUX-
1200 (50 mm)**



Part No.	58222.0445
EAN	4251269325373
PU	1
Width	16 mm
Length	445 mm
For enclosure width	1.200 mm

Sight size of base opening	445 mm
Brush height	50 mm

KDR-BES-U-HG2-600



Part No.	58210.0362
EAN	4251269318207
PU	1
Brush height	35 mm
Length	362 mm
For enclosure width	600 mm

Sight size of base opening	362 mm
----------------------------	---------------

KDR-BES-U-HG2-800



Part No.	58210.0562
EAN	4251269318214
PU	1
Brush height	35 mm
Length	562 mm
For enclosure width	800 mm

Sight size of base opening	562 mm
----------------------------	---------------

KDR-BES-U-HG2-1000



Part No.	58210.0762
EAN	4251269318221
PU	1
Brush height	35 mm
Length	762 mm
For enclosure width	1.000 mm

Sight size of base opening	762 mm
----------------------------	---------------

Edge protection trim



Part No.	99152
EAN	4251269318238
PU	1
Length	100.000 mm
Clamping range	x 1 - 2 mm