

KEL-DP multi-membrane cable entry plates, round

pluggable into metric cut-outs M20 - M50 / IP65 / UL Type 12



KEL-DP entry plates are designed for routing cables without connectors, hoses or fibre optics in limited space.

The KEL-DP products are an easy to assemble and cost saving alternative to traditional cable glands. Simply make a small hole in the thin membrane and push the cables through. The KEL-DP round provides protection IP65 / UL type 12.

The round version of the KEL-DP fits perfectly into metric cut-outs M20 | M25 | M32 | M40 | M50. A special rib ensures a centred fit in the cut-outs.

ST-B Plugs can be used for sealing pierced membranes if cables have been removed.

IP54



ECOLAB certified

Made in Germany

IP55



UV ISO 4892-2A

IP64



PNEUMATICS

IP65



RoHS compliant

UL TYPE 12



REACH COMPLIANCE

Specifications


IP rating (EN 60529)	IP54, IP55, IP64, IP65
UL Type (UL 50E)	UL Type 12
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free
Mounting options	Snap-in

Advantages & Benefits

- Quick assembly without tools
- High cable density
- Cost-effective solution
- Hygienic design - free of dirt-collecting recesses


Product types & Sizes

KEL-DP 20|4 A gy




Part No.	43572
EAN	4251269320477
PU	10
For max. no. of cables	4
Color	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	27 mm

Mounting height	5 mm
Cut-out size, round	20 mm
Cut-out size, metric	M20
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	4 x 1 - 5.2 mm

KEL-DP 20|4-1 A gy


Part No. **43575**
 EAN **4251269323911**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **27 mm**

Mounting height **5 mm**
 Cut-out size, round **20 mm**
 Cut-out size, metric **M20**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **2 x 1 - 8 mm**
2 x 1 - 4.5 mm

KEL-DP 20|5 A gy


Part No. **43573**
 EAN **4251269320484**
 PU **10**
 For max. no. of cables **5**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **27 mm**

Mounting height **5 mm**
 Cut-out size, round **20 mm**
 Cut-out size, metric **M20**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **1 x 1 - 10.6 mm**
2 x 1 - 4.6 mm
2 x 1 - 3.6 mm

KEL-DP 20|9 A gy


Part No. **43574**
 EAN **4251269320491**
 PU **10**
 For max. no. of cables **9**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **27 mm**

Mounting height **5 mm**
 Cut-out size, round **20 mm**
 Cut-out size, metric **M20**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **5 x 1 - 4.6 mm**
4 x 1 - 3.6 mm

KEL-DP 25|4 A gy


Part No. **43533**
 EAN **4251269310027**
 PU **10**
 For max. no. of cables **4**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 8 mm**

KEL-DP 25|4 A bk


Part No. **50533**
 EAN **4251269314803**
 PU **10**
 For max. no. of cables **4**
 Color **schwarz**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 8 mm**

KEL-DP 25|4 B bk


Part No. **43535**
 EAN **4251269324079**
 PU **10**
 For max. no. of cables **4**
 Color **schwarz**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **4 x 1 - 8 mm**

KEL-DP 25|6 A gy


Part No. **43531**
 EAN **4251269310003**
 PU **10**
 For max. no. of cables **6**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 5.2 mm**
2 x 1 - 9.4 mm

KEL-DP 25|6 A bk


Part No. **50531**
 EAN **4251269314780**
 PU **10**
 For max. no. of cables **6**
 Color **schwarz**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 5.2 mm**
2 x 1 - 9.4 mm

KEL-DP 25|7 A gy


Part No. **43534**
 EAN **4251269322563**
 PU **10**
 For max. no. of cables **7**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **32 mm**

Mounting height **5 mm**
 Cut-out size, round **25 mm**
 Cut-out size, metric **M25**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **7 x 1 - 5.2 mm**

KEL-DP 32|7 A gy


Part No. **43592**
 EAN **4251269322488**
 PU **10**
 For max. no. of cables **7**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **7 x 1 - 8 mm**

KEL-DP 32|7 B gy


Part No. **43596**
 EAN **4251269322525**
 PU **10**
 For max. no. of cables **7**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **7 x 1 - 8 mm**

KEL-DP 32|10 A gy

Part No. **43532**
 EAN **4251269310010**
 PU **10**
 For max. no. of cables **10**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **6 x 1 - 5.2 mm**
2 x 1 - 6.4 mm
2 x 1 - 9.4 mm

KEL-DP 32|10 B gy


Part No.	43560
EAN	4251269310133
PU	10
For max. no. of cables	10
Color	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	38 mm

Mounting height	5 mm
Cut-out size, round	32 mm
Cut-out size, metric	M32
For min. wall thickness	2,8 mm
For max. wall thickness	4 mm
Clamping range	6 x 1 - 5.2 mm
	2 x 1 - 6.4 mm
	2 x 1 - 9.4 mm

KEL-DP 32|10 A bk


Part No.	50532
EAN	4251269314797
PU	10
For max. no. of cables	10
Color	schwarz
Height	12 mm
External diameter	38 mm

Mounting height	5 mm
Cut-out size, round	32 mm
Cut-out size, metric	M32
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	6 x 1 - 5.2 mm
	2 x 1 - 6.4 mm
	2 x 1 - 9.4 mm

KEL-DP 32|10 B bk


Part No.	50560
EAN	4251269314889
PU	10
For max. no. of cables	10
Color	schwarz
Height	12 mm
External diameter	38 mm

Mounting height	5 mm
Cut-out size, round	32 mm
Cut-out size, metric	M32
For min. wall thickness	2,8 mm
For max. wall thickness	4 mm
Clamping range	6 x 1 - 5.2 mm
	2 x 1 - 6.4 mm
	2 x 1 - 9.4 mm

KEL-DP 32|10-2 A gy


Part No.	43593
EAN	4251269322495
PU	10
For max. no. of cables	10
Color	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	38 mm

Mounting height	5 mm
Cut-out size, round	32 mm
Cut-out size, metric	M32
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	10 x 1 - 6.4 mm

KEL-DP 32|10-2 B gy


Part No.	43597
EAN	4251269322532
PU	10
For max. no. of cables	10
Color	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	38 mm

Mounting height	5 mm
Cut-out size, round	32 mm
Cut-out size, metric	M32
For min. wall thickness	2,8 mm
For max. wall thickness	4 mm
Clamping range	10 x 1 - 6.4 mm

KEL-DP 32|11 A gy


Part No.	43594
EAN	4251269322501
PU	10
For max. no. of cables	11
Color	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	38 mm

Mounting height	5 mm
Cut-out size, round	32 mm
Cut-out size, metric	M32
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	2 x 1 - 8 mm
	9 x 1 - 5.2 mm

KEL-DP 32|11 B gy


Part No. **43598**
 EAN **4251269322549**
 PU **10**
 For max. no. of cables **11**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **2 x 1 - 8 mm**
9 x 1 - 5.2 mm

KEL-DP 32|13 A gy

Part No. **43595**
 EAN **4251269322518**
 PU **10**
 For max. no. of cables **13**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **13 x 1 - 5.2 mm**

KEL-DP 32|13 B gy


Part No. **43599**
 EAN **4251269322556**
 PU **10**
 For max. no. of cables **13**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **38 mm**

Mounting height **5 mm**
 Cut-out size, round **32 mm**
 Cut-out size, metric **M32**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **13 x 1 - 5.2 mm**

KEL-DP 40|9 A gy


Part No. **43536**
 EAN **4251269310034**
 PU **10**
 For max. no. of cables **9**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **50 mm**

Mounting height **5 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **8 x 1 - 9.5 mm**
1 x 1 - 11.3 mm

KEL-DP 40|9 B gy


Part No. **43561**
 EAN **4251269310140**
 PU **10**
 For max. no. of cables **9**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **50 mm**

Mounting height **5 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **8 x 1 - 9.5 mm**
1 x 1 - 11.3 mm

KEL-DP 40|16 A gy


Part No. **43537**
 EAN **4251269310041**
 PU **10**
 For max. no. of cables **16**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **50 mm**

Mounting height **5 mm**
 Cut-out size, round **40 mm**
 Cut-out size, metric **M40**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **2 x 1 - 5.3 mm**
10 x 1 - 6.3 mm
2 x 1 - 9.5 mm
2 x 1 - 11.3 mm

KEL-DP 40|16 B gy


Part No.	43563
EAN	4251269310164
PU	10
For max. no. of cables	16
Color	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	50 mm

Mounting height	5 mm
Cut-out size, round	40 mm
Cut-out size, metric	M40
For min. wall thickness	2,8 mm
For max. wall thickness	4 mm
Clamping range	2 x 1 - 5.3 mm
	10 x 1 - 6.3 mm
	2 x 1 - 9.5 mm
	2 x 1 - 11.3 mm

KEL-DP 40|17 A gy


Part No.	43538
EAN	4251269310058
PU	10
For max. no. of cables	17
Color	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	50 mm

Mounting height	5 mm
Cut-out size, round	40 mm
Cut-out size, metric	M40
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	1 x 1 - 4 mm
	16 x 1 - 7.2 mm

KEL-DP 40|17 B gy

Part No.	43565
EAN	4251269310188
PU	10
For max. no. of cables	17
Color	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	50 mm

Mounting height	5 mm
Cut-out size, round	40 mm
Cut-out size, metric	M40
For min. wall thickness	2,8 mm
For max. wall thickness	4 mm
Clamping range	1 x 1 - 4 mm
	16 x 1 - 7.2 mm

KEL-DP 50|9 A gy

Part No.	43554
EAN	4251269310102
PU	10
For max. no. of cables	9
Color	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	60 mm

Mounting height	5 mm
Cut-out size, round	50 mm
Cut-out size, metric	M50
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	5 x 1 - 7 mm
	4 x 1 - 18 mm

KEL-DP 50|9 B gy

Part No.	43568
EAN	4251269310218
PU	10
For max. no. of cables	9
Color	grau (ähnlich RAL 7035)
Height	12 mm
External diameter	60 mm

Mounting height	5 mm
Cut-out size, round	50 mm
Cut-out size, metric	M50
For min. wall thickness	2,8 mm
For max. wall thickness	4 mm
Clamping range	5 x 1 - 7 mm
	4 x 1 - 18 mm

KEL-DP 50|9 A bk

Part No.	50554
EAN	4251269314858
PU	10
For max. no. of cables	9
Color	schwarz
Height	12 mm
External diameter	60 mm

Mounting height	5 mm
Cut-out size, round	50 mm
Cut-out size, metric	M50
For min. wall thickness	1,5 mm
For max. wall thickness	2,5 mm
Clamping range	5 x 1 - 7 mm
	4 x 1 - 18 mm

KEL-DP 50|9 B bk

Part No. **50568**
 EAN **4251269314933**
 PU **10**
 For max. no. of cables **9**
 Color **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **5 x 1 - 7 mm**
4 x 1 - 18 mm

KEL-DP 50|11 A gy


Part No. **43555**
 EAN **4251269310119**
 PU **10**
 For max. no. of cables **11**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **7 x 1 - 7.2 mm**
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

KEL-DP 50|11 B gy

Part No. **43569**
 EAN **4251269310225**
 PU **10**
 For max. no. of cables **11**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **7 x 1 - 7.2 mm**
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

KEL-DP 50|11 A bk


Part No. **50555**
 EAN **4251269314865**
 PU **10**
 For max. no. of cables **11**
 Color **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **7 x 1 - 7.2 mm**
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

KEL-DP 50|11 B bk


Part No. **50569**
 EAN **4251269314940**
 PU **10**
 For max. no. of cables **11**
 Color **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **7 x 1 - 7.2 mm**
3 x 1 - 11.2 mm
1 x 1 - 22.5 mm

KEL-DP 50|12 A gy

Part No. **43551**
 EAN **4251269310072**
 PU **10**
 For max. no. of cables **12**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **10 x 1 - 9.2 mm**
2 x 1 - 11.2 mm

KEL-DP 50|12 B gy


Part No. **43562**
 EAN **4251269310157**
 PU **10**
 For max. no. of cables **12**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **10 x 1 - 9.2 mm**
2 x 1 - 11.2 mm

KEL-DP 50|12 A bk

Part No. **50551**
 EAN **4251269314827**
 PU **10**
 For max. no. of cables **12**
 Color **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **10 x 1 - 9.2 mm**
2 x 1 - 11.2 mm

KEL-DP 50|12 B bk


Part No. **50562**
 EAN **4251269314896**
 PU **10**
 For max. no. of cables **12**
 Color **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **10 x 1 - 9.2 mm**
2 x 1 - 11.2 mm

KEL-DP 50|16 A gy

Part No. **43550**
 EAN **4251269310065**
 PU **10**
 For max. no. of cables **16**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm

KEL-DP 50|16 B gy

Part No. **43564**
 EAN **4251269310171**
 PU **10**
 For max. no. of cables **16**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm

KEL-DP 50|16 A bk


Part No. **50550**
 EAN **4251269314810**
 PU **10**
 For max. no. of cables **16**
 Color **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **4 x 1 - 5.3 mm**
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm

KEL-DP 50|16 B bk


Part No. **50564**
 EAN **4251269314902**
 PU **10**
 For max. no. of cables **16**
 Color **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range
4 x 1 - 5.3 mm
5 x 1 - 6.3 mm
3 x 1 - 9.5 mm
4 x 1 - 11.3 mm

KEL-DP 50|18 A gy


Part No. **43553**
 EAN **4251269310096**
 PU **10**
 For max. no. of cables **18**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range
2 x 1 - 4 mm
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm

KEL-DP 50|18 B gy

Part No. **43567**
 EAN **4251269310201**
 PU **10**
 For max. no. of cables **18**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range
2 x 1 - 4 mm
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm

KEL-DP 50|18 A bk


Part No. **50553**
 EAN **4251269314841**
 PU **10**
 For max. no. of cables **18**
 Color **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range
2 x 1 - 4 mm
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm

KEL-DP 50|18 B bk


Part No. **50567**
 EAN **4251269314926**
 PU **10**
 For max. no. of cables **18**
 Color **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range
2 x 1 - 4 mm
2 x 1 - 6 mm
4 x 1 - 7.2 mm
5 x 1 - 9.4 mm
5 x 1 - 12 mm

KEL-DP 50|20 A gy


Part No. **43552**
 EAN **4251269310089**
 PU **10**
 For max. no. of cables **20**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm

KEL-DP 50|20 B gy


Part No. **43566**
 EAN **4251269310195**
 PU **10**
 For max. no. of cables **20**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm

KEL-DP 50|20 A bk


Part No. **50552**
 EAN **4251269314834**
 PU **10**
 For max. no. of cables **20**
 Color **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm

KEL-DP 50|20 B bk


Part No. **50566**
 EAN **4251269314919**
 PU **10**
 For max. no. of cables **20**
 Color **schwarz**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**
 Clamping range **16 x 1 - 6.3 mm**
4 x 1 - 9.3 mm

KEL-DP 50|35 A gy


Part No. **43556**
 EAN **4251269310126**
 PU **10**
 For max. no. of cables **35**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **1,5 mm**
 For max. wall thickness **2,5 mm**
 Clamping range **35 x 1 - 5.2 mm**

KEL-DP 50|35 B gy

Part No. **43570**
 EAN **4251269310232**
 PU **10**
 For max. no. of cables **35**
 Color **grau (ähnlich RAL 7035)**
 Height **12 mm**
 External diameter **60 mm**

Mounting height **5 mm**
 Cut-out size, round **50 mm**
 Cut-out size, metric **M50**
 For min. wall thickness **2,8 mm**
 For max. wall thickness **4 mm**


KEL-DP 50|35 A bk

Part No.
EAN
PU
For max. no. of cables
Color
Height
External diameter

50556
4251269314872
10
35
schwarz
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
1,5 mm
2,5 mm
35 x 1 - 5.2 mm

KEL-DP 50|35 B bk

Part No.
EAN
PU
For max. no. of cables
Color
Height
External diameter

50570
4251269314957
10
35
schwarz
12 mm
60 mm

Mounting height
Cut-out size, round
Cut-out size, metric
For min. wall thickness
For max. wall thickness
Clamping range

5 mm
50 mm
M50
2,8 mm
4 mm
35 x 1 - 5.2 mm

