


KT CR cable grommets

for the use in cleanrooms, 1 - 35 mm / IP66 / IP68 / UL Type 12/4X



IP54

IP67

ECOLAB certified

IP55

IP68

Made in Germany

IP64

UL TYPE 12

IP65

UL TYPE 4X

IP66

CULUS

RoHS compliant

Specifications

IP rating (EN 60529)	IP54, IP55, IP64, IP65, IP66, IP67, IP68
UL Type (UL 50E)	UL Type 12, UL Type 4X
Material	Elastomer
Flame class	UL94-V0, self-extinguishing
Operating temperature	-40 C° to 100 C°
Properties	silicone free, halogen free


Product types & Sizes

BTK CR gy




Part No.	41251.601
EAN	4251269326455
PU	10
Color	grau (ähnlich RAL 7035)
Length	21 mm
Width	21 mm


Height	19 mm
Mounting height	2 mm
For cable type	Rundleitung
Blank grommet	1

BTK CR (S)VOC gy


Part No.	41251.600	Height	19 mm
EAN	4251269325441	Mounting height	2 mm
PU	10	For cable type	Rundleitung
Color	grau (ähnlich RAL 7035)	Blank grommet	1
Length	21 mm		
Width	21 mm		

KT 1 CR gy


Part No.	39941.601	Height	19 mm
EAN	4251269326318	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 1 - 2 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 1 CR (S)VOC gy


Part No.	39941.600	Height	19 mm
EAN	4251269326196	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 1 - 2 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 2 CR gy


Part No.	39934.601	Height	19 mm
EAN	4251269326301	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 2 - 3 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 2 CR (S)VOC gy

Part No.	39934.600	Height	19 mm
EAN	4251269326189	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 2 - 3 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		


KT 3 CR gy

Part No.	41203.601	Height	19 mm
EAN	4251269326325	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 3 - 4 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 3 CR (S)VOC gy


Part No. **41203.600**
 EAN **4251269326202**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 3 - 4 mm**

KT 4 CR gy


Part No. **41204.601**
 EAN **4251269326332**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 4 - 5 mm**

KT 4 CR (S)VOC gy


Part No. **41204.600**
 EAN **4251269326219**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 4 - 5 mm**

KT 5 CR gy


Part No. **41205.601**
 EAN **4251269326349**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 5 - 6 mm**

KT 5 CR (S)VOC gy


Part No. **41205.600**
 EAN **4251269325397**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 5 - 6 mm**

KT 6 CR gy


Part No. **41206.601**
 EAN **4251269326356**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 6 - 7 mm**

KT 6 CR (S)VOC gy


Part No. **41206.600**
 EAN **4251269325403**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 6 - 7 mm**

KT 7 CR gy


Part No. **41207.601**
 EAN **4251269326363**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 7 - 8 mm**

KT 7 CR (S)VOC gy


Part No. **41207.600**
 EAN **4251269326226**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 7 - 8 mm**

KT 8 CR gy


Part No. **41208.601**
 EAN **4251269326370**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 8 - 9 mm**

KT 8 CR (S)VOC gy


Part No. **41208.600**
 EAN **4251269326233**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 8 - 9 mm**


KT 9 CR gy

Part No. **41209.601**
 EAN **4251269326387**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**


Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 9 - 10 mm**

KT 9 CR (S)VOC gy


Part No.	41209.600	Height	19 mm
EAN	4251269326240	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 9 - 10 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 10 CR gy


Part No.	41210.601	Height	19 mm
EAN	4251269326394	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 10 - 11 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 10 CR (S)VOC gy


Part No.	41210.600	Height	19 mm
EAN	4251269326257	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 10 - 11 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 11 CR gy


Part No.	41211.601	Height	19 mm
EAN	4251269326400	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 11 - 12 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 11 CR (S)VOC gy

Part No.	41211.600	Height	19 mm
EAN	4251269325410	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 11 - 12 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		


KT 12 CR gy

Part No.	41212.601	Height	19 mm
EAN	4251269326417	Mounting height	2 mm
PU	10	For cable type	Rundleitung
For max. no. of cables	1	Clamping range	1 x 12 - 13 mm
Color	grau (ähnlich RAL 7035)		
Length	21 mm		
Width	21 mm		

KT 12 CR (S)VOC gy


Part No. **41212.600**
 EAN **4251269325427**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 12 - 13 mm**

KT 13 CR gy


Part No. **41213.601**
 EAN **4251269326424**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 13 - 14 mm**

KT 13 CR (S)VOC gy


Part No. **41213.600**
 EAN **4251269326264**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 13 - 14 mm**

KT 14 CR gy


Part No. **41214.601**
 EAN **4251269326431**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 14 - 15 mm**

KT 14 CR (S)VOC gy


Part No. **41214.600**
 EAN **4251269326271**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 14 - 15 mm**

KT 15 CR gy


Part No. **41215.601**
 EAN **4251269326448**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 15 - 16 mm**

KT 15 CR (S)VOC gy


Part No. **41215.600**
 EAN **4251269325434**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **21 mm**
 Width **21 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 15 - 16 mm**

BTG CR gy


Part No. **41252.601**
 EAN **4251269327124**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Blank grommet **1**

BTG CR (S)VOC gy


Part No. **41252.600**
 EAN **4251269326912**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Blank grommet **1**

KT 16 CR gy


Part No. **41216.601**
 EAN **4251269326936**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 16 - 17 mm**

KT 16 CR (S)VOC gy


Part No. **41216.600**
 EAN **4251269326721**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 16 - 17 mm**

KT 17 CR gy


Part No. **41217.601**
 EAN **4251269326943**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 17 - 18 mm**

KT 17 CR (S)VOC gy


Part No. **41217.600**
 EAN **4251269326738**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 17 - 18 mm**

KT 18 CR gy


Part No. **41218.601**
 EAN **4251269326950**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 18 - 19 mm**

KT 18 CR (S)VOC gy


Part No. **41218.600**
 EAN **4251269326745**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 18 - 19 mm**

KT 19 CR gy


Part No. **41219.601**
 EAN **4251269326967**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 19 - 20 mm**

KT 19 CR (S)VOC gy


Part No. **41219.600**
 EAN **4251269326752**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 19 - 20 mm**

KT 20 CR gy


Part No. **41220.601**
 EAN **4251269326974**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 20 - 21 mm**

KT 20 CR (S)VOC gy


Part No. **41220.600**
 EAN **4251269326769**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 20 - 21 mm**

KT 21 CR gy


Part No. **41221.601**
 EAN **4251269326981**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 21 - 22 mm**

KT 21 CR (S)VOC gy


Part No. **41221.600**
 EAN **4251269326776**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 21 - 22 mm**

KT 22 CR gy


Part No. **41222.601**
 EAN **4251269326998**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 22 - 23 mm**

KT 22 CR (S)VOC gy


Part No. **41222.600**
 EAN **4251269326783**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 22 - 23 mm**

KT 23 CR gy


Part No. **41223.601**
 EAN **4251269327001**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 23 - 24 mm**

KT 23 CR (S)VOC gy


Part No. **41223.600**
 EAN **4251269326790**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 23 - 24 mm**

KT 24 CR gy


Part No. **41224.601**
 EAN **4251269327018**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 24 - 25 mm**

KT 24 CR (S)VOC gy


Part No. **41224.600**
 EAN **4251269326806**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 24 - 25 mm**

KT 25 CR gy


Part No. **41225.601**
 EAN **4251269327025**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 25 - 26 mm**

KT 25 CR (S)VOC gy


Part No. **41225.600**
 EAN **4251269326813**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 25 - 26 mm**

KT 26 CR gy


Part No. **41226.601**
 EAN **4251269327032**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 26 - 27 mm**

KT 26 CR (S)VOC gy


Part No. **41226.600**
 EAN **4251269326820**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 26 - 27 mm**

KT 27 CR gy


Part No. **41227.601**
 EAN **4251269327049**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 27 - 28 mm**

KT 27 CR (S)VOC gy


Part No. **41227.600**
 EAN **4251269326837**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 27 - 28 mm**

KT 28 CR gy


Part No. **41228.601**
 EAN **4251269327056**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 28 - 29 mm**

KT 28 CR (S)VOC gy


Part No. **41228.600**
 EAN **4251269326844**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 28 - 29 mm**

KT 29 CR gy


Part No. **41229.601**
 EAN **4251269327063**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 29 - 30 mm**

KT 29 CR (S)VOC gy


Part No. **41229.600**
 EAN **4251269326851**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 29 - 30 mm**

KT 30 CR gy


Part No. **41230.601**
 EAN **4251269327070**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 30 - 31 mm**

KT 30 CR (S)VOC gy


Part No. **41230.600**
 EAN **4251269326868**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 30 - 31 mm**

KT 31 CR gy


Part No. **41231.601**
 EAN **4251269327087**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 31 - 32 mm**

KT 31 CR (S)VOC gy


Part No. **41231.600**
 EAN **4251269326875**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 31 - 32 mm**

KT 32 CR gy


Part No. **41232.601**
 EAN **4251269327094**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 32 - 33 mm**

KT 32 CR (S)VOC gy


Part No. **41232.600**
 EAN **4251269326882**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 32 - 33 mm**

KT 33 CR gy


Part No. **41233.601**
 EAN **4251269327100**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 33 - 34 mm**

KT 33 CR (S)VOC gy


Part No. **41233.600**
 EAN **4251269326899**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 33 - 34 mm**

KT 34 CR gy

Part No. **41234.601**
 EAN **4251269327117**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 34 - 35 mm**

KT 34 CR (S)VOC gy

Part No. **41234.600**
 EAN **4251269326905**
 PU **10**
 For max. no. of cables **1**
 Color **grau (ähnlich RAL 7035)**
 Length **41,5 mm**
 Width **42 mm**

Height **19 mm**
 Mounting height **2 mm**
 For cable type **Rundleitung**
 Clamping range **1 x 34 - 35 mm**